

BUREAU OF CANNABIS CONTROL

DISCIPLINARY GUIDELINES



OCTOBER 2018

TABLE OF CONTENTS

- I. INTRODUCTION
- II. FACTORS TO BE CONSIDERED IN DETERMINING PENALTIES
- III. DISCIPLINARY GUIDELINES
- IV. STANDARD CONDITIONS OF PROBATION
- V. INTRODUCTORY LANGUAGE AND OPTIONAL TERMS AND CONDITIONS OF PROBATION

I. INTRODUCTION

Pursuant to Business and Professions Code section 26011.5, the protection of the public is of the highest priority for the Bureau of Cannabis Control (Bureau). In keeping with its mandate to protect the public, the Bureau has adopted these recommended uniform guidelines in order to promote consistency in disciplinary orders for similar offenses on a statewide basis. This document is intended for use by those involved in the administrative disciplinary process (e.g., Administrative Law Judges (ALJ), Deputy Attorneys General (DAG), Bureau licensees and their legal counsel, and other interested parties), and may be revised from time to time, and distributed to interested parties upon request.

The Bureau requests that the suggested disciplinary orders contained in these guidelines be levied consistently and appropriately, based on the nature and seriousness of the violation(s) confirmed in an administrative action. The Bureau recognizes that mitigating or aggravating circumstances, in addition to other factors, may necessitate departure from these recommended orders and terms of probation. If there are any deviations from the guidelines, the Bureau requests that the ALJ hearing the matter include an explanation in the Proposed Decision so that the circumstances can be better understood and evaluated by the Bureau before final action is taken.

Additionally, these guidelines only apply to formal administrative disciplinary processes. These guidelines do not apply to other alternatives available to the Bureau, such as administrative citations and fines, except in cases where an Accusation has been filed for failure to pay an assessed administrative fine and/or comply with an order of abatement issued by the Bureau.

II. FACTORS TO BE CONSIDERED IN DETERMINING PENALTIES

In determining whether revocation, suspension, probation, fine, or a combination is to be imposed in a given case, factors such as the following should be considered:

1. Nature and severity of the act(s), violations, offenses, or crime(s) under consideration.
2. Actual or potential harm to the public.
3. Actual or potential harm to any consumer.
4. Prior disciplinary and/or administrative record.
5. Number and/or variety of current violations.
6. Mitigating evidence.
7. Rehabilitation evidence, including but not limited to, a statement of rehabilitation containing any evidence that demonstrates fitness for licensure, or a certificate of rehabilitation under Penal Code section 4852.01.
8. In case of a criminal conviction, compliance with conditions of sentence and/or court-ordered probation.
9. Overall criminal record.
10. Time passed since the act(s) or offense(s) occurred.
11. If applicable, evidence of expungement proceedings pursuant to Penal Code Section 1203.4.
12. Whether the conviction is a felony conviction based on possession or use of cannabis goods that would not be a felony if the person was convicted during the time of licensure.

III. DISCIPLINARY GUIDELINES

The Medicinal and Adult-Use Cannabis Regulation and Safety Act (MAUCRSA) specifies the offenses for which the Bureau may take disciplinary action. Following are samples of the codes and regulation numbers, titles of the offenses and the associated Bureau determined disciplinary recommendations. When filing an accusation, the Bureau or Office of the Attorney General are not limited to the violations listed herein. They may also cite any and all additional related statutes and regulations violated not listed below. The following is **not** a comprehensive list of potential violations and in no way, should limit the Bureau or the Attorney General's Office from asserting any relevant and applicable violation. The Bureau suggests that for cases with multiple violations, suspensions or other disciplines run concurrently. All standard terms of probation as stated in these Disciplinary Guidelines shall be included for all probations.

As used in these Disciplinary Guidelines, statutes and regulations are referenced as follows:

Business and Professions Code: (B&P)

Title 16, California Code of Regulations: (CCR)

Penal Code: (PC)

California Code of Regulations Disciplinary Order Guidelines - Tier 1

Minimum: revocation stayed, 5 to 15-day suspension, a fine (as determined by the "Fine Formula" below), or a combination of a suspension and fine.

Maximum: revocation

Tier 1 discipline is recommended for:

- violations which are potentially harmful

Violations of the following codes are representative of this category:

Violation Description	Authority
Failure to Pay Appropriate Fees	CCR § 5015
Failure to Cancel, Destroy, or Surrender License	B&P § 119(d) CCR § 5022
Failure to Comply with Business Modifications Requirements and Notice	CCR § 5023
Use of Cannabis Diffuser or Vaporizer on Licensed Premises	CCR § 5025
Unauthorized Modification of Licensed Premises	B&P § 26055(c) CCR § 5027
Prohibited Distribution or Sale of Cannabis Goods Designated "For Medical Use Only"	CCR § 5032
Unauthorized Storage of Inventory	CCR § 5033
Failure to Maintain Records	B&P § 26160 CCR §§ 5037, 5310, 5426, 5505-5507, 5739

Unauthorized Use of the Track and Trace System and Failure to Maintain Track and Trace System Requirements	CCR §§ 5048-5052
Failure to Properly Display and Post License	CCR § 5039
Failure to Comply with Advertising and Marketing Requirements	B&P §§ 26151- 26152 CCR §§ 5040-5041
Failure to Maintain and Restrict Limited-Access and Other Restricted Areas	B&P § 26070 CCR §§ 5042
Failure of Licensee or Employee to Properly Display Licensee-issued Identification Badge	CCR § 5043
Failure to Comply with Security Requirements	CCR §§ 5044-5047 and 5403.1
Improper Acceptance or Rejection of Cannabis Goods Shipment	CCR § 5052.1
Failure to Comply with Proper Cannabis Destruction and Waste Management	CCR §§ 5054, 5405(c), 5410(e) and 5727(c)
Unauthorized Storage of Cannabis Goods and Storage-only Services	CCR §§ 5033 and 5300-5302
Failure to Comply with Packaging and Labeling Requirements	B&P §§ 26120-26121 CCR §§ 5303, 5408(a)(3), and 5412
Failure to Comply with Insurance Requirements	CCR § 5308
Failure to Account for Inventory, or to Complete Inventory Reconciliation as Required	CCR §§ 5051, 5309 and 5423-5424
Unauthorized Return of Cannabis Goods	CCR §§ 5053 and 5410
Failure to Comply with Transportation Requirements of Cannabis Goods	B&P § 26070 CCR §§ 5311-5312
Failure to Comply with Transport Personnel Requirements	CCR § 5313
Unauthorized Use of Distributor Transport Only License	CCR § 5315
Failure to Maintain Proper Chain of Custody of Testing Sample	CCR § 5706
Failure to Timely Submit a Certificate of Analysis and Results	CCR § 5726
Failure to Supply Requested Data to the Bureau in a Timely Manner	CCR § 5732
Failure to Comply with Shipping Manifest Requirements	B&P §§ 26067 and 26070 CCR § 5314
Failure to Confirm Age of Customers	B&P § 26140 CCR §§ 5400 and 5402
Unauthorized Hours of Operation	CCR § 5403 and 5422(b)
Failure to Properly Display Cannabis Goods	CCR § 5405
Unauthorized Sale of Cannabis Plants and Seeds	CCR § 5408(a)-(b)
Use of Pesticide on Live Plants	CCR § 5408(c)
Give Away or Furnishing of Free Cannabis Goods or Accessories	B&P § 26153 CCR § 5411
Failure to Comply with Exit Packaging Requirements	B&P § 26070.1 CCR § 5413

Failure to Comply with Delivery Requirements	CCR §§ 5415-5418 and 5421
Failure to Provide Delivery Request Receipts	B&P § 26090 CCR § 5420
Receipt of Inventory That Does Not Meet Requirements	CCR § 5422
Improper Retailer Premises Transfer	CCR § 5427
Failure to Comply with Requirements for Temporary Cannabis Event License	CCR § 5600 et seq.
Non-Permitted Use of License	B&P § 119(b)-(f)
Failure to Comply with Local Ordinance Regulating Commercial Cannabis Activity	B&P § 26030(f)
Failure to Comply with Operating Procedures	B&P § 26030(j)
Allowing for the Sale of Alcohol or Tobacco Products, or Storage or Consumption of Alcoholic Beverages, on Licensed Premises	B&P § 26054(a) CCR § 5025(d)
False or Misleading Health-Related Statements	B&P § 26154
Failure to Record Commercial Cannabis Activity on Sales Invoice or Receipt	B&P § 26161
Failure to Exercise Care for Safety of Self or Others Due to Being Under the Influence of an Intoxicating Substance	PC § 647(f)

California Code of Regulations Disciplinary Order Guidelines - Tier 2

Minimum: revocation stayed, 15 to 30-day suspension, a fine (as determined by the “Fine Formula” below), or a combination of a suspension and fine.

Maximum: revocation

Tier 2 discipline is recommended for:

- Violations with a serious potential for harm
- Violations which involve greater risk and disregard of public safety

Violations of the following codes are representative of this category:

Violation Description	Authority
Exceeding License Privileges for Commercial Cannabis Activity	B&P §§ 26050 and 26053
Holding an Interest in a Licensed Testing Laboratory and Other Commercial Cannabis License	B&P § 26053(b)
Unauthorized Use and Operation of Designated Licensed Premises	CCR § 5025
Sale or Delivery of Cannabis Goods to a Motor Vehicle	CCR § 5025(c)
Subletting of Premises	CCR § 5028
Failure to Comply with Track and Trace Reporting and System Reconciliation Requirements	CCR §§ 5049-5051

Failure to Comply with Video Surveillance System Requirements	CCR § 5044
Failure to Comply with Security Personnel Requirements	CCR § 5045
Failure to Comply with Age Restrictions for Employees and Other Persons Retained by Licensee	B&P § 26140 CCR § 5031
Sale or Furnish of Adult-use Cannabis Goods to Minors	B&P §§ 26030(g) and 26140 CCR § 5404(a)
Unauthorized Consumption of Cannabis Goods on Licensed Premises	B&P § 26200
Unauthorized Sale of Non-Cannabis Goods on Premises	CCR § 5407
Exceeding Daily Limits of Cannabis Goods Sales	CCR § 5409
Unauthorized Storefront Activities with Non-Storefront Retail License	CCR § 5414
Consumption of Cannabis Goods During Delivery	CCR § 5419
Failure to Ensure Laboratory Testing Arrangements, Proper Sampling and Quality Assurance	CCR §§ 5304-5305, and 5307
Failure to Present the Cannabis Goods Batch With Accurate Information, in its Entirety, and Final Form	CCR § 5304 and 5305
Reporting Results when Laboratory Quality Control (LQC) Data is Outside of Acceptance Criteria and/or Not Analyzing Required LQC Samples	CCR § 5730
Failure to Follow Good Laboratory Practices	CCR § 5729 and 5730
Unauthorized Remediation of Failed Sample Batches	CCR § 5306
Failure to Comply with Microbusiness Requirements	CCR § 5500 et seq.
Failure to Comply with Laboratory Testing Requirements	CCR § 5700 et seq.
Failure to Obtain a Representative Sample	CCR § 5707 and 5708
Unauthorized Re-sampling and/or Re-testing of a Cannabis Goods Batch	CCR § 5305.1
False or Misleading Declaration of Correction in a Notice to Comply	CCR § 5801
Prohibited Attire and Conduct	CCR § 5806
Prohibited Entertainers and Conduct	CCR § 5807
Allowing for the Copy or Display of a Fictitious License or a License that is Canceled, Revoked, or Altered	B&P § 119
Misdemeanor Offenses by Licensees	B&P § 125
Discipline by Another Agency	B&P § 141
Failure to Provide Safe Conditions for Inspection	B&P § 26030(i)
Engaging in any Prohibited Restraint of Trade, or Other Prohibited Act to Create a Monopoly or Injure Competitors	B&P § 26052
Violation of Building Standards or Regulations Relating to Hazardous Materials	B&P § 26056
Failure to Comply with Manufacturing Standards	B&P §§ 26130-26133

California Code of Regulations Disciplinary Order Guidelines - Tier 3

Minimum: revocation stayed, 45-day suspension, a fine (as determined by the “Fine Formula” below), or a combination of a suspension and fine.

Maximum: revocation

Tier 3 discipline is recommended for:

- Knowing or willfully violating laws or regulations pertaining to commercial cannabis activity
- Fraudulent acts relating to the licensee’s commercial cannabis business

Violations of the following codes are representative of this category:

Violation Description	Authority
Engaging in Business Modification Practices without Bureau Approval	CCR § 5023
Failure to Notify the Bureau of a Change in Ownership	CCR §§ 5023(c) and 5024
Obtaining a License for Premises in Restricted Location	B&P § 26054 CCR § 5026
Conducting Commercial Cannabis Activity with Non-Licensees	CCR § 5032(a)
Failure to Notify the Bureau of Criminal Acts, Civil Judgments, Labor Standards Violations, and Revocation of a Local Authorization after Licensure	CCR § 5035
Failure to Notify the Bureau of Significant Discrepancy, Theft, Loss, and Criminal Activity	B&P § 26070 (k) CCR § 5036
Restricting or Hindering the Examination of Books, Records, or Equipment	B&P §§ 26160-26161 CCR §§ 5037(c)-(e) and 5800
False Reporting of a Disaster	CCR § 5038
Retail Sale of Untested Cannabis Goods, or Cannabis Goods Not Received From a Licensed Distributor or Licensed Microbusiness	CCR § 5406
Sale of Customer-Returned Cannabis Goods	CCR § 5410(c)
Unauthorized Release of a Cannabis Goods Batch for Retail Sale, Including Dry-labbing and/or False Reporting of Results	CCR §§ 5707-5708, 5710, 5715, 5717 et seq., 5727, 5730
Unauthorized Release of a Cannabis Goods Batch for Retail Sale or Distribution Transfers	CCR §§ 5304, 5305, 5306, 5307, 5307.1, and 5307.2
Failure to Complete all Required Analyses at One Licensed Laboratory Premises, Including Subcontracting or Transferring Samples Between Laboratories	CCR § 5705
Amending or Changing a Regulatory Compliance COA after Issuance	CCR § 5726
Obstruction of Inspections, Investigations, or Audits	CCR § 5800
Failure to Provide Access to Premises for Any Inspection, Audit, Review, or Investigation	CCR § 5800

Delivery or Transport of Cannabis Goods Outside of California or to a Publicly Owned or Leased Location	B&P § 26080 CCR § 5416(b)-(c)
Failure to Correct Any Objectionable Conditions on Premises	CCR § 5808(a)-(b)
Illegal Sale of Dangerous Drugs, or Other Controlled Substances	CCR § 5808(e)
Failure to Pay Fine	B&P § 125.9(b)(5) CCR § 5802
Engage in Conduct that is Grounds for Denial of Licensure	B&P § 480(a)
False Statement or Omission in Application	B&P § 480(d)
Conviction of a Crime Substantially Related to Qualifications, Functions, or Duties of Licensure	B&P § 490(a)
Securing License by Fraud, Deceit, or Misrepresentation.	B&P § 498
Failure to Pay Taxes	B&P § 26030(d)
Unauthorized Release of Patient Information	B&P § 26162.5

Fine Formula

In instances where the Bureau allows a fine to be paid, the following method will be used to calculate the fine.

Gross Revenue divided by **Number of Days Open During the Preceding 12 Months** = **Average Daily Sale Amount**

50% of the Average Daily Sale Amount multiplied by **Number of Days of the Suspension** = **Potential Fine Amount**

The books and records of the licensee shall be kept in such a manner that the gross revenue, average daily sale amount, and/or the loss of profits from commercial cannabis activity that the licensee would have suffered from a suspension can be determined with reasonable accuracy, and such books, records, and information shall be accessible to the Bureau to make an accurate and complete determination of any fine amount. The fine formula is a guide for calculating a fine amount and is not determinative of any assessed or final fine amount. The Bureau may in its sole discretion adjust the fine amount against any licensee to any amount within the minimum and maximum fine amounts, or to any amount exceeding the maximum fine amount for each license type. The factors the Bureau will consider in determining a fine amount include those factors under Section II of the Disciplinary Guidelines.

Minimum and Maximum Fine Amounts

The minimum and maximum fine amount is based on the tier the licensee falls into on the annual license fee schedule listed in 16 CCR § 5014. These fine amounts do not limit or supersede any fine amounts prescribed by statute, if the statutory fines exceed those amounts listed here. For instance, Business and Professions Code section 26160, subsection (f), provides that a licensee shall be subject

to a citation and fine of up to thirty thousand dollars per individual violation, for a failure to maintain or provide records as required pursuant to that section. The minimum fine amount for any disciplinary action shall not be less than \$1,000.

License Type	Gross Revenue (\$ Max. Per License)	Minimum Fine to Maximum Fine
Testing Laboratory	Less or equal to \$160,000	\$1,500 to \$6,000
	More than \$160,000 and less or equal to \$320,000	\$3,000 to \$12,000
	More than \$320,000 and less or equal to \$480,000	\$4,000 to \$16,000
	More than \$480,000 and less or equal to \$800,000	\$6,500 to \$26,000
	More than \$800,000 and less or equal to \$1.2 million	\$10,000 to \$40,000
	More than \$1.2 million and less or equal to \$2.0 million	\$16,000 to \$64,000
	More than \$2.0 million and less or equal to \$2.8 million	\$24,000 to \$96,000
	More than \$2.8 million and less or equal to \$4.4 million	\$36,000 to \$144,000
	More than \$4.4 million	\$56,000 to \$224,000
Distributor	Less or equal to \$1.0 million	\$1,000 to \$3,000
	More than \$1.0 million and less or equal to \$2.5 million	\$3,000 to \$12,000
	More than \$2.5 million and less or equal to \$5.0 million	\$5,625 to \$22,500
	More than \$5.0 million and less or equal to \$10.0 million	\$11,250 to \$45,000
	More than \$10.0 million and less or equal to \$20.0 million	\$22,500 to \$90,000
	More than \$20.0 million and less or equal to \$30.0 million	\$37,500 to \$150,000
	More than \$30.0 million and less or equal to \$50.0 million	\$60,000 to \$240,000
	More than \$50.0 million and less or equal to \$70.0 million	\$90,000 to \$360,000
	More than \$70.0 million	\$120,000 to \$480,000
Distributor Transport Only Self-Distribution	Less or equal to \$1,000	\$1,000 to \$2,000
	More than \$1,000 and less or equal to \$3,000	\$1,000 to \$4,000

Retailer	Less or equal to \$500,000	\$1,250 to \$5,000
	More than \$500,000 and less or equal to \$750,000	\$2,750 to \$11,000
	More than \$750,000 and less or equal to \$1.0 million	\$3,750 to \$15,000
	More than \$1.0 million and less or equal to \$1.5 million	\$5,500 to \$22,000
	More than \$1.5 million and less or equal to \$2.0 million	\$7,250 to \$29,000
	More than \$2.0 million and less or equal to \$3.0 million	\$11,250 to \$45,000
	More than \$3.0 million and less or equal to \$4.0 million	\$15,250 to \$61,000
	More than \$4.0 million and less or equal to \$5.0 million	\$19,250 to \$77,000
	More than \$5.0 million and less or equal to \$6.0 million	\$23,250 to \$93,000
	More than \$6.0 million and less or equal to \$7.5 million	\$28,500 to \$114,000
	More than \$7.5 million	\$48,000 to \$192,000
Microbusiness	Less or equal to \$1.0 million	\$2,500 to \$10,00
	More than \$1.0 and less or equal to \$2.0 million	\$6,000 to \$24,000
	More than \$2.0 and less or equal to \$3.0 million	\$10,000 to \$40,000
	More than \$3.0 and less or equal to \$4.0 million	\$16,000 to \$64,000
	More than \$4.0 and less or equal to \$6.0 million	\$22,500 to \$90,000
	More than \$6.0 and less or equal to \$7.0 million	\$30,000 to \$120,000
	More than \$7.0 and less or equal to \$10.0 million	\$40,000 to \$160,000
	More than \$10.0 and less or equal to \$20.0 million	\$50,000 to \$200,000

	More than \$20.0 and less or equal to \$30.0 million	\$60,000 to \$240,000
	More than \$30.0 and less or equal to \$40.0 million	\$70,000 to \$280,000
	More than \$40.0 and less or equal to \$50.0 million	\$80,000 to \$320,000
	More than \$50.0 and less or equal to \$60.0 million	\$90,000 to \$360,000
	More than \$60.0 and less than or equal to \$80.0 million	\$110,000 to \$440,000
	More than \$80 million	\$150,000 to \$600,000

IV. STANDARD CONDITIONS OF PROBATION

The protection of the public is the highest priority of the Bureau. In disciplinary matters where probation has been imposed, the Bureau believes the conditions of probation will help ensure public protection and allow the probationer the opportunity to demonstrate rehabilitation. The following conditions of probation provide for consumer protection and establish a mechanism to monitor the rehabilitation progress of a probationer. Generally, the Bureau recommends a minimum of three (3) years' probation.

Introductory Language and Conditions 1-9 are required as follows:

1. OBEY LAWS

Respondent shall obey all state and local laws. A full and detailed account of any and all violations of law shall be reported by the respondent to the Bureau in writing within seventy-two (72) hours of occurrence. To permit monitoring of compliance with this condition, respondent shall submit completed fingerprint forms and fingerprint fees within 45 days of the effective date of the decision, unless previously submitted as part of the licensure application process.

CRIMINAL COURT ORDERS: If respondent, or an owner of the respondent, is under criminal court orders, including probation or parole, and the order is violated, this shall be deemed a violation of these probation conditions, and may result in the filing of an accusation and/or petition to revoke probation.

2. SUBMIT WRITTEN REPORTS

Respondent, during the period of probation, shall submit or cause to be submitted such written reports/declarations and verification of actions under penalty of perjury, as required by the Bureau, but no more frequently than once each calendar quarter. These reports/declarations shall contain statements relative to respondent's compliance with all the conditions of the Bureau's Probation Program. Respondent shall immediately execute all release of information forms as may be required by the Bureau or its representatives.

3. REPORT IN PERSON

Respondent, during the period of probation, through its designated owner or owners, shall appear in person at interviews/meetings as directed by the Bureau or its representatives.

4. COMPLY WITH CONDITIONS OF PROBATION

Respondent shall fully comply with the conditions of probation established by the Bureau and cooperate with representatives of the Bureau in its monitoring and investigation of the respondent's compliance with the Bureau's Probation Program. Respondent shall inform the Bureau in writing within no more than 15 calendar days of any address change. Upon successful completion of probation, respondent's license shall be fully restored.

5. POSTING OF SIGN

During the period of suspension, Respondent shall prominently post a sign or signs, provided by the Bureau, indicating the beginning and ending dates of the suspension and indicating the reason for the suspension. The sign or signs shall be conspicuously displayed in a location or locations open to and frequented by customers. The location(s) of the sign(s) shall be approved by the Bureau and shall remain posted during the entire period of actual suspension.

Additionally, the Respondent shall circulate a notice of the conditions of probation to all employees and post the notice in a conspicuous place where notices to employees are posted or available to employees. New employees shall also be provided a copy of the notice of the conditions of probation.

6. MAINTAIN VALID LICENSE

Respondent shall, at all times while on probation, maintain a current and valid license with the Bureau, including any period during which suspension or probation is tolled.

7. COST RECOVERY

Respondent shall pay to the Bureau costs associated with its investigation and enforcement pursuant to Business and Professions Code Section 26031 in the amount of \$_____. Respondent shall be permitted to pay these costs in a payment plan approved by the Bureau, with payments to be completed no later than three months prior to the end of the probation term.

If respondent has not complied with this condition during the probationary term, and respondent has presented sufficient documentation of good faith efforts to comply with this condition, and if no other conditions have been violated, the Bureau, in its discretion, may grant an extension of the respondent's probation period up to one year without further hearing in order to comply with this condition. During the one year extension, all original conditions of probation will apply.

8. LICENSE SURRENDER

During respondent's term of probation, if it ceases business or is otherwise unable to satisfy the conditions of probation, respondent may surrender its license to the Bureau. The Bureau reserves the right to evaluate respondent's request and to exercise its discretion whether to grant the request, or to take any other action deemed appropriate and reasonable under the circumstances, without further hearing. Upon formal acceptance of the tendered license, respondent will no longer be subject to the conditions of probation. Surrender of respondent's license shall be considered a disciplinary action and shall become a part of respondent's license history with the Bureau.

9. VIOLATION OF PROBATION

If a respondent violates the conditions of probation, the Bureau after giving the respondent notice and an opportunity to be heard, may set aside the stay order and impose the stayed discipline (revocation/suspension) of the respondent's license. If during the period of probation, an accusation or petition to revoke probation is filed against respondent's license, or the Bureau has served the respondent a notice of intent to set aside the stay, the Bureau shall have continuing jurisdiction, and the probationary period shall automatically be extended and shall not expire until final resolution of the matter.

VI. INTRODUCTORY LANGUAGE AND OPTIONAL TERMS AND CONDITIONS OF PROBATION

The following introductory language and all standard probation conditions are to be included in probationary decisions/orders. For applicants, cost recovery conditions do not apply. For licensees, all standard probation conditions apply. Optional terms and conditions may be included in orders of probation based upon violations.

INTRODUCTORY LANGUAGE FOR ALL ORDERS

IT IS HEREBY ORDERED that License Number _____ issued to Respondent _____ is [revoked/suspended/fined] [for/in the amount of] [days/amount], [however, the revocation is stayed] and respondent is placed on probation for _____ years on the following conditions.

SEVERABILITY CLAUSE – Each condition of probation contained herein is a separate and distinct condition. If any condition of this Order, or any application thereof, is declared unenforceable in whole, in part, or to any extent, the remainder of this Order, and all other applications thereof, shall

not be affected. Each condition of this Order shall separately be valid and enforceable to the fullest extent permitted by law.

§ 1700.15

(c) *Applicability.* Special packaging standards for drugs listed under paragraph (a) of this section shall be in addition to any packaging requirements of the Federal Food, Drug, and Cosmetic Act or regulations promulgated thereunder or of any official compendia recognized by that act.

(Pub. L. 91-601, secs. 2(4), 3, 5, 85 Stat. 1670-72; 15 U.S.C. 1471(4), 1472, 1474; Pub. L. 92-573, 86 Stat. 1231; 15 U.S.C. 2079(a))

[38 FR 21247, Aug. 7, 1973]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 1700.14, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 1700.15 Poison prevention packaging standards.

To protect children from serious personal injury or serious illness resulting from handling, using, or ingesting household substances, the Commission has determined that packaging designed and constructed to meet the following standards shall be regarded as "special packaging" within the meaning of section 2(4) of the act. Specific application of these standards to substances requiring special packaging is in accordance with § 1700.14.

(a) *General requirements.* The special packaging must continue to function with the effectiveness specifications set forth in paragraph (b) of this section when in actual contact with the substance contained therein. This requirement may be satisfied by appropriate scientific evaluation of the compatibility of the substance with the special packaging to determine that the chemical and physical characteristics of the substance will not compromise or interfere with the proper functioning of the special packaging. The special packaging must also continue to function with the effectiveness specifications set forth in paragraph (b) of this section for the number of openings and closings customary for its size and contents. This requirement may be satisfied by appropriate technical evaluation based on physical wear and stress factors, force required for activation, and other such relevant factors which establish that, for the duration of normal use, the effectiveness speci-

16 CFR Ch. II (1-1-18 Edition)

fications of the packaging would not be expected to lessen.

(b) *Effectiveness specifications.* Special packaging, tested by the method described in § 1700.20, shall meet the following specifications:

(1) Child-resistant effectiveness of not less than 85 percent without a demonstration and not less than 80 percent after a demonstration of the proper means of opening such special packaging. In the case of unit packaging, child-resistant effectiveness of not less than 80 percent.

(2) *Ease of adult opening*—(i) *Senior-adult test.* Except for products specified in paragraph (b)(2)(ii) of this section, special packaging shall have a senior adult use effectiveness (SAUE) of not less than 90% for the senior-adult panel test of § 1700.20(a)(3).

(ii) *Younger-adult test*—(A) *When applicable.* Products that must be in aerosol form and products that require metal containers, under the criteria specified below, shall have an effectiveness of not less than 90% for the younger-adult test of § 1700.20(a)(4). The senior-adult panel test of § 1700.20(a)(3) does not apply to these products. For the purposes of this paragraph, metal containers are those that have both a metal package and a recloseable metal closure, and aerosol products are self-contained pressurized products.

(B) *Determination of need for metal or aerosol container*—(1) *Criteria.* A product will be deemed to require metal containers or aerosol form only if:

(i) No other packaging type would comply with other state or Federal regulations,

(ii) No other packaging can reasonably be used for the product's intended application,

(iii) No other packaging or closure material would be compatible with the substance,

(iv) No other suitable packaging type would provide adequate shelf-life for the product's intended use, or

(v) Any other reason clearly demonstrates that such packaging is required.

(2) *Presumption.* In the absence of convincing evidence to the contrary, a product shall be presumed not to require a metal container if the product,

Consumer Product Safety Commission

§ 1700.20

or another product of identical composition, has previously been marketed in packaging using either a nonmetal package or a nonmetal closure.

(3) *Justification.* A manufacturer or packager of a product that is in a metal container or aerosol form that the manufacturer or packager contends is not required to comply with the SAUE requirements of § 1700.20(a)(3) shall provide, if requested by the Commission's staff, a written explanation of why the product must have a metal container or be an aerosol. Manufacturers and packagers who wish to do so voluntarily may submit to the Commission's Office of Compliance a rationale for why their product must be in metal containers or be an aerosol. In such cases, the staff will reply to the manufacturer or packager, if requested, stating the staff's views on the adequacy of the rationale.

(c) *Reuse of special packaging.* Special packaging for substances subject to the provisions of this paragraph shall not be reused.

(d) *Restricted flow.* Special packaging subject to the provisions of this paragraph shall be special packaging from which the flow of liquid is so restricted that not more than 2 milliliters of the contents can be obtained when the inverted, opened container is taken or squeezed once or when the container is otherwise activated once.

(Secs. 2(4), 3, 5, 84 Stat. 1870-72; 15 U.S.C. 1471(4), 1472, 1474)

[38 FR 21247, Aug. 7, 1973, as amended at 60 FR 37734, July 21, 1995]

§ 1700.20 Testing procedure for special packaging.

(a) *Test protocols—(1) General requirements—(i) Requirements for packaging.* As specified in § 1700.15(b), special packaging is required to meet the child test requirements and the applicable adult test requirements of this § 1700.20.

(ii) *Condition of packages to be tested—(A) Tamper-resistant feature.* Any tamper-resistant feature of the package to be tested shall be removed prior to testing unless it is part of the package's child-resistant design. Where a package is supplied to the consumer in an outer package that is not part of the package's child-resistant design, one of the following situations applies:

(1) In the child test, the package is removed from the outer package, and the outer package is not given to the child.

(2) In both the adult tests, if the outer package bears instructions for how to open or properly resecure the package, the package shall be given to the test subject in the outer package. The time required to remove the package from the outer package is not counted in the times allowed for attempting to open and, if appropriate, reclose the package.

(3) In both the adult tests, if the outer package does not bear any instructions relevant to the test, the package will be removed from the outer package, and the outer package will not be given to the test subject.

(B) *Reclosable packages—adult tests.* In both the adult tests, reclosable packages, if assembled by the testing agency, shall be properly secured at least 72 hours prior to beginning the test to allow the materials (e.g., the closure liner) to "take a set." If assembled by the testing agency, torque-dependent closures shall be secured at the same on-torque as applied on the packaging line. Application torques must be recorded in the test report. All packages shall be handled so that no damage or jarring will occur during storage or transportation. The packages shall not be exposed to extreme conditions of heat or cold. The packages shall be tested at room temperature.

(2) *Child test—(i) Test subjects—(A) Selection criteria.* Use from 1 to 4 groups of 50 children, as required under the sequential testing criteria in table 1. No more than 20% of the children in each group shall be tested at or obtained from any given site. Each group of children shall be randomly selected as to age, subject to the limitations set forth below. Thirty percent of the children in each group shall be of age 42-44 months, 40% of the children in each group shall be of age 45-48 months, and 30% of the children in each group shall be of age 49-51 months. The children's ages in months shall be calculated as follows:

(1) Arrange the birth date and test date by the numerical designations for month, day, and year (e.g., test date: 8/3/1990; birth date: 6/23/1986).

Guidelines for the Validation of Chemical Methods for the FDA FVM Program

2nd Edition

**US Food & Drug Administration
Office of Foods and Veterinary Medicine**

April 2015

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

ACKNOWLEDGMENT

The first edition of these guidelines published in 2011 and the second edition in 2015 were developed at the request of the US FDA Office of Foods and Veterinary Medicine. In cooperation with members of the Science and Research Steering Committee, direct input, review, and consent were provided by the following FDA research and regulatory offices:

Center for Food Safety and Applied Nutrition

Office of Regulatory Science

Office of Food Safety

Office of Applied Research and Safety Assessment

Center for Veterinary Medicine

Office of Research

Office of New Animal Drug Evaluation

Office of Regulatory Affairs

Office of Regulatory Science

ORA Laboratories

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPROVAL PAGE


This document is approved by the FDA Foods and Veterinary Medicine (FVM) Science and Research Steering Committee (SRSC). The FVM SRSC Project Manager is responsible for updating the document as change requirements are met, and disseminating updates to the SRSC and other stakeholders, as required.

APPROVED BY:

**Palmer A. Orlandi
Jr -S**

Digitally signed by Palmer A. Orlandi Jr -S
DN: c=US, o=U.S. Government, ou=HHS, ou=FDA,
ou=People, 0.9.2342.19200300.100.1.1=300128995,
cn=Palmer A. Orlandi Jr -S
Date: 2015.05.21 16:41:11 -0400

OFVM Chief Science Officer/Research Director



Digitally signed by Jeffrey L. Ward -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=1300184354,
cn=Jeffrey L. Ward -S
Reason: I am approving this document
Location: Silver Spring, MD
Date: 2015.05.26 12:28:38 -0400

OFVM Senior Science Advisor

**Donald L.
Zink -S**

Digitally signed by Donald L. Zink -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
cn=Donald L. Zink -S,
0.9.2342.19200300.100.1.1=130018851
8
Date: 2015.05.26 13:33:51 -0400

CFSAN Senior Science Advisor

**Vincent K.
Bunning -A**

Digitally signed by Vincent K.
Bunning -A
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=13000
10297, cn=Vincent K. Bunning -A
Date: 2015.05.26 14:09:12 -0400

CFSAN, Director, Office of Regulatory Science

**Mary E.
Torrence -S**

Digitally signed by Mary E. Torrence -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=100083393
6, cn=Mary E. Torrence -S
Date: 2015.05.26 14:53:51 -0400

CFSAN, Director Office of Applied Research &
Safety Assessment

William T. Flynn -A

Digitally signed by William T. Flynn -A
DN: c=US, o=U.S. Government, ou=HHS, ou=FDA,
ou=People, 0.9.2342.19200300.100.1.1=130005540,
cn=William T. Flynn -A
Date: 2015.05.28 15:46:51 -0400

CVM, Deputy Director for Science Policy

**John Graham
-S**

Digitally signed by John Graham -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People, cn=John Graham -S,
0.9.2342.19200300.100.1.1=2001287754
Date: 2015.06.01 09:34:29 -0400

CVM, Director, Office of Research

**Paul E.
Norris -S**


Digitally signed by Paul E. Norris -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
cn=Paul E. Norris -S,
0.9.2342.19200300.100.1.1=130023
4978
Date: 2015.07.01 16:30:07 -0400

ORA, Director Office of Regulatory Science

**Timothy
Mcgrath -A**

Digitally signed by Timothy Mcgrath -
A
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=20000980
76, cn=Timothy Mcgrath -A
Date: 2015.07.02 08:49:47 -0400

ORA, Director, Food and Feed Scientific Staff



Digitally signed by William B. Martin -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=130012828
0, cn=William B. Martin -S
Reason: I am approving this document
Date: 2015.07.02 10:22:16 -0700

ORA, Member of the ORA Scientific
Advisory Council

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

**US Food & Drug Administration
Office of Foods and Veterinary Medicine**

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Edition**

TABLE OF CONTENTS

1.0 INTRODUCTION.....	6
1.1 Purpose.....	6
1.2 Scope.....	6
1.3 Administrative Authority and Responsibilities.....	6
1.4 The Method Validation Subcommittee.....	6
1.5 General Responsibility of the Originating Laboratory.....	7
1.6 Overview of Method Validation.....	7
1.7 Applicability.....	7
1.8 Requirements.....	8
2.0 CRITERIA AND GUIDANCE FOR THE VALIDATION OF CHEMICAL METHODS.....	9
2.1 General Validation Tools and Protocol Guidance.....	9
2.2 Reference Method.....	10
2.3 Performance Characteristics.....	10
2.4 Confirmation of Identity.....	11
2.5 Method Validation Levels.....	11
2.6 Acceptability Criteria.....	12
3.0 ADDITIONAL PROCEDURAL GUIDANCE.....	14
3.1 Platform/Instrumentation Extension.....	14
3.2 Analyte Extension.....	14
3.3 Food Matrix Extension.....	15
3.4 Limit Tests (common semi-quantitative screening method).....	15
3.5 Qualitative Broad-band Analyte Screening.....	16
4.0 REFERENCES AND SUPPORTING DOCUMENTS.....	18
APPENDIX 1 - Glossary of Terms.....	20
APPENDIX 2 – Examples of Acceptability Criteria for Certain Performance Characteristics.....	26
A. Quantitative Method Acceptability Criteria.....	26
B. Qualitative Method Acceptability Criteria.....	27
APPENDIX 3 - Examples of Validation Plans.....	28
A. Extension to other matrices with the same analyte(s) at Level One Validation.....	28
B. Extension to similar analytes in the same matrix at Level Two Validation.....	28
C. Validation at Level Two for single matrix and single analyte.....	29
APPENDIX 4 – Selection of Representative Matrices.....	30

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

A. Commodity groups and representative commodities	30
B. AOAC Food Matrix Triangle	32

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

1.0 INTRODUCTION

1.1 Purpose

The U.S. Food and Drug Administration (FDA) is responsible for ensuring the safety of approximately 80% of the nation's food supply. FDA laboratories contribute to this mission through routine surveillance programs, targeted regulatory analyses, and emergency response when contaminated food or feed is detected or suspected in a public health incident. The effectiveness of these activities is highly dependent on the quality and performance of the laboratory methods needed to support regulatory compliance, investigations and enforcement actions. To ensure that the chemical methods employed for the analysis of foods and feeds meet the highest analytical performance standards appropriate for their intended purposes, the FDA Office of Foods and Veterinary Medicine (OFVM) through the Science and Research Steering Committee (SRSC) has established criteria by which all Foods and Veterinary Medicine (FVM) Program chemical methods shall be evaluated and validated. This document defines four standard levels of performance for use in the validation of analytical regulatory methods for chemical analytes in foods and feeds.

1.2 Scope

These criteria apply to FDA laboratories as they develop and participate in the validation of analytical regulatory methods for chemical analytes in anticipation of Agency-wide FVM Program implementation. These criteria do not apply to methods developed by or submitted to FDA under a codified process or official guidance (e.g., in the Code of Federal Regulations, CPGs, etc.) such as for veterinary drug approval. For such studies, the appropriate Center for Veterinary Medicine (CVM) or other Program guidance documents should be followed. This guidance is a forward-looking document; the requirements described here will only apply to *newly*-developed methods and significant modifications to existing methods (see Requirements). Once a method has been validated at the appropriate level, it can be implemented according to OFVM document, FDA-OFVM-3, "Methods Development, Validation, and Implementation Program", which establishes a standard operating procedure for the methods development, validation and implementation process [1]. For example, for a multi-laboratory validated method to be used in a widespread regulatory application, it can be implemented by other FDA laboratories following the method verification process. However, method verification is normally part of a local laboratory's quality control procedures and is not considered within the scope of this validation document.

1.3 Administrative Authority and Responsibilities

All criteria established in this document for analytical method validation have been adopted and approved by the OFVM and the SRSC. The OFVM document, FDA-OFVM-3, establishes the standard operating procedure for the approval and tracking of method development and validation activities within the FVM Program [1]. Single laboratory validation (SLV) studies (including both Level 1 and Level 2 validations) can be managed wholly by the respective Center and Office line management structure. Oversight and coordination of multi-laboratory validation (MLV) studies (including both Level 3 and Level 4 validations) are the responsibility of the Methods Validation Subcommittees (MVS).

1.4 The Method Validation Subcommittee

Under the charge of the SRSC, the Chemistry Methods Validation Subcommittee (CMVS) will have oversight responsibility for MLV studies involving chemical methods associated

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

with the FVM Program which are intended for use in a regulatory context. The CMVS is a subcommittee of the Chemistry Research Coordinating Group (CRCG), which reports directly to the SRSC. The CMVS is governed by the organizational structure, roles and responsibilities as detailed in its charter [2]. Briefly, the CMVS will oversee and coordinate, in collaboration with the originating laboratory, all MLV studies for chemical methods developed within the FDA OFVM Enterprise to support regulatory analytical needs. This includes the evaluation and prioritization of proposed MLV studies as well as evaluation of completed MLV studies and reports. Submissions of chemical validation proposals, reports, questions, etc. can be directed to the CMVS through a central email account:

Chemistry.mvs@fda.hhs.gov

However, where possible, MLVs should be discussed in appropriate Technical Advisory Groups or with the CRCG to ensure the broadest possible consideration of factors before committing resources to an MLV.

1.5 General Responsibility of the Originating Laboratory

It is the responsibility of the originating laboratory to ensure proper adherence to all criteria described in this document. The originating laboratory should work in consultation with the CMVS and/or its designated Technical Advisory Group (TAG) throughout the multi-laboratory validation process. It will be the responsibility of the originating laboratory to include their respective QA/QC manager in all aspects of the validation process.

1.6 Overview of Method Validation

Method validation is the process of demonstrating or confirming that a method is suitable for its intended purpose. The purpose of these methods may include but is not limited to qualitative analysis, quantitative analysis, screening analysis, confirmatory analysis, limit tests, matrix extensions, platform extensions, and emergency/contingency operations. Validation includes demonstrating performance characteristics such as accuracy, precision, sensitivity, selectivity, limit of detection, limit of quantitation, linearity, range, and ruggedness, to ensure that results are meaningful and appropriate to make a decision. Method validation is a distinct phase from method development/ optimization and should be performed *subsequent* to method development. Methods may be validated for one or more analytes, one or more matrices, and one or more instruments or platforms. The method is validated by conducting experiments to determine the specific performance characteristics that serve to define and quantify method performance.

1.7 Applicability

This document establishes validation criteria for regulatory methods that are to be widely used to detect chemical analytes in food, feed and other FDA regulated products covered by the FVM Program including, but not limited to, the following:

- Chemotherapeutic Residues
- Color Additives
- Decomposition Products
- Dietary Supplement Ingredients/Adulterants
- Elemental and Metals
- Food and Feed Additives and Preservatives
- Food Allergens
- Gluten

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

Intentional Adulterants/Poisons
Mycotoxins
Nutrients
Persistent Organic Pollutants
Pesticides
Seafood and plant toxins
Toxic Elements
Veterinary Drug Residues

Please note that although these guidelines mainly cover multi-laboratory validations, criteria for several validation levels are discussed and are differentiated from full MLVs. There are situations where a method is being extended to handle what is likely to be a very limited (perhaps one time) use by one laboratory and is therefore not intended for Agency-wide regulatory use, thus would be validated at a lower level. For example, when a single pesticide laboratory receives several new food matrices for multi-residue analyses that were not covered in the previous validation of the method, these guidelines would not generally be required and a more abbreviated validation/verification within the pesticide program's guidelines may be acceptable.

1.8 Requirements

Method validation is required for:

- Submission of a new or original method.
- Expansion of the scope of an existing method to include additional analytes.
- Expansion of the scope of an existing method to include additional matrices.
- Changes in the intended use of an existing method (e.g., screening vs. confirmatory).
- Modifications to a method that may alter its performance specifications (e.g., modifications that could significantly affect the precision and accuracy, changes to the fundamental science of an existing method, significant changes to reagents, apparatus, instrumental parameters, sample preparation and/or extraction, or modification of a method's range beyond validated levels). Some examples of allowable modifications that would not require further validation are provided in the document, ORA-LAB.5.4.5 Attachment A-Modification Criteria [3].

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

2.0 CRITERIA AND GUIDANCE FOR THE VALIDATION OF CHEMICAL METHODS

2.1 General Validation Tools and Protocol Guidance

There are a number of excellent references and guides available providing further information on method validation for chemical methods [3-20]. The following provides some general guidelines/tools that should be used to assess method performance:

General Protocol: Prepare and analyze method blanks, matrix blanks, reference materials (if available) and matrix spikes (using matrix blanks if available) of known concentration as generally described under the Methods Validation Levels section and Table 1 below. Accuracy or bias and precision are calculated from these results. Data will also be used to evaluate matrix effects and ruggedness/robustness of the method resulting from changes in the sample matrix.

The following general validation tools should be used to generate method performance characteristics as described in the Performance Characteristics section below.

Blanks: Use of various types of blanks enables assessment of how much of the result is attributable to the analyte in relation to other sources. Blanks are useful in the determination of limit of detection.

Reference materials and certified reference materials: The use of known reference materials (when available and applicable) should be incorporated to assess the accuracy or bias of the method, as well as for obtaining information on interferences.

Matrix Blank: This type of blank is a substance that closely matches the samples being analyzed with regard to matrix components. Matrix blanks are used to establish background level (presence or absence) of analyte(s) and to verify that sample matrix and equipment used does not interfere with or affect the analytical signal.

Matrix Spikes (Laboratory Fortified Matrix): Recovery determinations can be estimated from fortification or spiking with a known amount of analyte and calculation of spike recoveries. (Note: spike recovery may not be accurately representative of recovery from naturally incurred analytes.) Matrix effects can also be assessed with these samples. Accuracy or bias and precision are calculated from these results. The data can also be used to evaluate robustness of the method resulting from changes in the sample matrix.

Incurred Samples: This type of sample contains (not laboratory fortified) the analyte(s) of interest (if available) and can be used to evaluate precision and bias (if analyte concentration(s) are reliably known). Analyte recovery can also be evaluated through successive extractions of the sample and/or comparison to another analytical procedure with known bias.

Reagent Blank: This type of blank incorporates all reagents used in the method and is subjected to all sample processing operations. It serves to verify that reagents are analyte free and the equipment used does not interfere with or affect the analytical signal.

Replicate Analyses: The precision of the analytical process can be evaluated using replicate analyses. The originating laboratory should assure that adequate sample replicates are

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

performed and that results from replicate measurements of each analyte are compared. Minimally, the method repeatability should be evaluated.

Interferences: Spectral, physical, and chemical interferences can be evaluated by analyzing samples containing various suspected interferences. Carryover should be evaluated using the incorporation of blanks immediately following standards and samples.

Statistics: Statistical techniques are employed to evaluate accuracy, trueness (or bias) precision, linear range, limits of detection and quantitation, and measurement uncertainty.

2.2 Reference Method

A reference method is a method by which the performance of an alternate or new method may be measured or evaluated. For chemical analytes, an appropriate reference method is not always identifiable or available. However, there are some instances in which the use of a reference method is appropriate such as when replacing a method specified for use in a compliance program. Consultation between the originating laboratory and the CMVS and the Program Office is suggested when deciding if the use of a reference method will be necessary.

2.3 Performance Characteristics

Performance characteristics that should be evaluated in order to validate a method will vary depending on the intended use of the method, the type of method (e.g., quantitative vs. qualitative), and the degree to which it has been previously validated (e.g., matrix extension, analyte extension, platform extension). Although definitions of these characteristics are included in Appendix 1, this document is not meant to address the various ways of calculating characteristics such as method detection level, limit of detection or limit of quantitation.

Performance Characteristics for Validation of New Quantitative Methods: Validation of new quantitative methods should include at a minimum evaluation of the following performance characteristics: accuracy, precision, selectivity, limit of detection, limit of quantitation, linearity (or other calibration model), range, measurement uncertainty, ruggedness, confirmation of identity and spike recovery.

Performance Characteristics for Validation of New Qualitative Methods: Validation of new qualitative methods should include at a minimum evaluation of the following performance characteristics: sensitivity, selectivity, false positive rate, false negative rate, minimum detectable concentration, ruggedness, and confirmation of identity.

Performance Characteristics for Validation of Method Extensions: Validating the extension of methods that have previously been validated requires a careful evaluation of the intended purpose of the extension. In cases where the sample preparation and/or the extraction procedure/analytical method is modified from the existing test procedure, it should be demonstrated that the modifications do not adversely affect the precision and accuracy of the data obtained. In order to implement the modified method, generally the standard or existing method is first performed. The modified method performance then is verified by comparison with that of the original method.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

2.4 Confirmation of Identity

Confirmation of identity for each analyte must be performed as part of the method validation for regulatory enforcement for both qualitative and quantitative methods. Unambiguous confirmation of identity usually requires analytically identifying key features of each analyte in the scope of the new method being validated such as with mass spectral fragmentation patterns or by demonstration of results in agreement with those obtained using an independent analysis.

FDA has issued guidance documents on the development, evaluation, and application of mass spectrometric methods for confirming the identity of target analytes including: CVM Guidance for Industry 118: Mass Spectrometry for Confirmation of the Identity of Animal Drug Residues [4] and ORA-LAB.010, Guidance for the Analysis and Documentation to Support Regulatory Action on Pesticide Residues [5]. Following the CVM guidance is required for veterinary drug residue methods. The ORA-LAB.010 document was written specifically for pesticide analyses. For other types of chemical contaminants in food (e.g. food additives, mycotoxins, etc.), the CVM document should be followed because it was written as a Guidance for Industry and therefore has been more widely internally and externally reviewed and distributed. In addition, OFVM is currently drafting a supplement to CVM Guidance for Industry 118 specifically addressing the use of high resolution mass spectrometry and the evaluation of exact mass measurement data.

2.5 Method Validation Levels

The following describes the four standard levels of performance defined for method validation of analytical regulatory methods for chemical analytes in foods. This approach is based on the Food Emergency Response Network (FERN), SOP No: FERN-ADM.0008.00, FERN Validation Guidelines for FERN Chemical, Microbiological, and Radiological Methods [6], as well as AOAC guidelines for single-laboratory validation [7] and collaborative studies [8]. Key validation parameters for each level are summarized in Table 1. It is the responsibility of the originating (developing) laboratory to determine the appropriate level of validation required up to and through single laboratory validations. It is highly recommended that originating laboratories work with the appropriate Technical Advisory Group when determining the appropriate level of validation.

NOTE: Not all methods will or should be validated to the highest level.

Level One

This is a single laboratory validation level with the lowest level of validation requirements and is appropriate for emergency/limited use. Performance of the method at this initial level of scrutiny will determine, in part, whether further validation is useful or warranted.

Intended Use: emergency/limited use/matrix extension/analyte extension/ platform extension. Examples of where Level One validation would be acceptable include, isolated consumer complaints, single-occurrence samples, and application of a method developed for a specific analyte(s) to a matrix, not previously validated in response to a real or perceived threat to food safety or public health. Validation of method performance with a new matrix is intended to assure that the new matrix will produce accurate and reliable results for all the analytes in the scope of the method. Generally, all targeted analytes still must be included in matrix spikes at this level, if widespread use in this matrix is anticipated for regulatory purposes. As the first level of validation of methods for matrix, analyte or platform extension/emergency use, it would be expected that a

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

more rigorous single laboratory validation at least equivalent to Level Two below would be performed before more widespread non-emergency regulatory use.

Level Two

This is a single laboratory validation level. The originating lab has conducted a comprehensive validation study, with performance criteria similar to an AOAC Single Laboratory Validation study. If appropriate, a comparison with an existing reference method has been performed. Some of the criteria of the study may be at a lower level than the AOAC Single Laboratory Validation study, but are appropriate for the developing method at this stage.

Intended Use: Routine regulatory testing, emergency needs, minor method modifications, analyte and matrix extensions of screening methods. If a method validated at this level is expected to have use that is widespread, long term, of high public visibility or potentially involved in international trade conflicts, its validation should be extended to at least Level Three below.

Level Three

This is a multi-laboratory validation level. Level Three validation employs a minimum of one collaborating laboratory in addition to the originating laboratory. Most of the criteria followed by the originating lab are at a level similar to the AOAC full collaborative study level with comparison to an existing reference method when available and appropriate. The additional collaborating laboratories follow many of the criteria found in an AOAC collaborative study. The main differences are that Level Three validation employs at least one additional collaborating laboratory instead of the eight to ten used by AOAC and requires fewer replicates for each food matrix/spike level.

Intended Use: Methods validated to this level of scrutiny are acceptable for use in all regulatory circumstances including screening analyses, confirmatory analyses, regulatory surveys, and compliance support. If the method is expected to have use that is widespread, long term, of high public visibility or involved in international trade conflicts, it may be appropriate to have its validation extended to Level Four.

Level Four

This validation level has criteria equivalent to a full AOAC or ISO Collaborative Study. Any method reaching this level of validation should be able to be submitted for adoption by the AOAC as a fully collaborated method.

2.6 Acceptability Criteria

There are various acceptability ranges for method validation performance criteria that may be appropriate depending on the application or intended use of the methodology and especially the levels of concern, action levels or tolerance for the chemical analyte. Some examples of acceptability ranges used by various national and international organizations and their sources are provided in Appendix 2. Acceptable spike recoveries vary with analyte concentration as indicated in Appendix 2 (e.g., recoveries may fall in approximately the 80-120% range for quantitative methods at the 1 µg/g (ppm) concentration). Repeatability and reproducibility also vary with analyte concentration. The acceptability ranges in Appendix 2 provide approximate target ranges for method developers and the MVS and are not rigid binding guidelines. It is recognized that for some situations such as with difficult matrices, extremely low analyte concentrations (e.g., chlorinated dioxins, persistent organic

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

pollutants), multi-residue methods and with emergency situations these general acceptability ranges may not be achievable or required.

Table 1. Key Validation Parameter Requirements for Chemical Methods

	Level One: Emergency/ Limited Use	Level Two: Single Laboratory Validation	Level Three: Multi-Laboratory Validation	Level Four: Full Collaborative Study
Number participating labs	1	1	≥ 2	8 (quantitative) 10 (qualitative)
Number of matrix sources per matrix*	≥ 1	≥ 3 recommended where available	≥ 3 recommended where available	≥ 3 recommended where available
Number of analyte(s) spike levels for at least one matrix source**	≥ 2 spike levels + 1 matrix blank	≥ 3 spike levels + 1 matrix blank	≥ 3 spike levels + 1 matrix blank	≥ 3 spike levels + 1 matrix blank
Replicates required per matrix source at each level tested per laboratory	≥ 2 (quantitative) ≥ 2 (qualitative)	≥ 2 (quantitative) ≥ 3 (qualitative)	≥ 2 (quantitative) ≥ 3 (qualitative)	≥ 2 (quantitative) ≥ 3 (qualitative)
Replicates required at each level tested per laboratory if only one matrix source used	≥ 4 (quantitative) ≥ 6 (qualitative)	≥ 6 (quantitative) ≥ 9 (qualitative)	≥ 3 (quantitative) ≥ 6 (qualitative)	≥ 2 (quantitative) ≥ 6 (qualitative)

*If a variety of food matrices with differing physical and chemical properties are selected, the number of sources for each food sample matrix may be one or more, but if only one food matrix is studied then ≥ 3 sources are recommended where available. The number of matrix sources may be reduced, particularly if it is difficult to obtain blank matrix sources, as long as the total number of spike levels and matrix combinations are adequate (e.g., 6 replicates or greater at each spike level for quantitative methods and 9 replicates or greater for qualitative methods).

** Number of spike levels is recommended for at least one source of matrix. Other similar sources of matrix (e.g., within the same category; see Appendix 4) may be studied at one or two spike levels (e.g., at an action/guidance or tolerance level or close to the lower limit of quantitation/detection).

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

3.0 ADDITIONAL PROCEDURAL GUIDANCE

In addition to the criteria described above in Table 1 for standard quantitative and qualitative methods, additional guidance is provided in this section for specific types of methods or validation situations.

3.1 Platform/Instrumentation Extension

Expanding the use of a validated method to include another significantly different instrument or platform requires further validation. Such instances include the use of an instrument or platform similar in scope and function to that currently validated and approved for use; however, it may have major differences in configuration, or detection scheme.

Platform extension validation should generally be performed using Table 1, Level 2 as a guide and should compare the proposed new platform to the platform used in the reference method. In planning platform extension validation, one must determine what degree of cross-correlation between the results obtained on the two platforms will be acceptable.

Examples:

Method A is a validated method for the screening of pesticides on a gas chromatograph coupled to a single quadrupole mass spectrometer (GC-MSD). Gas chromatography coupled to a triple quadrupole mass spectrometer (GC-QQQ), offers certain advantages over the GC-MSD platform in terms of sensitivity, selectivity and scope. In this instance, a comparative method extension validation is indicated to ensure equivalent results. However, if new analytes are added to the scope of the method via the use of the new platform, a new method validation is indicated for the GC-QQQ method.

Method Z is a validated method for the screening of polycyclic aromatic hydrocarbons in seafood using liquid chromatography with a fluorescence detector (LC-FLD). A laboratory would like to transfer this method to a liquid chromatography system that utilizes only a diode-array detector (LC-DAD). In this instance, a comparative method extension validation would be indicated to ensure that the new detection system produces equivalent results to the originally validated method.

3.2 Analyte Extension

Multi-residue, multi-class methods are becoming more common. Many of these methods are semi-quantitative (limits tests) or qualitative broad band screens. Performance requirements for these types of procedures are described below. However, if a multi-residue method is meant to be used for quantitation, the same performance characteristics as required for single analyte methods should be evaluated for each analyte (accuracy, precision, selectivity, limit of detection, limit of quantitation, linearity range, uncertainty, and ruggedness). It is understood that with a large multi-residue method, not all analytes will meet the recommended acceptability ranges listed in Appendix 2, but the performance for each compound should be tested and reported so that the accuracy and precision are known for any given analyte and are sufficient for the intended purpose of the method.

When new analytes are added to a quantitative multi-residue method, tests should be performed to ensure that the addition of new compounds do not affect the performance of the instrumental conditions, e.g. duty cycle or scan rates for other eluting analytes, and that

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

the analytes do not present a chemical or physical interaction with the stabilities of the other tested analytes.

3.3 Food Matrix Extension

The validation of method performance with a new matrix is intended to assure that the method will continue to produce accurate and reliable results. Emergency matrix extensions (Level 1 in Table 1) are intended for those instances in which a validated method is used with a matrix not previously validated in response to a real or perceived threat to food safety or public health, and in this type of urgent situation it is not expected that the MVS would be consulted. Matrix extensions of validated methods that are intended to increase the regulatory scope and applicability on a recurring basis would minimally fall under Level 2 validation in Table 1. This section provides guidance to extend validated methods to matrices in anticipation that these food commodities will be included in Agency-wide testing. Method developers may wish to consult with the appropriate Technical Advisory Group or MVS before initiating any Level 2 validation work on matrix extension.

It is generally assumed that the more closely related a new food matrix is to a previously validated matrix for a defined analyte, the greater the probability that the new matrix will behave similarly. It is also usually the case that the regulatory chemical methods employed by FDA are used to analyze a diversity of products representing a large spectrum of matrices. It becomes unfeasible to carry out a matrix extension validation for each single matrix in order to expand the scope of the method. A more reasonable approach to demonstrate the applicability of a method to a set of product matrices is to validate the method for different "categories" of products. For instance, a multi-residue pesticide method can be validated for "high-sugar", "high-fat", "high-water", "dry" and "high-protein" matrices. Appendix 4 provides guidance on commodity categories and gives examples of representative matrices in each category.

The number of different food categories to be validated depends on the applicability and intended use of the method. If the method is specific to only one category, only one type of food need be included. If the applicability is wider (e.g., detection of phthalates in processed foods), then an appropriate number of food categories should be included to represent all anticipated matrices. Depending on how many categories will be validated, a minimum of 1 – 3 representative matrices from each category should be selected.

3.4 Limit Tests (common semi-quantitative screening method)

One specific category of qualitative methods includes limit tests (binary or pass/fail tests) for analytes that have a defined level of concern. The purpose of these screening methods is to determine if analyte is present with a concentration near or above the level of concern. This is in contrast to screening methods whose intended purpose is to determine the presence or absence of an analyte at any level. Limit test method validations must include determination of the precision of the method for an analyte(s) at the level(s) of concern.

Limit test screening methods, in general, should avoid false negatives with false negative rates representing less than 5% of the analytical results. The occurrence of false positives is less critical since presumptive positives are further analyzed by quantitative or confirmatory methods. However, false positive rates should typically be less than 10-15% to avoid unnecessary confirmatory testing. Ideally, limit tests are capable of rapidly screening a large number of samples to minimize the need for additional analysis. A common approach used in limit test screening methods is to use a confidence interval to set a laboratory threshold or cut-off value whereby only responses above that value require further testing. For a limit

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

test based on an instrument response, a threshold or cut-off value can be determined by a confidence limit, based on an estimate of the standard deviation of the response or concentration of an analyte in samples fortified with the analyte at the level of concern.

Example:

Milk samples (n=21) were fortified with sulfamethazine at the level of concern (10 ng/mL). A LC-MS/MS limit test screening method was used to measure this drug in the extracted milk samples. The mean concentration found was to be 10.99 ng/mL with a standard deviation of 2.19. A threshold or cut-off value was calculated so that 95% of samples containing sulfamethazine at or above 10 ng/mL would have a response above the threshold value:

$$\begin{aligned}\text{Threshold value} &= [\text{mean concentration} - (t * \text{standard deviation})] \\ &= [10.99 - (1.725 * 2.19)] = 7.21 \text{ ng/mL}\end{aligned}$$

Where t = one-tailed Student's t value for n-1 degrees of freedom at the 95% confidence level

This approach can also be used for immunosorbent assays such as enzyme linked immunosorbent assay (ELISA) or optical biosensor assays. These tests may be non-competitive (direct measurement of analyte response) or competitive (indirect measurement). Analysis of data from a competitive immunosorbent test should account for the fact that the observed response decreases with increasing analyte concentration; therefore, a response lower than the threshold or cut-off would be considered a presumptive positive response. For immunosorbent assays, it is also important to measure the response observed for blank matrix samples and to verify that the blank response is distinguishably (statistically) different from that of the threshold.

Performance characteristics of limit tests:

Validation of new limit tests should include, at a minimum, evaluation of the following performance characteristics: sensitivity, specificity, precision, threshold or cut-off value, false positive rate, false negative rate, minimum detectable concentration (should be lower than the threshold/cut-off value), and ruggedness/robustness.

3.5 Qualitative Broad-band Analyte Screening

Broad-band methods that can detect many compounds are being utilized more frequently as an initial screening step as part of chemical contaminant testing in FDA laboratories. These methods usually involve mass spectrometric analyses and provide qualitative information. For example, the data obtained may be compared to an established reference such as a database of compounds with exact mass and molecular formula information or spectra in a compiled library. For regulatory action, any positive findings from this screen should be confirmed by a targeted method (for example using a LC-MS/MS or GC-MS/MS platform).

Typically, initial validation of these methods is performed using a limited set of representative analytes and representative matrices. For example, sets of analytes that contain compounds from a variety of chemical classes from the area of interest (e.g. pesticides, veterinary drug residues, or common chemical toxins) are tested with the method using representative matrices. The performance characteristics that may be evaluated include: sensitivity, selectivity, false positive rate, false negative rate, minimum detectable concentration, ruggedness, and confirmation of identity. It is understood that the method

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

performance may vary with the different classes of compounds, but it is important to have an initial evaluation of the method's capabilities.

Laboratories continuously expand the scope of these broad-band methods by adding new analytes that come to their attention through various sources of intelligence. In addition, a new compound might be found in a sample after acquired data are compared to the reference databases. In these cases, some verification that the analyte can be detected reliably by the screening method is required. When a new compound is added to the scope of a qualitative method, it should first be determined whether this compound belongs to a class of compounds that has already been validated for the broad-band method. If the new compound shares chemical characteristics with an existing class of compounds in the scope of the method, then it may suffice to select a few representative matrices, perform a single level spike in these representative matrices in duplicate and determine that reproducible recovery is obtained in order to assess whether the analyte can be detected effectively by the method. Scenarios that may require a full validation would include a new analyte being added to the scope of the broad-band method that was not represented by any of the compound classes already in the scope. Also, if the new analyte requires modifications in the extraction protocol due to its chemical characteristics, then its inclusion in the scope should be fully validated as recommended by this guidance.

Although positive findings by the broad-band method are subjected to confirmatory testing using a targeted method, it is still important to determine, through proper validation and verification protocols, that the broad-band method does not give rise to a high number of false negative findings. False negative in this context means the method fails to detect a residue in its scope when the residue is present in the matrix at or above the level of concern or minimum detectable concentration. While the positive finding by the broad-band method is subjected to further analysis and scrutiny, negative findings are upheld as such and a regulatory decision is made based on these results, e.g., to release the products into commerce.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

4.0 REFERENCES AND SUPPORTING DOCUMENTS

[1] Food and Drug Administration, Office of Foods and Veterinary Medicine, "Methods Development, Validation and Implementation Program", Document #: FDA-OFVM-3. Effective Date 10/16/2014.



Methods
Development-Validatio

[2] Food and Drug Administration, "FDA Office of Foods and Veterinary Medicine Method Validation Subcommittee Charter", 3/19/2014.



SRSC Method
Validation Subcommit

[3] Food and Drug Administration, "Methods, Method Verification and Validation", Laboratory Manual, ORA Laboratory Procedure, Volume II, ORA-LAB.5.4.5. Accessed 12/12/2014. <http://www.fda.gov/downloads/ScienceResearch/FieldScience/LaboratoryManual/UCM092147.pdf>

[4] Food and Drug Administration, "Mass Spectrometry for Confirmation of the Identity of Animal Drug Residues", Center for Veterinary Medicine (CVM), Guidance for Industry #118, 2003. Accessed 12/12/2014. <http://www.fda.gov/downloads/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/UCM052658.pdf>

[5] Food and Drug Administration, "Guidance for the Analysis and Documentation to Support Regulatory Action on Pesticide Residues", ORA-Wide Procedure, ORA-LAB.010. Effective Date 11/06/2009. Accessed 12/12/2014. <http://inside.fda.gov:9003/downloads/ORA/OfficeofRegionalOperations/DivisionofFieldScience/UCM254490.pdf>

[6] Food Emergency Response Network (FERN), SOP No: FERN-ADM.0008.00, "FERN Validation Guidelines for FERN Chemical, Microbiological, and Radiological Methods", 06/22/2010. Available in eLEXNET.

[7] AOAC International, "Appendix K: Guidelines for Dietary Supplements and Botanicals, Part 1 AOAC Guidelines for Single-Laboratory Validation of Chemical Methods for Dietary Supplements and Botanicals", 2013. Accessed 12/4/2014. http://www.eoma.aoac.org/app_k.pdf

[8] AOAC International, "Appendix D: Guidelines for Collaborative Study Procedures to Validate Characteristics of a Method of Analysis", 2005. Accessed 12/4/2014. http://www.aoac.org/imis15_prod/AOAC_Docs/StandardsDevelopment/eoma_appendix_d.pdf

[9] AOAC International, "Appendix F: Guidelines for Standard Method Performance Requirements", 2012. Accessed 12/4/2014. http://www.eoma.aoac.org/app_f.pdf

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

- [10] Codex Alimentarius, Codex Alimentarius Commission, Procedural Manual, Twenty-second ed., "Principles for the Establishment of Codex Methods of Analysis", 2014. Accessed 12/4/2014.
<http://www.fao.org/3/a-i3243e.pdf>
- [11] ISO, "Accuracy (Trueness and Precision) of Measurement Methods and Results", Parts 1-6, International Standard ISO 5725-1:1994, 5725-2:1994, 5725-3:1994, 5725-4:1994, 5725-5:1994, and 5725-6:1994. Downloaded 12/10/2014.
- [12] B. Magnusson and U. Örnemark (eds.) Eurachem Guide: The Fitness for Purpose of Analytical Methods – A Laboratory Guide to Method Validation and Related Topics, (2nd ed. 2014). ISBN 978-9187461-59-0. Accessed 12/9/2014.
www.eurachem.org
- [13] M. Thompson, S.L.R. Ellison, R. Wood. "Harmonized Guidelines for Single-Laboratory Validation of Methods of Analysis", (IUPAC Technical Report) *Pure and Applied Chemistry*, 2002, 74, 835 - 855.
- [14] European Commission, Health & Consumer Protection Directorate-General, "Guidance Document on Analytical Quality Control and Validation Procedures for Pesticide Residues Analysis in Food and Feed", SANCO/12571/2013, 19 November 2013 rev. 0. Accessed 12/9/2014.
http://ec.europa.eu/food/plant/pesticides/guidance_documents/docs/qualcontrol_en.pdf
- [15] JCGM 200:2012, International Vocabulary of Metrology – Basic and General Concepts and Associated Terms (VIM), International Bureau of Weights and Measures. Accessed 12/9/2014.
http://www.bipm.org/utls/common/documents/jcgm/JCGM_200_2012.pdf
- [16] Codex Alimentarius Commission, "Guidelines on Analytical Terminology", Standard CAC/GL 72-2009. Accessed 12/9/2014. http://www.codexalimentarius.org/input/download/standards/11357/cxg_072e.pdf
- [17] ISO, "Statistics-Vocabulary and Symbols-Part 2: Applied Statistics", International Standard ISO 3534-2:2006, Downloaded 12/10/2014.
- [18] Codex Alimentarius Volume 3 "Residues of Veterinary Drugs in Foods", 2nd ed. (1993), Joint FAP/WHO Food Standards Program, FAO, Rome Italy, p 59.
- [19] W.R. Wolf, and K.W. Andrews, "A System for Defining Reference Materials Applicable to All Food Matrices", *Fresenius' Journal of Analytical Chemistry*, 1998, 352, 73-76.
- [20] K.E. Sharpless, R.R. Greenberg, M.M. Schantz, M.J. Welch, S.A. Wise, and M. Ihnat, "Filling the AOAC Triangle with Food-Matrix Standard Reference Materials", *Analytical and Bioanalytical Chemistry*, 2004, 378, 1161-1167.

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPENDIX 1 - Glossary of Terms

Generally, references 13-17 were utilized in preparation of this glossary.

Accuracy: The closeness of agreement between a test result and an accepted reference value. When applied to test results, accuracy includes a combination of random and systematic error. When applied to test method, accuracy refers to a combination of trueness and precision.

Action level: Level of concern or target level for an analyte that must be reliably identified or quantified in a sample.

Analyte: The chemical substance measured and/or identified in a test sample by the method of analysis.

Analytical batch: An analytical batch consists of samples, standards, and blanks which are analyzed together with the same method sequence and same lots of reagents and with the manipulations common to each sample within the same time period (usually within one day) or in continuous sequential time periods.

Bias: The difference between the expectation of the test result and the true value or accepted reference value. Bias is the total systematic error, and there may be one or more systematic error components contributing to the bias.

Blank: A substance that does not contain the analytes of interest and is subjected to the usual measurement process. Blanks can be further classified as method blanks, matrix blanks, reagent blanks, instrument blanks, and field blanks.

Calibration: Determination of the relationship between the observed analyte signal generated by the measuring/detection system and the quantity of analyte present in the sample measured. Typically, this is accomplished through the use of calibration standards containing known amounts of analyte.

Calibration Standard: A known amount or concentration of analyte used to calibrate the measuring/detection system. May be matrix matched for specific sample matrices.

Carryover: Residual analyte from a previous sample or standard which is retained in the analytical system and measured in subsequent samples. Also called *memory*.

Certified Reference Material (CRM): Reference material accompanied by documentation (certificate) issued by an authoritative body and providing one or more specified property values with associated uncertainties and traceability, using valid procedures. Note: Standard Reference Material (SRM) is the trademark name of CRMs produced and distributed by the National Institute of Standards and Technology (NIST).

Check Analysis: Result from a second independent analysis which is compared with the result from the initial analysis. Typically, check analyses are performed by a different analyst using the same method.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

Confirmation of Identity: Unambiguous identification of an analyte(s) by a highly specific technique such as mass spectrometry or by demonstration of results from two or more independent analyses in agreement.

Confirmatory Analysis/Method: Independent analysis/method used to confirm the result from an initial or screening analysis. A different method is often used in confirmation of screening results.

Cut-off Concentration: In qualitative analysis, the concentration of the analyte that is either statistically lower than the level of concern (for limit tests) or at which positive identification ceases (for confirmation of identity methods). See also *Threshold Value*.

False Negative Rate: In qualitative analysis, a measure of how often a test result indicates that an analyte is not present, when, in fact, it is present or, is present in an amount greater than a threshold or designated cut-off concentration.

False Positive Rate: In qualitative analysis, a measure of how often a test result indicates that an analyte is present, when, in fact, it is not present or, is present in an amount less than a threshold or designated cut-off concentration.

Fitness for Purpose: Degree to which data produced by a measurement process enables a user to make technically and administratively correct decisions for a stated purpose.

Guidance Level: Level of concern or action level issued under good guidance practices that must be reliably identified or quantified in a sample.

Incurred Samples: Samples that contain the analyte(s) of interest, which were not derived from laboratory fortification but from sources such as exogenous exposure or endogenous origin. Exogenous exposure includes, for example, pesticide use, consumption by an animal, or environmental exposure.

Interference: A positive or negative response or effect on response produced by a substance other than the analyte. Includes spectral, physical, and chemical interferences which result in a less certain or accurate measurement of the analyte.

Intermediate Precision: Within-laboratory precision obtained under variable conditions, e.g., different days, different analysts, and/or different instrumentation.

Internal Standard: A chemical added to the sample, in known quantity, at a specified stage in the analysis to facilitate quantitation of the analyte. Internal standards are used to correct for matrix effects, incomplete spike recoveries, etc. Analyte concentration is deduced from its response relative to that produced by the internal standard. The internal standard should have similar physico-chemical properties to those of the analyte.

Laboratory Fortified Matrix: See *Matrix Spike*.

Level of Concern: Level of concern is the concentration of an analyte in a sample that has to be exceeded before the sample can be considered violative. This concentration can be a regulatory tolerance, safe level, action level, guidance level or a laboratory performance level.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

Limit of Detection (LOD): The minimum amount or concentration of analyte that can be reliably distinguished from zero. The term is usually restricted to the response of the detection system and is often referred to as the *Detection Limit*. When applied to the complete analytical method it is often referred to as the *Method Detection Limit* (MDL).

Limit of Quantitation (LOQ): The minimum amount or concentration of analyte in the test sample that can be quantified with acceptable precision. Limit of quantitation (or quantification) is variously defined but must be a value greater than the MDL and should apply to the complete analytical method.

Limit Test: A type of semi-quantitative screening method in which analyte(s) has a defined level of concern. Also referred to as binary or pass/fail tests.

Linearity: The ability of a method, within a certain range, to provide an instrumental response or test results proportional to the quantity of analyte to be determined in the test sample.

Matrix: All the constituents of the test sample with the exception of the analyte.

Matrix Blank: A substance that closely matches the samples being analyzed with regard to matrix components. Ideally, the matrix blank does not contain the analyte(s) of interest but is subjected to all sample processing operations including all reagents used to analyze the test samples. The matrix blank is used to determine the absence of significant interference due to matrix, reagents and equipment used in the analysis.

Matrix Effect: An influence of one or more components from the sample matrix on the measurement of the analyte concentration or mass. Matrix effects may be observed as increased or decreased detector responses, compared with those produced by simple solvent solutions of the analyte.

Matrix Source: The origin of a test matrix used in method validation. A sample matrix may have variability due to its source. Different food matrix sources can be defined as different commercial brands, matrices from different suppliers, or in some cases different matrices altogether. For example, if a variety of food matrices with differing physical and chemical properties are selected, the number of sources for each food sample matrix may be one or more.

Matrix spike: An aliquot of a sample prepared by adding a known amount of analyte(s) to a specified amount of matrix. A matrix spike is subjected to the entire analytical procedure to establish if the method is appropriate for the analysis of a specific analyte(s) in a particular matrix. Also referred to as a *Laboratory Fortified Matrix*.

Method blank: A substance that does not contain the analyte(s) of interest but is subjected to all sample processing operations including all reagents used to analyze the test samples. An aliquot of reagent water is often used as a method blank in the absence of a suitable analyte-free matrix blank.

Method Detection Limit (MDL): The minimum amount or concentration of analyte in the test sample that can be reliably distinguished from zero. MDL is dependent on sensitivity, instrumental noise, blank variability, sample matrix variability, and dilution factor.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

Method Development: The process of design, optimization and preliminary assessment of the performance characteristics of a method.

Method Validation: The process of demonstrating or confirming that a method is suitable for its intended purpose. Validation includes demonstrating performance characteristics such as accuracy, precision, specificity, limit of detection, limit of quantitation, linearity, range, ruggedness and robustness.

Method Verification: The process of demonstrating that a laboratory is capable of replicating a validated method with an acceptable level of performance.

Minimum Detectable Concentration (MDC): In qualitative analysis, an estimate of the minimum concentration of analyte that must be present in a sample to ensure at a specified high probability (typically 95% or greater) that the measured response will exceed the detection threshold, leading one to correctly conclude that an analyte is present in the sample.

Precision: The closeness of agreement between independent test results obtained under specified conditions. The precision is described by statistical methods such as a standard deviation or confidence limit of test results. See also *Random Error*. Precision can be further classified as *Repeatability*, *Intermediate Precision*, and *Reproducibility*.

Qualitative Analysis/Method: Analysis/method in which substances are identified or classified on the basis of their chemical, biological or physical properties. The test result is either the presence or absence of the analyte(s) in question.

Quantitative Analysis/Method: Analysis/method in which the amount or concentration of an analyte may be determined (or estimated) and expressed as a numerical value in appropriate units with acceptable accuracy and precision.

Random error: Component of measurement error that in replicate measurements varies in an unpredictable manner. See also *Precision*.

Range: The interval of concentration over which the method provides suitable accuracy and precision.

Reagent Blank: Reagents used in the procedure taken through the entire method. Reagent Blanks are used to determine the absence of significant interference due to reagents or equipment used in the analysis.

Recovery: The proportion of analyte (incurred or added) remaining at the point of the final determination from the analytical portion of the sample measured. Usually recovery is expressed as a percentage.

Reference material: A material, sufficiently homogenous and stable with respect to one or more specified properties, which has been established to be fit for its intended use in a measurement process or in examination of nominal properties.

Reference standard: A standard, generally having the highest metrological quality available at a given location in a given organization, from which measurements are made or derived. Note: Generally, this refers to recognized national or international traceable

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

standards provided by a standards producing body such as the National Institute of Standards and Technology (NIST).

Repeatability: Precision obtained under observation conditions where independent test results are obtained with the same method on identical test items in the same test facility by the same operator using the same equipment within short intervals of time.

Representative Analyte: An analyte used to assess probable analytical performance with respect to other analytes having similar physical and/or chemical characteristics. Acceptable data for a representative analyte are assumed to show that performance is satisfactory for the represented analytes. Representative analytes should include those for which the worst performance is expected. Representative analytes are used mostly for non-targeted analysis and unknown screening procedures.

Representative Matrix: Matrix used to assess probable analytical performance with respect to other matrices, or for matrix-matched calibration, in the analysis of broadly similar commodities. For food matrices, similarity is usually based on the amount of water, fats, protein, and carbohydrates. Sample pH and salt content can also have a significant effect on some analytes.

Reproducibility: Precision obtained under observation conditions where independent test results are obtained with the same method on identical test items in different test facilities with different operators using different equipment.

Ruggedness/Robustness: A measure of the capacity of an analytical procedure to remain unaffected by small but deliberate variations in method parameters and provides an indication of its reliability during normal usage.

Screening Analysis/Method: An analysis/method intended to detect the presence of analyte in a sample at or above some specified concentration (action or target level). Screening methods typically attempt to use simplified methodology for decreased analysis time and increased sample throughput.

Selectivity: The extent to which a method can determine particular analyte(s) in a mixture(s) or matrix(ces) without interferences from other components of similar behavior. Selectivity is generally preferred in analytical chemistry over the term *Specificity*.

Sensitivity: The change in instrument response which corresponds to a change in the measured quantity (e.g., analyte concentration). Sensitivity is commonly defined as the gradient of the response curve or slope of the calibration curve at a level near the LOQ.

Specificity: In quantitative analysis, specificity is the ability of a method to measure analyte in the presence of components which may be expected to be present. The term *Selectivity* is generally preferred over *Specificity*.

Spike Recovery: The fraction of analyte remaining at the point of final determination after it is added to a specified amount of matrix and subjected to the entire analytical procedure. Spike Recovery is typically expressed as a percentage. Spike recovery should be calculated for the method as written. For example, if the method prescribes using deuterated internal standards or matrix-matched calibration standards, then the reported analyte recoveries should be calculated according to those procedures.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

Standard: A substance of known identity and purity and/or concentration.

Standard Reference Material (SRM): A certified reference material issued by the National Institutes of Standards and Technology (NIST) in the United States. (www.nist.gov/SRM).

Systematic error: Component of measurement error that in replicate measurements remains constant or varies in a predictable manner. This may also be referred to as *Bias*.

Threshold Value: In qualitative analysis, the concentration of the analyte that is either statistically lower than the level of concern (for limit tests) or at which positive identification ceases (for confirmation of identity methods). See also *Cut-off Concentration*.

Trueness: The degree of agreement of the mean value from a series of measurements with the true value or accepted reference value. This is related to systematic error (bias).

Uncertainty: Non-negative parameter characterizing the dispersion of the values being attributed to the measured value.

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPENDIX 2 – Examples of Acceptability Criteria for Certain Performance Characteristics

Examples of acceptability criteria are found in references 7,9,10,14 and 18. No single set of acceptability is going to be truly applicable to all methodology covered in the FVM program. However a good starting point for many methods is found in the Codex Alimentarius Commission, Procedural Manual, Twenty-second ed., 2014 [10]

A. Quantitative Method Acceptability Criteria

Table A2.1. Method Criteria for Method Levels at Increasing Orders of Magnitude
(reproduced in part from reference 10, Table 4, p. 72 and reference 7)

ML* unit	0.001 mg/kg	0.01 mg/kg	0.1 mg/kg	1 mg/kg	10 mg/kg	100 mg/kg	1 g/kg	10 g/kg
Alternative ML* unit	1 ppb	10 ppb	100 ppb	1 ppm	10 ppm	100 ppm	0.1%	1 %
Concentration ratio of ML (C_{ML})	10 ⁻⁹	10 ⁻⁸	10 ⁻⁷	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	10 ⁻²
Minimum applicable range	From 0.0006 to 0.0014 mg/kg	From 0.006 to 0.014 mg/kg	From 0.03 to 0.17 mg/kg	From 0.52 to 1.48 mg/kg	From 6.6 to 13.3 mg/kg	From 76 to 124 mg/kg	From 0.83 to 1.2 g/kg	From 8.8 to 11 g/kg
LOD (≤ mg/kg)	0.0002	0.002	0.01	0.1	1	10	100	1000
LOQ (≤ mg/kg)	0.0004	0.004	0.02	0.2	2	20	200	2000
RSD_r**	22%	22%	11%	8%	6%	4%	3%	2%
PRSD_R†	22%	22%	22%	16%	11%	8%	6%	4%
RSD_R**	≤ 44%	≤ 44%	≤ 44%	≤ 32%	≤ 22%	≤ 16%	≤ 12%	≤ 8%
Recovery	40%- 120%	60%- 115%	80%- 110%	80%- 110%	80% - 110%	90% - 107%	95% - 105%	97%- 103%

* ML is a method level and can be defined for the analyte(s)/sample matrix(s) combination as a maximum level, minimum level, normative level or concentration range depending on the intended use of the method.

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

*The RSD_r or Repeatability Precision refers to the degree of agreement of results when conditions are maintained as constant as possible within a short period of time (e.g., relative standard deviation of replicates or best precision exhibited by a single laboratory). Typically, acceptable values for RSD_r are between $\frac{1}{2}$ and 2 times the value shown ($HorRat_r = RSD_r(\text{found, \%}) / RSD_r(\text{calculated, \%})$). For concentration ratios $\geq 10^{-7}$ Horwitz theory is applied. For concentration ratios $< 10^{-7}$, Thompson theory is applied.

#The $PRSD_R$ or Predicted Relative Reproducibility Standard Deviation is based on the Horwitz/Thompson equation. For concentration ratios $< 10^{-7}$, Thompson theory is applied.

The RSD_R or Reproducibility Precision refers to the degree of agreement of results when operating conditions are as different as possible (e.g., same test samples in different laboratories) and should be calculated from the Horwitz/Thompson equation. When the Horwitz/Thompson equation is not applicable (for an analytical purpose or according to a regulation) or when "converting" methods into criteria then it should be based on the RSD_R from an appropriate method performance study. The ratio between the found and predicted value should be ≤ 2 . ($HorRat_R = RSD_R / PRSD_R \leq 2$)

B. Qualitative Method Acceptability Criteria

There are significantly fewer examples of acceptability criteria for qualitative methods available. AOAC is using a relatively new Probability of Detection (POD) model as a way to characterize the performance of qualitative methods [9].

As discussed above, limit test screening methods, in general, should minimize false negatives particularly at the level of concern or reporting level. The occurrence of false positives is less critical since presumptive positives are further analyzed by quantitative or confirmatory methods. However, false positive rates should typically be less than 10-15% in order to avoid unnecessary confirmatory testing (14, 18).

Table A2.2. General Method Criteria for Limit Tests/Screening Methods

False Negative Rate	$\leq 5\%$ at the level of concern ¹
False Positive Rate	$\leq 10\text{-}15\%$

¹ Acceptable false negative rate depends significantly on the intended purpose of the method.

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPENDIX 3 - Examples of Validation Plans

A. Extension to other matrices with the same analyte(s) at Level One Validation

This scheme represents an emergency use method extension plan for Matrix Y and Analyte Z. This plan utilizes two different sources of matrix. *In cases where a representative matrix is being used to characterize a whole family of commodities, it is recommended that additional, different commodities from that family are used as "sources".* Note that this plan is for emergency use only – the new matrix (or matrices) cannot be officially included in the scope of the method until at the minimum a Level Two Validation is performed.

Table A3.1. Plan for Matrix Extension (Level One Validation, Example)

	Matrix	Samples 1 & 2	Analyte Z Fortified Samples 3 & 4	Analyte Z Fortified Samples 5 & 6	Analyte Z Fortified Samples 7 & 8
Day 1	Matrix Y (Source 1)	Blank	½X Spike Level	X Spike Level	2X Spike Level
Day 1	Matrix Y (Source 2)	Blank	½X Spike Level	X Spike Level	2X Spike Level

Notes:

- i. Test portion matrices listed as Matrix Y represent 2 different commercial brands.
- ii. Fortification levels: fortification will be at the level of concern or action level (X) as stated in the method and at levels corresponding to 1/2X and 2X.
- iii. Fortification of each matrix can be done on the same day.
- iv. Other fortification plans meeting requirements specified in Table 1 may be used.

B. Extension to similar analytes in the same matrix at Level Two Validation

A validated method can be extended to other potential analyte(s) belonging to the same chemical group. For example, a toxin method can be extended to other toxins. An example of the composition of a set of validation studies for method extension is shown in the following table for new analytes Y and Z in canned corn from 3 different sources where the method is validated originally for analyte A in corn.

Table A3.2. Plan for Extension to Similar Analytes (Level Two Validation, Example)

	Matrix	Analyte Y fortification levels	Analyte Z fortification levels
Day 1	Corn 1,2,3	0, 1/2X, X, 2X	0, 1/2X, X, 2X
Day 2	Corn 1,2,3	0, 1/2X, X, 2X	0, 1/2X, X, 2X

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

Day 3	Corn 1,2,3	0, 1/2X, X, 2X	0, 1/2X, X, 2X
-------	------------	----------------	----------------

Notes:

- i. Three different commercial brands of same product will be analyzed.
- ii. Fortification levels: fortification will be at the level of concern or action level (X) as stated in the method and at levels corresponding to 1/2X and 2X.
- iii. Each analyte will be analyzed in blank matrix and at 1/2X, X and 2X fortification levels.
- iv. Simultaneous analysis of the analytes can be undertaken if warranted.
- v. Other fortification plans meeting requirements specified in Table 1 may be used.

C. Validation at Level Two for single matrix and single analyte

This plan utilizes 3 different commercial brands of one matrix. The single matrix is being validated for a single analyte.

Table A3.3. Plan for Single Matrix and Single Analyte Level Two Validation (Example)

	Matrix 1 Source 1	Matrix 1 Source 2	Matrix 1 Source 3
Day 1	Blank Fortified (X)	Fortified (X) Fortified (2X)	Blank Fortified (1/2X)
Day 2	Fortified (2X) Fortified (1/2X)	Blank Fortified (1/2X)	Blank Fortified (2X)
Day 3	Fortified (1/2X) Fortified (X)	Fortified (2X) Blank	Fortified (X) Fortified (X)
Day 4	Fortified (2X) Blank	Fortified (X) Fortified (1/2X)	Fortified (2X) Fortified (1/2X)

Notes:

- i. Sample matrix, represents one matrix from 3 different sources of matrix.
- ii. Fortification levels: fortification will be at the level of concern or action level (X) as stated in the method and at levels corresponding to 1/2X and 2X.
- iii. Each of 3 different sources of matrix will be analyzed 8 times (replicate analyses) over the course of experiment, two times unfortified, two times fortified at each level.
- iv. The validation will take place over a period of 4 days.
- v. Other fortification plans meeting requirements specified in Table 1 may be used.

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPENDIX 4 – Selection of Representative Matrices

Two tools that can aid in selection of representative matrices and CRMs when designing a validation protocol for a method intended to have applicability to a broad scope of products are shown below. Food composition varies greatly making the validation of methods intended for a wide variety of foods a difficult balance between available resources and sufficient validation with a variety of food types.

A. Commodity groups and representative commodities

Table A4.1. Vegetable and Fruits, Cereals and Food of Animal Origin (reproduced in part from reference 14)

Commodity groups	Typical commodity categories	Typical representative commodities
1. High water content	Pome fruit	Apples, pears
	Stone fruit	Apricots, cherries, peaches
	Other fruit	Bananas
	Alliums	Onions, leeks
	Fruiting vegetables/cucurbits	Tomatoes, peppers, cucumber, melon
	Brassica vegetables	Cauliflower, Brussels sprouts, cabbage, broccoli
	Leafy vegetables and fresh herbs	Lettuce, spinach, basil
	Stem and stalk vegetables	Celery, asparagus
	Forage/fodder crops	Fresh alfalfa, fodder vetch, fresh sugar beets
	Fresh legume vegetables	Fresh peas with pods, peas, mange tout, broad beans, runner beans, French beans
	Leaves of root and tuber vegetables	Sugar beet and fodder beet tops
	Fresh Fungi	Champignons, canterelles
	Root and tuber vegetables or feed	Sugar beet and fodder beet roots, carrots, potatoes, sweet potatoes
2. High acid content and high water content	Citrus fruit	Lemons, mandarins, tangerines, oranges
	Small fruit and berries	Strawberry, blueberry, raspberry, black currant, red currant, white currant, grapes
	Other	Kiwifruit, pineapple, rhubarb

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

Table A4.1. Vegetable and Fruits, Cereals and Food of Animal Origin (continued)


Commodity groups	Typical commodity categories	Typical representative commodities
3. High sugar and low water content	Honey, dried fruit	Honey, raisins, dried apricots, dried plums, fruit jams
4a. High oil content and very low water content	Tree nuts	Walnuts, hazelnuts
	Oil seeds	Oilseed rape, sunflower, cotton-seed, soybeans, peanuts, sesame, etc.
	Pastes of tree nuts and oil seeds	Peanut butter, tahini, hazelnut paste
	Oils from tree nuts, oil seeds and oily fruits	Olive oil, rapeseed oil, sunflower oil, pumpkin seed oil
4b. High oil content and intermediate water content	Oily fruits and products	Olives, avocados and pastes thereof
5. High starch and/or protein content and low water and fat content	Dry legume vegetables/pulses	Field bean, dried broad bean, dried haricot bean (yellow, white/navy, brown, speckled), lentils
	Cereal grain and products thereof	Wheat, rye, barley and oat grain; maize, rice, whole meal bread, white bread, crackers, breakfast cereals, pasta
6. "Difficult or unique commodities"		Hops, cocoa beans and products thereof, Coffee, tea, spices
7. Meat (muscle) and Seafood	Red muscle	Beef, pork, lamb, game, horse
	White muscle	Chicken, duck, turkey
	Offal	Liver, kidney
	Fish	Cod, haddock, salmon, trout
	Crustaceans	Shrimp, scallop, crab
8. Milk and milk products	Milk	Cow, goat and buffalo milk
	Cheese	Cow and goat cheese
	Dairy products	Yogurt, cream
9. Eggs	Eggs	Chicken, duck, quail, and goose eggs
10. Fat from food of animal origin	Fat from meat	Kidney fat, lard
	Milk fat	Butter
	Fish oil	Cod liver oil

Guidelines for the Validation of Chemical Methods for the FDA FVM Program, 2nd Ed.

B. AOAC Food Matrix Triangle

The AOAC Food Matrix Triangle (Figure A4.1) can be used to categorize foods and food matrix reference materials into nine sectors based on relative fat, protein and carbohydrate content [9, 19, 20]. This tool can be useful in the validation of methods intended for a wide variety of food matrices and to help in categorizing similar food matrices for methods intended for more limited applicability.

Figure A4.1. Foods Partitioned into Sectors Based on Their Protein, Fat, and Carbohydrate Content



Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds

2nd Edition

**US Food & Drug Administration
Office of Foods and Veterinary Medicine**

April 2015

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

ACKNOWLEDGMENT

The first edition of these guidelines published in 2011 and the second edition in 2014 were developed at the request of the U.S. FDA Foods and Veterinary Medicine Program. In cooperation with members of the Science and Research Steering Committee, direct input, review, and consent were provided by the following FDA microbiology research and regulatory offices:

Center for Food Safety and Applied Nutrition

Office of Applied Research and Safety Assessment

Office of Food Safety

Office of Regulatory Science

Center for Veterinary Medicine

Office of Research

National Center for Toxicological Research

Division of Microbiology

Office of Regulatory Affairs

Office of Regulatory Science

ORA Cadre of Microbiology Subject Matter Experts

**Guidelines for the Validation of Chemical Methods
for the FDA FVM Program, 2nd Ed.**

APPROVAL PAGE


This document is approved by the FDA Foods and Veterinary Medicine (FVM) Science and Research Steering Committee (SRSC). The FVM SRSC Project Manager is responsible for updating the document as change requirements are met, and disseminating updates to the SRSC and other stakeholders, as required.

APPROVED BY:

**Palmer A. Orlandi
Jr -S**

Digitally signed by Palmer A. Orlandi Jr -S
DN: c=US, o=U.S. Government, ou=HHS, ou=FDA,
ou=People, 0.9.2342.19200300.100.1.1=130012805,
cn=Palmer A. Orlandi Jr -S
Date: 2015.05.21 16:41:11 -04'00'

OFVM Chief Science Officer/Research Director



Digitally signed by Jeffrey L. Ward -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=1300184354,
cn=Jeffrey L. Ward -S
Reason: I am approving this document
Location: Silver Spring, MD
Date: 2015.05.26 12:28:58 -04'00'

OFVM Senior Science Advisor

**Donald L.
Zink -S**

Digitally signed by Donald L. Zink -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
cn=Donald L. Zink -S,
0.9.2342.19200300.100.1.1=130018851
8
Date: 2015.05.26 13:33:51 -04'00'

CFSAN Senior Science Advisor

**Vincent K.
Bunning -A**

Digitally signed by Vincent K.
Bunning -A
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=13000
10297, cn=Vincent K. Bunning -A
Date: 2015.05.26 14:09:12 -04'00'

CFSAN, Director, Office of Regulatory Science

**Mary E.
Torrence -S**

Digitally signed by Mary E. Torrence -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=100083393
6, cn=Mary E. Torrence -S
Date: 2015.05.26 14:53:51 -04'00'

CFSAN, Director Office of Applied Research &
Safety Assessment

William T. Flynn -A

Digitally signed by William T. Flynn -A
DN: c=US, o=U.S. Government, ou=HHS, ou=FDA,
ou=People, 0.9.2342.19200300.100.1.1=1300065640,
cn=William T. Flynn -A
Date: 2015.05.26 15:44:11 -04'00'

CVM, Deputy Director for Science Policy

**John Graham
-S**

Digitally signed by John Graham -S
DN: c=US, o=U.S. Government, ou=HHS,
ou=FDA, ou=People, cn=John Graham -S,
0.9.2342.19200300.100.1.1=2001387754
Date: 2015.06.01 09:34:29 -04'00'

CVM, Director, Office of Research

**Paul E.
Norris -S**

Digitally signed by Paul E. Norris -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
cn=Paul E. Norris -S,
0.9.2342.19200300.100.1.1=1300023
4978
Date: 2015.07.01 16:30:07 -04'00'

ORA, Director Office of Regulatory Science

**Timothy
Mcgrath -A**

Digitally signed by Timothy Mcgrath -
A
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=20000980
76, cn=Timothy Mcgrath -A
Date: 2015.07.02 08:49:47 -04'00'

ORA, Director, Food and Feed Scientific Staff



Digitally signed by William B. Martin -S
DN: c=US, o=U.S. Government,
ou=HHS, ou=FDA, ou=People,
0.9.2342.19200300.100.1.1=130012828
0, cn=William B. Martin -S
Reason: I am approving this document
Date: 2015.07.02 10:22:16 -07'00'

ORA, Member of the ORA Scientific
Advisory Council

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

US Food & Drug Administration Office of Foods and Veterinary Medicine

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds Second Edition

TABLE OF CONTENTS

1.0	Introduction	6
1.1	Purpose	6
1.2	Scope	6
1.3	Administrative Authority and Responsibilities	6
1.4	The Method Validation Subcommittee	6
1.5	General Responsibilities of the Originating Laboratory	7
1.6	Method Validation Definition	7
1.7	Applicability	7
1.8	Requirements	8
2.0	Criteria and Guidance for the Validation of FDA-developed Methods	9
2.1	Validation Definitions	9
2.2	The Method Validation Process	9
2.3	Validation Criteria	11
2.4	Method Validation Operational Aspects	16
3.0	Criteria and Guidance for the Validation of FDA-developed Molecular-based Assays	19
3.1	Inclusivity and Exclusivity	19
3.2	Target Genes and Controls (positive and negative)	20
3.3	Comparison to the Reference Method	20
4.0	Criteria and Guidance for the Validation and Verification of Commercially-Available Microbiological Diagnostic Kits and Platforms	20
4.1	Definitions	20
4.2	Criteria	21
5.0	Method Modification and Method Extension Criteria for Existing Validated Microbiology Methods	21
5.1	Matrix Extension	22
5.2	Platform Extension	24
	APPENDIX 1 Glossary of Terms	25

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 2	SRSC Method Validation Subcommittee Charter	31
APPENDIX 3	Method Development, Validation and Implementation SOP	32
APPENDIX 4	FVM Microbiology Method Validation Study Application	33
APPENDIX 5	Examples of Food Types and Associated Microbiological Contaminants	34
APPENDIX 6	Strains and Serovars for Inclusivity and Exclusivity Panels	38

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

List of Tables

Table 1	General Guidelines for the Validation of Qualitative Detection Methods for Microbial Analytes	13
Table 2	General Guidelines for the Validation of Qualitative Detection Methods for Microbial Analytes - Unique Isolation and/or Enrichment Challenges	14
Table 3	General Guidelines for the Validation of Identification Methods for Microbial Analytes	15
Table 4	General Guidelines for the Validation of Quantifiable Detection Methods for Microbial Analytes	16

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

1.0 INTRODUCTION

1.1 Purpose

The Foods and Veterinary Medicine (FVM) Enterprise within the U.S. Food & Drug Administration is responsible for ensuring the safety of the nation's food and feed supply. FDA accomplishes this through education; inspection; data collection; standards setting; prompt investigation of outbreaks; and, enforcement actions when appropriate. The effectiveness of the FVM Enterprise is highly dependent on the quality and performance of the laboratory methods used within the FDA. To ensure that all laboratory methods meet the highest analytical standards possible for their intended purpose, the FDA Office of Foods and Veterinary Medicine (OFVM) through the Science and Research Steering Committee (SRSC) has established these criteria by which all FVM microbiological methods shall be evaluated and validated.

1.2 Scope

These criteria apply to all FDA laboratories that develop and participate in the validation of analytical food and feed methods for Agency-wide implementation in a regulatory capacity. This includes all research laboratories, and ORA labs where analytical methods may be developed or expanded for potential regulatory use. At the time of final approval by the OFVM and the SRSC, this document will supersede all other intra-agency documents pertaining to food- and feed-related method validation criteria for microbial analytes. In addition, this guidance is a forward-looking document; the requirements described here will only apply to newly-developed methods and those for which significant modifications have been made to an existing method. Once a method has been validated, it can be implemented by other laboratories following the method verification process.

1.3 Administrative Authority and Responsibilities

All criteria established in this document for analytical method validation have been adopted and approved by the OFVM and the SRSC. As stated in the Methods Development, Validation and Implementation Program SOP (APPENDIX 3), The Method Validation Subcommittee (MVS) will have oversight responsibility for all collaborative validation studies (See Section 2.2.2.3).

1.4 The Method Validation Subcommittee

Under the authority of the SRSC, a Microbiology Methods Validation Subcommittee (MMVS) will oversee all microbiology method validation concerns. The MMVS is governed by the organizational structure, roles and responsibilities as detailed in its charter (See APPENDIX 2). Briefly, the MMVS will oversee and coordinate – in collaboration with the originating laboratory – all collaborative laboratory validation studies (planning and implementation) for microbiological methods developed within the FDA FVM Enterprise to support regulatory analytical needs. This includes the evaluation of Single Laboratory Validation (SLV) results and the evaluation of any subsequent collaborative validation study plan. Unless

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

otherwise stated, most correspondence between the method developer(s) and the MMVS will be by email using the following address:
Microbiology.MVS@fda.hhs.gov.

1.5 General Responsibility of the Originating Laboratory

It is the responsibility of the originating (developing) laboratory to ensure proper adherence to all criteria described in the document. The originating laboratory must work in close consultation with the MMVS and/or its designated Technical Advisory Group (TAG) throughout the collaborative laboratory validation process. It will be the responsibility of the originating laboratory to include their respective QA/QC manager in all aspects of the validation process and to ensure proper adherence to all criteria described in this document.

1.6 Method Validation Definition

Method validation is a process by which a laboratory confirms by examination, and provides objective evidence, that the particular requirements for specific uses are fulfilled. It serves to demonstrate that the method can detect and identify an analyte or analytes:

- In one or more matrices to be analyzed.
- In one or more instruments or platforms.
- With a demonstrated sensitivity, specificity, accuracy, trueness, reproducibility, ruggedness and precision to ensure that results are meaningful and appropriate to make a decision.
- Reliably for its intended purpose. Intended purpose categories include, but may not be limited to emergency/contingency operations; rapid screening and high throughput testing; and confirmatory analyses.
- After the method developer has conducted experiments to determine or verify a number of specific performance characteristics that serve to define and/or quantify method performance.

1.7 Applicability

This document establishes evaluation criteria for methods to detect, identify, and quantify all microbial analytes that may now be, or have the potential to be associated with foods and feeds *i.e.* any microbiological organism of interest (target organism) or the genetic material *i.e.* DNA, RNA, toxins, antigens, or any other product of these organisms. If not specifically identified, all information contained in the accompanying tables should be extrapolated to the microbial analyte of interest. Such applicable areas of methods development and evaluation include, but are not limited to, the following:

- Qualitative assays *i.e.* detection assays
- Quantifiable assays *i.e.* real-time PCR
- Analyte-specific

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

- Bacteriological, e.g.
 - *Salmonella* spp.
 - Pathogenic *Escherichia coli*
 - *Listeria monocytogenes*
 - *Shigella* spp.
 - *Vibrio* spp.
 - *Campylobacter* spp.
- Microbial toxins (excluding marine biotoxins. See Chemistry method validation guidelines)
- Viral pathogens, e.g.
 - Hepatitis A virus
 - Norovirus
 - Enterovirus
- Parasitic protozoan pathogens, e.g.
 - *Cryptosporidium*
 - *Cyclospora cayetanensis*
- Indicator organisms
- Bioengineered analytes, e.g.
 - Genetically-modified foods (GMOs)
- Applications
 - Pre- and selective enrichment
 - Microbial analyte recovery and concentration
 - Screening, high-throughput, confirmation
- Procedures
 - Phenotypic, e.g.
 - Biochemical characterization for identification
 - Antibiotic resistance traits for identification
 - Antigenic characterization for identification
 - Genetic, e.g.
 - Nucleic acid isolation/concentration/purification
 - Polymerase Chain Reaction
 - Conventional
 - Real-time
 - Reverse transcription
 - Sequencing, e.g.
 - Whole genome
 - Selective sequencing
 - Single nucleotide polymorphism (SNP) analysis
 - Strain-typing applications
- Immunological
 - Antibody capture
 - ELISA
 - Flow cytometry

1.8 Requirements

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Method validation shall be required for:

- Submission of a new or alternate method.
- Major modifications to an existing, validated method (See Section 5.0).

2.0 CRITERIA AND GUIDANCE FOR THE VALIDATION OF FDA-DEVELOPED METHODS

This section provides validation criteria and guidance for all FVM-developed or any existing validated method(s) that has been significantly modified (See Section 5.0).

2.1 Validation Definitions

2.1.1 The Reference Method

The reference method is defined as that method by which the performance of an alternate method is measured or evaluated. Validation studies must include comparison to a recognized reference method to demonstrate equivalence or increased performance, the significance of which must be determined statistically. For bacterial analytes, reference methods are generally culture-based and result in a pure isolate. The FDA Bacteriological Analytical Manual (BAM), the USDA Microbiology Laboratory Guidebook (MLG) and ISO culture methods contain recognized reference culture methods. FDA BAM reference methods take precedence over all other reference methods unless otherwise determined by the MMVS. It is recognized that this requirement may either not be practical or possible in all instances. In such cases, consultation between the originating laboratory and the MMVS will be necessary to define the most appropriate reference method. **All** new methods **must** be validated against an agreed-upon reference method if existing.

2.1.2 The Alternate Method

The alternate method refers to the newly developed or modified method that is to be evaluated against the performance of a recognized reference method by a defined validation process.

2.1.3 The Originating Laboratory

The originating laboratory refers to the laboratory that developed the method and has completed the SLV requirements.

NOTE: An "originating laboratory" can be more than a single laboratory when 2 or more laboratories combine their resources to develop and validate a method. In such cases, none of the laboratories so combined may act as a Collaborating Laboratory.

2.1.4 The Collaborating Laboratory

The collaborating laboratory refers to the laboratory (or laboratories) other than the originating laboratory involved in multi-laboratory method validation studies.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.2 The Method Validation Process

Within the FVM Enterprise, method validation exercises confirm by examination (and the provision of objective evidence) that the particular requirements for a method have been fulfilled. All methods used by the FDA in support of its regulatory and compliance roles must be validated according to the guidelines established by the FVM Enterprise. Three levels of scrutiny are defined below and serve to demonstrate that the method can detect, identify and, where applicable, quantify an analyte or analytes to a defined standard of performance. The hierarchy of criteria within the validation process also provides general characteristics on the method's utility and insights for its intended use.

2.2.1 Emergency Usage (Level One)

This level has the lowest level of validation. All the work will have been done by one or more labs. Sensitivity and specificity (inclusivity and exclusivity) has been tested, but only included a limited number of strains. The MMVS, Agency subject matter experts (SMEs) and the originating laboratory may identify additional criteria for evaluation. Once the crisis has past and it has been determined that there is a need for further validation, procedures outlined in this document must be followed.

Intended Use: Emergency needs. These are methods developed or modified for the detection of an analyte, or a matrix not previously recognized or identified as a threat to food safety or public health. Performance of the method at this level will determine, in part, whether further validation is useful or warranted.

NOTE: *Under emergency situations where the rapid development and deployment of a method is needed to immediately address an outbreak event, Level 1 - Emergency Use criteria should be followed as closely as the situation will allow.*

2.2.2 Method Validation Levels (for Non-Emergency Use Methods)

2.2.2.1 Single-laboratory Validation (Level Two - Part a)

The originating lab has done a more comprehensive initial study with defined inclusivity/exclusivity levels as shown in Tables 1. If available, a comparison has been done to an existing reference method. Results of the SLV has been evaluated and approved by the MMVS. This is the first step in the validation process for methods designed for routine regulatory applications.

Intended Use: Methods validated to this level of scrutiny can be used immediately for emergencies. Slightly higher false-positive rates may be acceptable as all samples analyzed will require confirmatory testing.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.2.2.2 Independent Laboratory Validation (Level Two - Part b)

One other independent laboratory has participated in the validation study using the method of the originating lab and criteria described in Table 1. Successful completion of this level of scrutiny and the approval of the MMVS are prerequisite steps prior to any collaborative validation study.

Intended Use: Methods validated to this level of scrutiny can be used immediately for emergencies. Slightly higher false-positive rates may be acceptable as all samples analyzed will require confirmatory testing.

2.2.2.3 Collaborative Validation Study (Level Two – Part c)

A Collaborative study is an inter-laboratory study in which each laboratory uses the defined method of analysis to analyze identical portions of homogeneous materials to assess the performance characteristics obtained for that method of analysis (W. Horwitz, IUPAC, 1987). It is designed to measure inter-laboratory reproducibility, so that it can be determined if the method can be successfully performed by laboratories other than the originating laboratory. For methods having more than one sample preparation or enrichment scheme, it is necessary to test one matrix per sample preparation or enrichment scheme.

The criteria defined for this level of scrutiny (to be performed by the originating and collaborating labs) are closely aligned with other recognized and established validation criteria for collaborative studies e.g. AOAC, ISO. This includes criteria for inclusivity/exclusivity, analyte contamination levels, competitor strains, aging, and a comparison to an existing, recognized reference method when available.

Intended Use: All methods validated to this level of scrutiny are acceptable for use in any and all regulatory circumstances e.g. confirmatory analyses; regulatory sampling, outbreak investigations, and surveillance and compliance support.

2.3 Validation Criteria

Tables 1, 2, 3 and 4 contain the general criteria that must be met in order to successfully achieve a defined level of validation for a new or modified method. Table 1 describes general guidelines for qualitative methods to detect conventional microbial foodborne pathogens. Table 2 applies to detection methods for microbial analytes that face unique isolation and/or enrichment challenges. Table 3 describes general guidelines for identification or confirmatory methods. Table 4 describes general guidelines for quantifiable methods. The criteria contained within these tables also distinguish between qualitative and quantifiable methods; and, those requirements to be carried out by the originating and collaborating laboratories respectively.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.3.1 Validation Criteria for Qualitative Methods to Detect Conventional Microbial Food-borne Pathogens

2.3.1.1 Definition

A method that identifies analyte(s) based on chemical, biological, or physical properties; method of analysis whose response is either the presence or absence of the analyte detected either directly or indirectly in a certain amount of sample. Most qualitative methods are or can be made at least "semi-quantitative" to provide rough estimates of the amount of analyte present.

2.3.1.2 Criteria

Tables 1 pertains to bacterial pathogens (and other pathogenic microorganisms) that meet the following general characteristics:

- Not limited by strain availability; ability to fully comply with inclusivity and exclusivity requirements.
- Are capable of cultural enrichment in a timely manner.
- Can be enumerated.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Table 1- General Guidelines for the Validation of Qualitative Detection Methods for Microbial Analytes

	Emergency	Non-Emergency Validation Processes		
Criteria	Emergency Use	Single Laboratory Validation Study	Independent Laboratory Validation Study	Collaborative Validation Study
Participating Laboratory	Originating Laboratory	Originating Laboratory	Collaborating Laboratory	Collaborating Laboratories
# of target organism (inclusivity) ^a	[†] TBD	50 (unless 50 aren't available) ^{b,c}	[†] NA	[†] NA
# of non-target organism (exclusivity) ^a	[†] TBD	30 strains ^d	[†] NA	[†] NA
# of laboratories providing usable data	1	1	1	10
# of foods	1 or more ^e	1 or more ^e	1 or more ^e	1 or more ^e
# of analyte levels/food matrix	[†] TBD	Two inoculated levels ^f and one uninoculated level	Two inoculated levels ^f and one uninoculated level	3 levels: One inoculated level ^f , one at 1 log higher ^g and one uninoculated level
Replicates per food at each level tested	[†] TBD	20 for the fractional level (5 each for the uninoculated and high levels)	20 for the fractional level (5 each for the uninoculated and high levels)	8
Aging of inoculated samples prior to testing	No	Yes ^h	Yes ^h	Yes ^h
Addition of competitor strain ⁱ	Normal background flora	In 1 food at +1 log>analyte at fractional positive ^j analyte level	In 1 food at +1 log>analyte at fractional positive ^j analyte level	In 1 food at +1 log>analyte at fractional positive ^j analyte level
Reference Method Comparison Requirement ^k	[†] TBD	Yes, if available	Yes, if available	Yes, if available

^aUsing pure cultures without a food matrix.

^bEach at 10³ CFU/mL following the method protocol (1 log₁₀ above the LOD for other methods); or 10³ CFU/reaction for molecular methods e.g. PCR.

^c100 serotypes for Salmonella testing.

^dAt 10³ CFU/mL for non-target organisms grown in a non-selective rich medium.

^eFor FDA regulatory use, methods are only valid for foods that have been tested; the MMVS may require that a new method be validated for 3 foods within a food category (See APPENDIX 5). See Section 5 for further guidance on matrix extension criteria.

^fMust be adjusted to achieve fractional positive results (one or both methods i.e. the reference and alternate methods must yield 50%±25% of tests positive) at this level; the high level inoculum should be approximately 1 log greater than that used to achieve fractional results. All 5 replicates at the high inoculum should yield positive results.

^gAll test samples inoculated at this level must yield 100% positive results

^hPeriod of aging depends on food being tested. Perishable foods should be aged under refrigeration for 48 – 72 h. Frozen and shelf stable foods should be aged for a minimum of 2 weeks at -20°C or at room temperature, respectively.

ⁱAn appropriate competitor is one that gives similar reactions in enrichment and detection systems. Natural background microflora can fulfill this requirement as long as it present in the matrix at a level 1 log greater than the target analyte.

^jIndependent Laboratory and Collaborative Validation Studies should use the most effective reference method available.

^kTBD to be determined in consultations with the originating laboratory, the MMVS, and subject matter experts.

[†] Not Applicable

2.3.1.3 Detection of Microbial Analytes That Present Unique Isolation and/or Enrichment Challenges[†]

Tables 2 provides validation criteria for microbial pathogens characterized as difficult to isolate, limited resources for extensive inclusivity and

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

exclusivity studies, and either non-culturable for enrichment purposes or, enrichment cannot be accomplished in a timely manner.

Table 2 - General Guidelines for the Validation of Qualitative Detection Methods for Microbial Analytes - Unique Isolation and/or Enrichment Challenges [†]

	Emergency	Non-Emergency Validation Processes		
Criteria	Emergency Use	Single Laboratory Validation Study	Independent Laboratory Validation Study	Collaborative Validation Study
Participating Laboratory	Originating Laboratory	Originating Laboratory	Collaborating Laboratory	Collaborating Laboratories
# of target organism (inclusivity) ^a	[†] TBD	[†] TBD	[*] NA	[*] NA
# of non-target organism (exclusivity) ^a	[†] TBD	[†] TBD	[*] NA	[*] NA
# of laboratories providing usable data ^b	1	1	1	5 [✓]
# of foods	1 or more [✓]	1 or more [✓]	1 or more [✓]	1 or more [✓]
# of analyte levels/food matrix	[†] TBD	One inoculated level ^c and one uninoculated level	One inoculated level ^c and one uninoculated level	3 levels: One inoculated level ^c , one at 1 log higher ^d and one uninoculated level
Replicates per food at each level tested	[†] TBD	3	3	8 [✓]
Reference Method Comparison Requirement ^e	[†] TBD	Yes, if available	Yes, if available	Yes, if available

^aUsing pure cultures without a food matrix.

^bLabs providing data are required to run study on same PCR platform.

^cMust be adjusted to achieve fractional positive results (one or both methods i.e. the reference and alternate methods must yield 50%±25% of tests positive) at this level, advisable to include when possible one additional level at +1 log.

^dAll test samples inoculated at this level must yield 100% positive results.

^eIndependent Laboratory and Collaborative Validation Studies should use the most effective reference method available.

[†]Such examples include but are not limited to RNA food-borne viruses, and protozoan parasites. See APPENDIX 3 Sections V and VI.

[†]TBD to be determined in consultations with the originating laboratory, the MMVS, and subject matter experts.

^{*} Not Applicable.

[✓]Where circumstance and resources permit.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.3.2 Validation Criteria for Identification Methods

2.3.2.1 Definition

A method used to confirmation the identity of a microbial analyte e.g. serotyping.

2.3.2.2 Criteria

Table 3- General Guidelines for the Validation of Identification Methods for Microbial Analytes

	Non-Emergency Validation Processes		
Criteria	Single Laboratory Validation Study	Independent Laboratory Validation Study	Collaborative Validation Study
Participating Laboratory	Originating Laboratory	Collaborating Laboratory	Collaborating Laboratories
# of target organism (inclusivity) ^a	≥50 (unless 50 aren't available) ^{b,c}	1 ^c	12 ^c
# of non-target organism (exclusivity) ^a	≥30 strains ^{b,c}	1 ^c	12 ^c
# of laboratories providing usable data	1	1	10
Replicates ^d	3	3	3
Reference Method Comparison Requirement	Yes, if available	Yes, if available	Yes, if available

^aAt 10³ CFU/mL for target organisms and non-target organisms grown in a non-selective rich medium. 10³ CFU/reaction for molecular methods e.g. PCR.

^b100 serotypes for *Salmonella* testing.

^cShould be evaluated together in one single study; inclusive and exclusive samples should be intermingled and blinded

^dAll replicates must yield the correct answer

2.3.3 Validation Criteria for Quantifiable Methods to Detect Conventional Microbial Food-borne Pathogens

2.3.3.1 Definition

A method that provides an estimate of the amount of analyte present in the test sample, expressed as a numerical value in appropriate units, with trueness and precision which are fit for the intended purpose.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.3.3.2 Criteria

Table 4- General Guidelines for the Validation of Quantifiable Detection Methods for Microbial Analytes

	Non-Emergency Validation Processes		
Criteria	Single Laboratory Validation Study	Independent Laboratory Validation Study	Collaborative Validation Study
Participating Laboratory	Originating Laboratory	Collaborating Laboratory	Collaborating Laboratories
# of target organism (inclusivity)	50 (unless 50 aren't available)	NA ^a	NA ^a
# of non-target organism (exclusivity)	30 strains	NA ^a	NA ^a
# of laboratories providing usable data	1	1	10
# of foods	1 or more ^a	1 or more ^a	1 or more ^a
# of analyte levels/food matrix ^f	4 levels: Low medium and high inoculum levels ^b and one uninoculated level	4 levels: Low medium and high inoculum levels ^b and one uninoculated level	4 levels: Low medium and high inoculum levels ^b and one uninoculated level
Replicates per food at each level tested	5 replicates per level for a total of 20 replicates per method	5 replicates per level for a total of 20 replicates per method	Two test portions per level for a total of 8 test portions
Aging of inoculated samples prior to testing	Yes ^c	Yes ^c	Yes ^c
Addition of competitor strain ^d	In 1 food at +1 log>analyte at highest analyte level	In 1 food at +1 log>analyte at highest analyte level	In 1 food at +1 log>analyte at highest analyte level
Reference Method Comparison Requirement	Yes, if available	Yes, if available	Yes, if available
Confirmation of Test Portions	NA ^a	NA ^a	Yes, follow the reference method

^aFor FDA regulatory use, methods are only valid for foods that have been tested; validation can be extended to other foods by further testing. See section 5.1

^bThe low level should be at or near the limit of detection; medium and high levels should be chosen to span the analytical range of the alternate method.

^cPeriod of aging depends on food being tested. Perishable foods should be aged under refrigeration for 48 – 72 h. Frozen and shelf stable foods should be aged for a minimum of 2 weeks at -20°C or at room temperature, respectively.

^dAn appropriate competitor is one that gives similar reactions in enrichment and detection systems. Natural background microflora can fulfill this requirement as long as it present in the matrix at a level 1 log greater than the target analyte.

^f Not Applicable

2.4 Method Validation Operational Aspects

2.4.1 General Considerations

- All correspondence e.g. proposals, validation reports etc., with the MMVS will be initiated via email using the following address:
Microbiology.MVS@fda.hhs.gov.
- As defined in the SRSC Document titled "Method Development, Validation and Implementation SOP (See APPENDIX 3), all method validation plans must be

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

submitted to and approved by the MMVS prior to initiating any methods validation work beyond the single lab validation stage. See APPENDIX 4 for proposal formatting.

- The number of laboratories submitting usable data in all the above tables represents the minimum number allowable for a successful validation study. It is suggested that 4 additional labs be considered for participation, since a variety of unforeseen circumstances can cause data sets to be rejected.
- The following elements must be addressed in all proposals for method validation studies (in non-emergency use situations).
 - Intended use or applicability statement for the method being validated.
 - Applicability of paired vs. unpaired sampling/testing.
 - Statistical methods must be employed to verify equivalent or statistically-significant improvement of performance between the new method and the reference method (or in some cases, the originally validated method) to include but not limited to sample means and the degree of accuracy. The MVS biostatistician will provide guidance on applicable statistical tools that will be employed on a case-by-case basis (See 2.4.2 Assessment for additional details).
 - Use of an appropriate reference method as determined in consultation with the MMVS. The reference method shall never be modified; comparison with a modified reference method renders the validation study invalid.
 - Where possible, the use of an accredited independent source for sample preparation and distribution.
 - Strain selection for inclusivity and exclusivity testing – This facet of the validation study it to assess the reliability and specificity of the alternate method.
 - Individual laboratories within the FVM research enterprise maintain their own inventories of microbial analyte collections. These collections, strains and serovars derived from food surveillance programs, food-borne outbreak investigations, and clinical specimens, are available to all Agency scientists. Access is governed by “U.S. Food and Drug Administration Foods Program Internal Strain Sharing Standard Operating Procedure” (<http://inside.fda.gov:9003/downloads/OC/OfficeofFoods/UCM353743.pdf>).
 - The choice of inclusivity strains should reflect the genetic, serological, and/or biochemical diversity of the organisms involved, as well as other factors such as virulence, frequency of occurrence and availability. Inclusivity testing is performed on purified cultures.
 - The choice of exclusivity strains should closely reflect related, potentially cross-reactive organisms. Other factors such as virulence, frequency of occurrence and availability should be considered. Exclusivity testing is performed on purified cultures.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

- Species/strains specified for use in inclusivity and exclusivity panels must be traceable to the source. The source and origin of each species/strain should be documented. See Appendix 6 for suggested inclusive and exclusive microbial analytes. This is not an exhaustive list and should serve only as a reference resource and a guide to aid the developer.
 - It is understood that it is not always possible to meet the inclusivity/exclusivity requirements listed herein. For example, only limited numbers of strains may be available for emerging pathogens, certain viruses or parasites. Under such circumstances, the MMVS or its designee will work in concert with the originating laboratory to test their methods with the maximum number of available strains when the developer is unable to comply with the requirements of this document.
-
- Suitability and availability of naturally-contaminated samples in the proposed validation study.
 - Inoculum preparation, spiking methodology, and uniformity of contamination (when artificially-contaminated samples will be used).
 - Sample preparation, naturally-occurring microflora, and the requirement for aerobic plate counts (APC) to verify background microflora.
 - Need for inclusion of competitive microflora. For food matrices that exhibit low naturally-occurring microflora background (as determined by APC), validation studies will adhere to AOAC-established parameter *i.e.* 1 log greater than microbial analyte being tested. Selection of competitive microflora to be used will be done in consultation with the MMVS.
 - Selection of spiking levels (when artificially-contaminated samples will be used).
 - Matrix aging to assess method robustness.
 - Microbial analyte stress, cell injury, and matrix-derived inhibition of analyte enrichment/growth.
 - Selection of appropriate foods. Food matrices will be validated individually based on the historical outbreak record and epidemiological link between matrix, pathogen, and illness. Some examples are provided in Appendix 5. Extension of a method to include additional food matrices will require additional validation studies. See Sections IV and V.
 - Formation of composited samples. In some instances, it may be necessary to validate composited samples. In the case of *Salmonella*, an analytical unit is 25 g and a composite sample is 375 g. A composite test portion is formed by adding fourteen uninoculated 25 g test portions to one inoculated 25 g test portion for a total of 375 g. The composite is compared to a 25 g inoculated test portion that is analyzed with the reference method.
 - Inocula designed to yield fractional positive results. Samples for both the reference method and the test method must achieve 50%±25% positive results (See APPENDIX 1: Glossary of Terms, for a complete description of fractional recovery).

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

2.4.2 Assessment of Validation Results

- Acceptable false negative and false positive rates will be established in consultation with the MMVS. Factors that will influence this decision may include but not be limited to the replicate number and intended use (emergency, screening, confirmatory).
- False positive and false negative rates for a collaborative study will be evaluated in total (across all labs/data sets).
- Method equivalence determinations and employing appropriate statistical measurements. Statistical algorithms must be employed to test for significance differences (superiority or equivalence) and for data disqualification (see *below*), the preferred method of statistical analysis is Relative Limit of Detection (RLOD). Selection of a statistical approach will be dictated by the type and scope of the study and will be determined through consultations between the originating lab and the MMVS during the planning phase of any validation study.
- Data sets derived from a validation exercise can be disqualified. Examples include but may not be limited to:
 - Negative controls (un-inoculated controls) yield a positive outcome-an indicator of lab/operator error.
 - Deviation from the prescribed method.
 - Quality control deficiencies e.g. homogeneity and stability. Statistically-supported outliers (Quantifiable methods).
 - Failure to achieve fractional results within specified ranges (across all labs/data sets).

3.0 CRITERIA AND GUIDANCE FOR THE VALIDATION OF FDA-DEVELOPED MOLECULAR-BASED ASSAYS

These criteria and guidelines are intended to support method validation efforts for developers of molecular-based assays, e.g. PCR to be used to confirm the identity or exclusion of isolated colonies.

This guidance is intended to govern validation studies for either conventional or real time PCR assays. If validating a real time assay, the platform and chemistry must be specified. It is strongly recommended that a real time assay be validated on two to three other platforms i.e. thermal cyclers or workstations. Other molecular methods should provide detailed chemistry and platform prerequisites and include multiple platforms where possible.

The criteria necessary to determine four levels of validation for qualitative PCR assays for bacteria are the following:

3.1 Inclusivity and Exclusivity

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

The inclusivity and exclusivity requirements described above apply here. The amount of template, whether using bacterial cells or purified nucleic acid, should be comparable for both inclusivity and exclusivity panels.

It is expected from the originating laboratory that all primer and/or probe sequences would initially be screened for uniqueness by searching a bacterial genomic database for homology. It is recommended that a BLAST search be performed against the GenBank non-redundant database.

3.2 Target Gene(s) and Controls (Positive and Negative).

Molecular-based assays to target gene(s) from a specific microbial analyte, whether to a virulence factor or taxonomic identifier (e.g. 16S DNA), must have demonstrable specificity (inclusivity and exclusivity) for that particular pathogen. Positive and negative control strains and reactions should be incorporated into the assay evaluation. Internal amplification controls for real-time PCR assays **are required** for regulatory food or environmental sample analyses.

3.3 Comparison to the Reference Method

The originating laboratory will compare the PCR-based method to bacteriological, biochemical, and/or serological reference methods. PCR-based methods may only be compared to PCR-based reference identification methods when bacteriological, biochemical, and/or serological reference methods are unavailable.

4.0 CRITERIA AND GUIDANCE FOR THE VALIDATION AND VERIFICATION OF COMMERCIAL- AVAILABLE MICROBIOLOGICAL DIAGNOSTIC KITS AND PLATFORMS

4.1 Definitions

4.1.1 Validation of an Alternative Method

Demonstration that adequate confidence is provided when the results obtained by the alternative method *i.e.* the commercially-available kit, are comparable to or exceed those obtained using the reference method using the statistical criteria contained in the approved validation protocol.

4.1.2 Verification

Method verification is a process by which a laboratory confirms by examination, and provides objective evidence, that the particular requirements for specific uses are fulfilled. It serves to demonstrate that the method can detect and identify an analyte or analytes:

- The confirmation by examination and the provision of objective evidence that specified requirements have been fulfilled.
- To assess the performance of a method in the user's laboratory against the specifications of the method established during the validation.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

- To assess the method performance on items included in the scope of the method and tested routinely by the user laboratory.
- To demonstrate that the method functions (without any adaptation) in the user's laboratory on matrices not included in the original method validation.

4.2 Criteria

4.2.1 Commercially-available Microbiological Diagnostic Kits Whose Performance Parameters Have been Fully Validated in a Multi-laboratory Collaborative Study Monitored and Evaluated by an Independent Accrediting Body e.g. AOAC-OMA, AFNOR, etc.

Each lab must perform an in-house verification for the “*first use*” of an alternate method in this category. For subsequent use(s) of the method, lab controls will be used per lot to re-verify the method.

4.2.1.1 Verification Requirements (*per lab*)

- Six replicates of the inoculated matrix and six replicates of the uninoculated matrix are tested and confirmed by both the alternative and the reference method.
- If no false positive or false negative results are obtained, then the new matrix is verified.
- Each commodity to be tested should be spiked with a level close to the detection limit, usually <30 cfu of analyte per 25 g food sample or any other specified test portion to determine if there is any interference from the matrix.
- If unacceptable false positive or false negative results are observed (as defined for the intended use of the method), then the study must be expanded to a full SLV (Table 1) to define the operating characteristics of the method with the new matrix. Consult Section V: Food Matrix Extension for more detailed information.

NOTE: The verification criteria described above apply only for foods which were part of the collaborative study by an independent accrediting body. The use of such kits for food matrices that were not included in the original collaborative study must be preceded by a food matrix extension study. (See Section 5: Food Matrix Extension)

4.2.2 Commercially-available Microbiological Diagnostic Kits Whose Performance Parameters are Supported by Data Obtained Through an Independent Laboratory Validation Protocol and Evaluated by an Independent Accrediting Body e.g. AOAC-RI.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

All methods fitting into this description *must* be validated according to the criteria defined for Agency-developed (FDA) microbiology methods (See Section 2).

5.0 METHOD MODIFICATION AND METHOD EXTENSION CRITERIA FOR EXISTING VALIDATED MICROBIOLOGY METHODS

Modifications to an existing validated method may be made for any number of reasons and may or may not affect the established validated performance parameters of the original method. There is no “one size fits all” rule or set of rules to govern how a modification will be addressed.

Some modifications (e.g. ease-of-use capabilities, availability/substitution of reagents or instrumentation, sample handling/sample processing adaptations, etc.) may only necessitate verification against the original method according to criteria detailed in Section 4.2.1.1., whereas other modifications may require significant validation data to support their use. It is recommended that statistical analyses be performed on the verified performance specifications to support implementation of the modification. These include:

- The *t* test for significance of difference between the two sample means to determine degree of accuracy. The *t* Stat value must be less than or equal to the *t* critical value.
- The F test for significance of difference between the two sample variances to determine degree of precision. The F value must be less than or equal to the F critical value.

More extensive modifications that may influence method sensitivity, specificity, precision and accuracy (quantifiable methods), e.g. changes in sample preparation procedures, time/temperature requirements for non-selective and selective enrichment media; or, altering chemistry parameters for molecular methods for example may require either limited (SLV or Independent Laboratory Validation Study) or a Collaborative Validation Study as described in Table 1.

Any decision on how such modifications are viewed and the approach to be taken will reside with the MMVS.

Specific criteria for matrix and platform extension to existing methods are described in greater detail in Sections 5.1 and 5.2

5.1 Matrix Extension

FDA ORA microbiology labs analyze a huge variety of food matrices. Even so, methods used in FDA field laboratories for regulatory purposes must be evaluated for each food.

Very often however, validation studies can neither address all the varied matrices nor fully anticipate what matrix or matrices will be involved in emergency situations

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

or outbreak investigations – two scenarios where samples must be analyzed immediately.

Though it is generally assumed that the more closely related a new food matrix is to a previously-validated matrix for the detection of a defined analyte, the greater the probability that the method will perform similarly with the new matrix, the method must nonetheless be verified for all new matrices. This is to ensure that the new matrix will neither produce high false positive (matrix is free from cross reactive substances) nor high false negative rates (matrix is free of inhibitory substances).

As described below, either a verification process or additional validation studies will be required before any given validated method can be used to test a food (or foods) not included in the original method validation. Close consultation between method developers, laboratory managers, QMS managers and the MVS will aid in determining which approach is more applicable for any given situation.

NOTE: Criteria described in sections 5.1.1 and 5.1.2 only apply to situations in which no additional modifications to the method have been made. In those cases where food matrix extension is accompanied by additional modifications to the method, an SLV or Independent Laboratory Validation as described in Table 1 may be required. This decision will be at the discretion of the MMVS.

5.1.1 Matrix Extension Guidance for New Foods From the Same Category Used for the Original or Subsequent Validation Studies

In instances where a method will be used to test a food (or foods) from the same category of food (See APPENDIX 5) included in the original validation study, ORA laboratories will analyze the matrix in question concurrently with a matrix spike. The matrix spike will consist of a 25 gram sample of the product spiked with an inoculum of 30 cells or less of the target analyte. Negative spike results invalidate the analysis and the sample must be analyzed using the conventional culture procedure.

ORA labs may continue to perform individual sample matrix spikes for matrices that have not been fully validated for the method. Matrix spike results will be entered into Field Accomplishment Computerized Tracking System (FACTS) and data will be evaluated and classified according specific food, and matrix spike results. When a specific food has yielded at least seven positive and no negative results using matrix spikes; or, a >95% confidence level (19 of 20 positives), the method will be considered verified for that food product. The method can then be used for that food without further positive spike controls.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

The ORA Office of Regulatory Science will maintain and update lists detailing the expansion of food matrices for methods used by ORA laboratories; these lists will be posted on the ORA Office of Regulatory Science website.

5.1.2 Matrix Extension Guidance for New Foods From a Different Category Than That Used for the Original Method Validation Study

In instances where a method will be used to test a food (or foods) for which it has not previously been validated and the food (or foods) is not within the same category of food (See APPENDIX 5) included in the original validation study, then an independent validation study will be required as described in Table 1.

5.2 -Platform Extension

Platform extension refers to the proposed use of a new, similarly functioning instrument into approved method that differs from the one used in the original validation study. Such platform differences may include (but not be limited to) being of similar function and capacity but from a different manufacturer; from the same manufacturer but with significantly different performance parameters (i.e. capacity, capabilities); or, represent the next generation for that type of instrumentation to include newer technology and/or reagent reformulations.

The use of specialized instrumentation (and in many cases their accompanying proprietary reagents) dictate the performance standards of validated analytical methods. Therefore, it cannot be assumed that the impact on the method's performance from any interchangeability of instrumentation will be negligible. Performance comparability must be assessed.

In general, platform extension validation must be done by comparing the proposed new platform to the previously validated platform. The scope of the validation study may vary from case to case and will be dependent on such factors as reformulation of buffers, primers, probes, alternative proprietary chemistries, threshold of detection sensitivity, etc. Each case will be judged independently through examination of publicly accessible data, input from SMEs, the method developer, and the MMVS.

In planning platform extension validation, the method developer and the MMVS, must determine what aspect of the technology will be compared in order to determine how the study should proceed. In some instances a platform extension study may require only a simple verification process. Other instances, however, may necessitate an SLV or Independent Validation Study as described in Table 1.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 1 Glossary of Terms

Action level: Level of concern for an analyte that must be reliably detected, identified or quantified in a sample.

Accuracy: A measure of the degree of conformity of a value generated by a specific procedure to the assumed or accepted true value, and includes precision and bias.

Alternate method: The newly developed or modified method that is to be evaluated against the performance of a recognized reference method by a defined validation process.

Analytical batch: An analytical batch consists of samples which are analyzed together with the same method sequence and same lots of reagents and with the manipulations common to each sample within the same time period or in continuous sequential time periods. A set of measurements or test results taken under conditions that do not vary within a 24 hour time period.

Analyte: Component measured by the method of analysis. In the case of microbiological methods, it is the microorganism or associated by-products (e.g., enzymes or toxins).

Applicability: The analytical purpose for which a method has been validated.

Bias: The difference between the expectation of the test results and an accepted reference value.

NOTE: *Bias is the total systematic error as contrasted to random error. There may be one or more systematic error components contributing to the bias. A larger systematic error difference from the accepted reference value is reflected by a larger bias value.*

Calibration: The set of operations which establish, under specific conditions, the relationship between values of quantities by a measuring instrument or measuring system, or values represented by a material measure or a reference material, and the corresponding values realized by standards.

Certified Reference Material (CRM): Reference material, accompanied by a certificate, one or more of whose property values are certified by a procedure which establishes metrological traceability to an accurate realization of the unit in which the property values are expressed, and for which each certified value is accompanied by an uncertainty at a stated level of confidence (slightly modified from VIM04)

NOTE: *The term "Standard Reference Material" (SRM) is the name of a certified reference material (CRM), which is the trademark name of a*

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

certified reference material that has been certified and is distributed by the National Institute of Standards and Technology (NIST).

Collaborative study: A Collaborative study is an inter-laboratory study in which each laboratory uses the defined method of analysis to analyze identical portions of homogeneous materials to assess the performance characteristics obtained for that method of analysis. It is designed to measure inter-laboratory reproducibility, so that it can be determined if the method can be successfully performed by laboratories other than the originating laboratory. For methods having more than one sample preparation or enrichment scheme, it is necessary to test one matrix per sample preparation or enrichment scheme.

Detection limit: A detection limit is the lowest amount of analyte in a sample which can be detected but, not necessarily quantified, as an exact value. It is often called the limit of detection (LOD), which is the lowest concentration level that can be determined as statistically different from a blank at a specified level of confidence. It is determined from the analysis of sample blanks and samples at levels near the expected LOD (see ISO 11843, CLSI EP17).

Exclusivity: Specificity; the ability of the method to distinguish the target from similar but genetically distinct non-target. It is the lack of interference in the alternative method from a relevant range of non-target strains, which are potentially cross-reactive.

Food category: A group of specific related foods. Appendix 2 lists nine recommended food categories: meat products, poultry, fish and seafood products, fruit- and vegetable-based products, dairy products, chocolate/bakery products, animal feeds, pasta, and miscellaneous.

Food matrix: Components that comprise the food sample.

Food product: Any substance usually composed primarily of carbohydrates, fats, water and/or proteins that can be eaten or drunk by an animal or human for nutrition or pleasure. See APPENDIX 5 for examples of representative food products.

Food type: An item that is processed, partially processed or unprocessed for consumption. APPENDIX 5 lists various types such as raw, heat processed, frozen, fermented, cured, smoked, dry, low moisture, etc.

Fractional recovery: Validation criterion that is satisfied when a common set of samples (e.g., inoculation level), yields a partial number of positive determinations and a partial number of negative determinations within a replicate set of samples. The proportion of positive samples should approximate 50% ($\pm 25\%$) of the total number of replicates in the set. A set of replicate analyses are those replicates analyzed by one method (either reference or alternate). In the context of the entire data set, values outside the prescribed

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

fractional range (50%±25%) may be considered. For example, for studies where a larger number of test portions were analyzed, (i.e., 60), a larger fractional range may be acceptable. Other parameters may be considered on an individual basis.

Inclusivity: Sensitivity; the ability of the method to detect a wide range of targets by a defined relatedness e.g. taxonomic, immunological, genetic composition.

Incurred samples: Naturally-contaminated test samples.

Laboratory: An entity that performs tests and/or calibrations. When a laboratory is part of an organization that carries out activities additional to sample preparation, testing and calibration, the term laboratory refers only to those parts of that organization that are involved in the sample preparation, testing and calibration process. A laboratory's activities may be carried out at a permanent, temporary, or remote location.

Limit of Quantification (LOQ): Lowest amount or concentration of analyte that can be quantitatively determined with an acceptable level of uncertainty, also referred to as the limit of determination.

Linearity: Defines the ability of the method to obtain test results proportional to the concentration.

Matrix blank: A quality control sample of a specified amount of matrix that does not contain the analyte of interest.

Matrix spike: An aliquot of a sample prepared by adding a known quantity of target analytes to a specified amount of matrix and subjected to the entire analytical procedure to establish if the method or procedure is appropriate for the analysis of a specific analyte in a particular matrix.

Method blank: Quality control sample that does not contain the analytes of interest but is subjected to all sample processing operations including all reagents used to analyze the test samples.

Method Detection Limit (MDL; also known as LOD): Lowest amount or concentration of analyte that a specific method can statistically differentiate from analyte-free sample matrix. This is dependent on sensitivity, instrumental noise, blank variability, sample matrix variability, and dilution factor.

Minimum Detectable Concentration (MDC): An estimate of the minimum true concentration of analyte that must be present in a sample to ensure a specified high probability (usually >95%) that the measured response will exceed the detection threshold (i.e., critical value), leading one to conclude correctly that the analyte is present.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Minimum Quantifiable Concentration (MQC): The smallest concentration of analyte whose presence in a laboratory sample ensures the relative standard deviation of the measurement does not exceed a specified value, usually 10 percent.

Precision: Degree of agreement of measurements under specified conditions. The precision is described by statistical methods such as a standard deviation or confidence limit. See also Random Error. Repeatability expresses the precision under the same operating conditions over a short period of time. Intermediate precision expresses within-laboratory variations, such as different days, different analysts, and different equipment. Reproducibility expresses the precision between laboratories.

Qualitative method: A method that identifies analyte(s) based on chemical, biological, or physical properties; method of analysis whose response is either the presence or absence of the analyte detected either directly or indirectly in a certain amount of sample. Most qualitative methods are or can be made at least "semi-quantitative" to provide rough estimates of the amount of analyte present.

Quantifiable method: A method that provides an estimate of the amount of analyte present in the test sample, expressed as a numerical value in appropriate units, with trueness and precision which are fit for the purpose.

Random error: The irreproducibility in making replicate measurements resulting from random changes in experimental conditions that affects the precision of a result. The distribution of random errors usually follows a Gaussian bell-shaped curve. See also Precision.

Range: The interval of concentration over which the method provides suitable precision and accuracy.

Recovery: Proportion of incurred or added analyte which is extracted and measured from the analytical portion of the test sample.

Reference material: A material or substance, one or more of whose property values are sufficiently homogenous and well established to be used for the calibration of an apparatus, the assessment of a measurement method, or for assigning values to materials.

Reference standard: A standard, generally having the highest metrological quality available at a given location in a given organization, from which measurements are made or derived. Note: Generally, this refers to recognized national or international traceable standards provided by a standards producing body such as the National Institute of Standards and Technology (NIST).

Relative Limit of Detection: The limit of detection of the alternate method divided by the limit of detection of the reference method.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Repeatability: The closeness of the agreement between the results of successive measurements of the same measurand carried out under the same conditions of measurement.

Ruggedness or robustness: The ability of a method to resist changes in test results when subjected to minor deviations in experimental conditions of the procedure. Ruggedness testing examines the behavior of an analytical process when subtle small changes in the environment and/or operating conditions are made, akin to those likely to arise in different test environments.

Screening method: A method intended to detect the presence of an analyte in a sample at or above some specified concentration (target level).

Specificity: The capability of a method to discriminate between the analyte of interest and other components of the sample including matrix components.

Sensitivity: The lowest concentration that can be distinguished from background noise or the smallest amount of a substance or organism that can accurately be measured by a method or test system is the analytical sensitivity. However, sensitivity is commonly defined as the slope of the calibration curve at a level near the LOQ.

Source : The origin of a test sample. A sample matrix may have variability due to its source. For example, a water sample may have variable characteristics, and therefore, may show method results variability, depending on whether the sample source is drinking water, ground water, surface water, or waste water.

^a Different food sources are defined as different commercial brands. Different water sources could be from different areas of a reservoir. Different plant or soil sources could be samples from the different areas of a plot or field. Different sediment sources could be samples from different areas of a water body.

NOTE: The number of sources for a food method validation study may be determined by the number and selection of matrices analyzed in the method validation study. For example, if a variety of food matrices with differing physical and chemical properties are selected, the number of sources for each food sample matrix may be one or more. For a method validation study analyzing one food matrix, 3-5 sources of the food matrix are recommended.

Specificity: Analytical specificity is the ability of a method to measure one particular analyte in the presence of components which may be expected to be present.

Standard Reference Material (SRM): A certified reference material issued by the National Institutes of Standards and Technology (NIST) in the United States. An SRM is certified by NIST for specific chemical or physical properties and is issued with a certificate that reports the results of the characterization and indicates the intended use of the material (www.nist.gov/SRM).

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Strain: A group of microorganisms of the same species having distinctive hereditary characteristics not typical of the entire species; a subset of a bacterial species differing from other bacteria of the same species by minor but identifiable differences

Systematic error: A form of measurement error, where error is constant across trials. This may also be referred to as Bias.

Target level: The level at which an analyte can be reliably identified or quantified in a sample.

Trueness: The degree of agreement of the expected value from a measurement with the true value or accepted reference value. This is related to systematic error (bias).

Uncertainty: The parameter associated with the result of a measurement that characterizes the dispersion of the values that could reasonably be attributed to the measurand. (VIM, 1993)

Validation, method: The confirmation by examination and the provision of objective evidence that the particular requirements for the specific use of a method are fulfilled.

Validation of an alternative method: Demonstration that adequate confidence is provided when the results obtained by the alternative method are comparable to those obtained using the reference method using the statistical criteria contained in the approved validation protocol.

Verification: The confirmation by examination and provision of the objective evidence that specified requirements for the performance of a method have been fulfilled by an individual laboratory. Also, the means used to demonstrate that the method functions (without any adaptation) in the user's laboratory on matrices not included in the original method validation.

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 2 SRSC Method Validation Subcommittee Charter



SRSC Method
Validation Subcommit

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 3 Method Development, Validation and Implementation SOP



Methods
Development-Validation

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 4 FVM Microbiology Method Validation Study Application



FVM Micro Method
Validation Study Appl

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 5

Examples of Food Types and Associated Microbiological Contaminants

Table 1-Food Categories Relevant to Foodborne Pathogenic Bacteria

(AOAC Classification of Food Categories, Feldsine et al., (2002) JAOACI 85(5) 1197 – 1198)

Food type	Yersinia	Clostridium perfringens	Listeria mono	E. coli O157	Staph aureus	Campy	Salmonella	B. cereus
Meats								
raw	x		x	x		X	x	x
heat processed			x	x	x		x	
frozen			x	x			x	
fermented			x	x			x	
cured		x	x		x		x	
other		dishes / gravy	pate					
Poultry								
raw	x					X	x	
heat processed							x	
frozen							x	
other		dishes / gravy						
Seafood								
raw	x		x	x		X	x	
heat processed							x	
frozen			x	x			x	
shellfish	x			x		X	x	
smoked		x	x		x		x	
other							x	
Fruits & Vegetables								
unpasteurized juice				x			x	
raw	x		x	x		X	x	
heat processed		x						
frozen			x				x	
dry								x
juice/concentrate				x			x	
low moist							x	
nut meats			x	x			x	
others								
Dairy								
raw	x		x	x	x	X	x	x
heat processed			x					x
frozen			x	x	x		x	x
Fermented?			x	x	x		x	
dry					x		x	x
ice cream			x				x	

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

cheese			x	x			x	
Chocolate / bakery								
low moist							x	
dry powder							x	
milk chocolate							x	
other					pastry			custard
Animal feed								
low moist							x	
pet food							x	
Pasta								
uncooked							x	
Misc								
dressings			x	x			x	
spices		x					x	
mayonnaise			x	x		X	x	
flour			x			X	x	
egg / derivatives				x			x	
cereal/rice								x

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Table 2 - AOAC Food Categories Relevant to Non-pathogenic Microorganisms

Product	Yeast & Mold	Lactics	Total Viable	Coliform	E. coli
Meat					
raw	x	x	x	X	x
heat processed		x	x	X	
frozen	x		x	X	x
Fermented	x	x	x		
cured		x	x		
Poultry					
raw	x	x	x	X	x
heat processed		x	x	X	
frozen	x		x	X	x
other			x		
Seafood					
raw	x	x	x	X	x
heat processed		x	x	X	
frozen	x		x	X	x
smoked	x	x	x	X	
Fruits & Vegetables					
raw	x	x	x	X	x
heat processed			x	X	
frozen	x		x	X	
dry	x		x	X	
fermented	x		x		
cured/salted	x		x		
juice/concentrate	x	x	x		
low moist	x		x		
Dairy					
raw	x	x	x	X	x
heat processed			x	X	
frozen	x		x	X	x
Fermented	x				x
dry			x	X	
Choc/bakery					
low moist / IMF	x		x	X	
dry			x	X	
milk chocolate	x		x	X	
Animal feed					
low moist	x		x	X	
dry pet	x		x	X	x
Pasta					
uncooked	x		x	X	
Misc					
dressings	x	x	x	X	x
spices			x		x
mayonnaise	x	x	x		x
egg / derivatives			x	X	

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

cereal / rice			x	X	
---------------	--	--	---	---	--

Representative Food Products in Categories

Meats:

Ground beef, ground pork, meat by-products, glandular products, frog legs, rabbit carcasses, lamb, sausage, frankfurters, lunch meat, beef jerky, meat substitutes

Poultry:

Ground chicken, ground turkey, cooked chicken, raw chicken parts

Seafood:

Raw shrimp, fish sticks, surimi, raw fish filet, raw oysters, raw mussels, raw clams, cooked crawfish, smoked fish, pasteurized crabmeat

Fruits & Vegetables:

Fresh / frozen fruits or dried fruits, orange juice, apple juice, apple cider, tomato juice, melon cubes, berries

Pecans, walnuts, peanut butter, coconut, almonds

Lettuce, spinach, kale, collard greens, cabbage, bean sprouts, seed sprouts, spent water from sprouts, peas, mushroom, green beans

Dairy:

Yogurt, cottage cheese, hard and soft cheeses, raw or pasteurized liquid milk (skim, 2% fat, whole, buttermilk), infant formula, coffee creamer, ice cream, nonfat dry milk / dry whole milk, dried buttermilk, dried cheese spray

Chocolate / bakery:

Frosting and topping mixes, candy and candy coating, milk chocolate

Animal feed:

Dry pet food, meat and bone meal, chicken and feather meal

Uncooked Pasta:

Uncooked noodles, macaroni, spaghetti

Miscellaneous:

Shell eggs, liquid whole eggs, oral or tube feedings containing egg, dried whole egg or dried egg yolk, dried egg whites

Oregano, pepper, paprika, black pepper, white pepper, celery seed or flakes, chili powder, cumin, parsley flakes, rosemary, sesame seed, thyme, vegetable flakes, onion flakes, onion powder, garlic flakes, allspice

Wheat flour, casein, cake mixes, whey, nonfat dry milk/dry whole milk, corn meal, dried whole egg or dried egg yolk, dried egg whites, soy flour, dried yeast, cereals, dried buttermilk, dry cheese spray

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

APPENDIX 6 Strains and Serovars for Inclusivity and Exclusivity Panels (abridged)

- This appendix is meant to serve as a guide or starting point for the method developer as they construct exclusive and inclusive panels for method validation and is not intended to be exhaustive.
- Access to microbial analyte strain and serovar and collections within the FVM research enterprise is governed by "U.S. Food and Drug Administration Foods Program Internal Strain Sharing Standard Operating Procedure"

	Serotype	Genotype		
		stx1	stx2	uidA-O157:H7/H-
EHEC	O157:H7	+	+	+
	O157:H7	+	-	+
	O157:H7	-	+	+
	O157:H7	-	-	+
	O157:H-	+	+	+
	O157:H-	-	+	+
STEC	O68:H-	+	+	-
	O48:			
	O45:H2			
	O137:H41			
	O111:H-			
	O22:H8			
	O15:H27			
	O4:H-			
	O26:H11	+	-	-
	O26:H-			
	O45:H2			
	O85:H-			
	O103:H2			
	O103:H6			
	O111:H11			
	O125:H-			
	O126:H27			
	O146:H21			
	<i>E. coli</i> , stx1 insert			
	O14:H19	-	+	-
	O28:H35			
	O48:H21			
	O55:H7			
	O104:H21			
	O121:H19			
	O165:H25			
	<i>E. coli</i> , stx2 insert			
Non-toxigenic <i>E. coli</i>	Non-O157:H7	-	-	-
	O55:H7			
	O157:H16			

**Guidelines for the Validation of Analytical Methods for the Detection of
Microbial Pathogens in Foods and Feeds, 2nd Ed.**

O157:H45

I. E.

coli O157:H7

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

	Serotype	Genotype		
		stx1	stx2	uidA-O157:H7/H-
<i>Shigella dysenteriae</i>		+	-	-
<i>Hafnia alvei</i>		-	-	-
<i>Morganella morganii</i>		-	-	-
<i>Citrobacter freundii</i>		-	-	-
<i>Lectercia adecarboxylata</i>		-	-	-
<i>Hafnia alvei</i>		-	-	-
<i>Shigella sonnei</i>		-	-	-
<i>Shigella boydii</i>		-	-	-
<i>Shigella flexneri</i>		-	-	-
<i>Citrobacter freundii</i>		-	-	-
<i>Salmonella</i> Grp. 30		-	-	-
<i>Salmonella</i> lansing Grp.P		-	-	-
<i>Klebsiella pneumoniae</i>		-	-	-
<i>Listeria monocytogenes</i>		-	-	-
<i>Listeria innocua</i>		-	-	-
<i>Listeria ivanovii</i>		-	-	-
<i>Listeria seeligeri</i>		-	-	-
<i>Listeria welshimeri</i>		-	-	-
<i>Vibrio cholerae</i>	O1 Inaba	-	-	-
<i>Vibrio parahaemolyticus</i>	O4	-	-	-
<i>Vibrio vulnificus</i>		-	-	-
<i>Staphylococcus aureus</i>		-	-	-
<i>Rhodococcus equi</i>		-	-	-
<i>Lactobacillus</i> sp.		-	-	-
<i>Lactobacillus</i> sp.		-	-	-
<i>Salmonella typhimurium</i>		-	-	-
<i>Streptococcus pyogenes</i>		-	-	-
<i>Agaligenes faecalis</i>		-	-	-
<i>Salmonella choleraesuis</i>		-	-	-
<i>Yersinia enterocolitica</i>		-	-	-
<i>Yersinia enterocolitica</i>		-	-	-
<i>Enterobacter cloacae</i>		-	-	-

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

II. *Salmonella* (inclusivity)

Note: (Derived from the Defense Science Office (DSO) of the Defense Advance Research Projects Agency (DARPA) Systems and Assays for Food Examination (SAFE) Program.

IIa. *Salmonella*: Subspecies Set

SAFE Designation	Original Designation	Serotype	Subsp.
1	02-0061	Newport	I
2	02-0062	Enteritidis	I
3	02-0105	Heidelberg	I
4	02-0115	Typhimurium	I
5	2433	Typhi	I
6	CNM-1029/02	4,5,12:b:-	I
7	CNM-3578/03	Hadar	I
8	CNM-3663/03	Virchow	I
9	CNM-3685/03	Brandenburg	I
10	00-0163	II 58:l,z13,z28:z6	II
11	00-0324	II 47:d:z39	II
12	01-0227	II 48:d:z6	II
13	01-0249	II 50:b:z6	II
14	CNM-169	II 53:lz28:z39	II
15	CNM-176	II 39:lz28:enx	II
16	CNM-4290/02	II 13,22:z29:enx	II
17	CNM-466/03	II 4,12:b:-	II
18	CNM-5936/02	II 18:z4,z23:-	II
19	01-0089	IIIa 41:z4,z23:-	IIIa
20	01-0204	IIIa 40:z4,z23:-	IIIa
21	01-0324	IIIa 48:g,z51:-	IIIa
22	02-0111	IIIa 21:g,z51:-	IIIa
23	CNM-247	IIIa 51:gz51:-	IIIa
24	CNM-259	IIIa 62:g,z51:-	IIIa
25	CNM-3527/02	IIIa 48:z4,z23,z32:-	IIIa
26	CNM-7302/02	IIIa 48:z4,z23:-	IIIa
27	01-0170	IIIb 60:r:e,n,x,z15	IIIb
28	01-0221	IIIb 48:i:z	IIIb
29	01-0248	IIIb 61:k:1,5,(7)	IIIb
30	02-0188	IIIb 61:l,v:1,5,7	IIIb
31	CNM-3511/02	IIIb 48: z10: e,n,x,z15	IIIb
32	CNM-4190/02	IIIb 38:z10:z53	IIIb
33	CNM-750/02	IIIb 60:r:z	IIIb
34	CNM-834/02	IIIb 50:i:z	IIIb
35	01-0133	IV 50:g,z51:-	IV
36	01-0147	IV 48:g,z51:-	IV
37	01-0149	IV 44:z4,z23:-	IV
38	01-0276	IV 45:g,z51:-	IV
39	01-0551	IV 16:z4,z32:-	IV
40	CNM-1904/03	IV 11:z4,z23:-	IV
41	CNM-4708/03	IV 6,7:z36:-	IV

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

42	ST-16	IV 16:z4,z32:-	IV
43	ST-21	IV 40:g,z51:-	VII
44	ST-22	IV 40:z4,z24:-	VII
45	94-0708	V 48:i:-	S. bongori
46	95-0123	V 40:z35:-	S. bongori
47	96-0233	V 44:z39:-	S. bongori
48	CNM-256	V 60:z41:-	S. bongori
49	CNM-262	V 66:z41:-	S. bongori
50	95-0321	V 48:z35:-	S. bongori
51	1121	VI 6,14,25:z10:1,(2),7	VI
52	1415	VI 11:b:1,7	VI
53	1937	VI 6,7:z41:1,7	VI
54	2229	VI 11:a:1,5	VI
55	811	VI 6,14,25:a:e,n,x	VI

IIb. *Salmonella*: Outbreak Cluster Set

SAFE Designation	Original Designation	Serotype
56	AM04695	Typhimurium / DT 04b
57	K0507	Typhimurium
58	H8289	Typhimurium
59	H8290	Typhimurium
60	H8292	Typhimurium
61	H8293	Typhimurium
62	H8294	Typhimurium
63	2009K0191	Typhimurium
64	2009K0208	Typhimurium
65	2009K0224	Typhimurium
66	2009K0226	Typhimurium
67	2009K0230	Typhimurium
68	2009K0234	Typhimurium
69	2009K0350	Typhimurium
70	AM03380	Typhimurium / DT 104
71	AM01797	Typhimurium / DT 104
72	AM03759	Typhimurium / DT 104
73	CDC_07-0708	I 4,[5],12:i:-
74	CDC_08-0061	I 4,[5],12:i:-
75	CDC_08-0134	I 4,[5],12:i:-
76	CDC_07-835	I 4,[5],12:i:-
77	CDC_07-934	I 4,[5],12:i:-
78	CDC_07-922	I 4,[5],12:i:-
79	CDC_07ST000857	Enteritidis
80	CDC_08-0253	Enteritidis
81	CDC_08-0254	Enteritidis

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

IIc. *Salmonella*: Food Set

SAFE Designation	Original Designation	Serotype
82	2105 H	Saphra
83	1465 H	Rubislaw
84	2069 H	Michigan
85	2308 H	Urbana
86	885 H	Vietnam
87	3030 H	Tornow
88	768 H	Gera
89	1941 H	Fresno
90	3029 H	Brisbane
91	4000 H	Agona
92	1501 H	Muenchen
93	1097 H	Senftenberg
94	1250 H	Muenster
95	1 H	Montevideo
96	1070 H	Johannesburg
97	2080 H	Javiana
98	3170 H	Inverness
99	1061 H	Cubana
100	1158 H	Cerro
101	1988 H	Alachua

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

III. *Listeria* spp.

Organism	Isolate #	Isolate Information	Serology
		Food Isolates	
<i>L. monocytogenes</i>	15b42	cucumber	4
	3365	mackerel	4b6
	3312	cheese	1a1
	15b27	radish	1
	2388	coleslaw	1
	2478	raw milk	1
	3313	shrimp	1a1
	3326	roast beef	1a1
	3358	milk product	1a2
	3363	cook snow crab	1a2
	3756	beef & gravy Rh-	1
	15b72	apple juice	1
	15b85	cream ch. & veg	1
	15c14	avocado pulp	1
	15c22	fontina cheese	1
	15a90	turkey ham	3b
	2450	veg. mix	1
	2475	cold cut sand.	1
	2492	ice cream	1
	3291	popsicle	1a1
	3318	lobster	1a2
	3321	raw shrimp	4b6
	3332	mex-style cheese	4b6
	3359	surimi scallops	1a1
	3362	Pollack	1a1
	3558	cheese	4b
	3644	red bean ice bar	4b6
	3662	cheese	4b6
	15b70	cheddar cheese	4
<i>L. monocytogenes</i>	2369	Patient Isolates	1
	2370		1
	15b55		1
	15b65		1
	3555		4
	3664		1a1
	3666		4b6
	3668		4b6
	15a82		4
	15b56		4
	15b58		4
	15b81		1
<i>L. monocytogenes</i>	15b82		4
	3315	Environmental Isolates (swab)	1a1
	3286		1a2
	3308		1a2

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

	3360		1a1
<i>L. monocytogenes</i>	KC 1710	Other Isolates	4a7,9
	ATCC 19114		4a
	V-7		1a1
	ATCC 15313		1
	Scott A		4b6
	ATCC 19116		4c
	ATCC 19115		

Organism	Isolate #	Organism	Isolate #
<i>L. innocua</i>	3107	<i>L. welshimeri</i>	2230
	3124		2231
	3516		3425
	3654		3441
	3758		3659
	6273		15b05
	3181		15b06
	3270		15b16
	3390		15b46
	3392		15b48
	3552		15b50
	3757	<i>Hafnia alvei</i>	6410
	15a93	<i>E. coli</i>	6365
	15a94	<i>Morganella morganii</i>	13b67
	15a95	<i>Shigella dysenteriae</i>	13c94
	15b30	<i>Citrobacter freundii</i>	13d26
	15b31	<i>E. coli</i>	13d64
	15b51	<i>Leclercia adecarboxylata</i>	13d65
	15a92	<i>Hafnia alvei</i>	13d66
	ATCC 33090	<i>Shigella sonnei</i>	13g01
<i>L. ivanovii</i>	2244	<i>Shigella boydii</i>	13g18
	3106	<i>Shigella flexneri</i>	13g19
	3417	<i>Citrobacter freundii</i>	6251
	6274	<i>Salmonella</i> Grp. 30	6269
<i>L. ivanovii</i>	15a96	<i>Salmonella</i> lansing Grp. P	6270
	15a97	<i>Klebsiella pneumonia</i>	6271
	15a98	<i>Vibrio cholerae</i>	6277
	15b24	<i>Vibrio parahaemolyticus</i>	6278
	ATCC 19119	<i>Vibrio vulnificus</i>	6279
<i>L. seeligeri</i>	2232	<i>Staphylococcus aureus</i>	ATCC 25923
	2233	<i>Rhodococcus equi</i>	6281
	2243	<i>Lactobacillus</i> sp.	6282
	2302	<i>Lactobacillus</i> sp.	6286
	3110	<i>Salmonella typhimurium</i>	6290
	3126	<i>Streptococcus pyogenes</i>	ATCC 19615
	3389	<i>Alcaligenes faecalis</i>	ATCC 8750
	3423	<i>Salmonella choleraesuis</i>	ATCC 6539
	3439	<i>Yersinia enterocolitica</i>	1269

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

L. seeligeri (<i>continued</i>)	3451	Yersinia enterocolitica	1270
	3517	E. coli	13a80
	3531	Enterobacter cloacae	18g53
	3656		
	6275		
	15b07		
	15b08		
	15b09		
	15b26		
	15b28		
	15b49		

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

IV. *Shigella*

Inclusive Panel

Genus	Species (Group)	Serotype
<i>Escherichia</i>	<i>Escherichia coli</i> , Enteroinvasive	Unknown
<i>Shigella</i>	Provisional	1
<i>Shigella</i>	<i>boydii</i> (C)	2
		3
		4
		5
		6
		7
		8
		9
		10
		11
		12
		13
		14
		15
		16
		17
		18
<i>Shigella</i>	<i>dysenteriae</i> (A)	1
		2
		3
		4
		5
		6
		7
		8
		9
		10
		11
		12
		13
		14
		15
<i>Shigella</i>	<i>flexneri</i> (B)	1
		1a
		1b
		2
		2a
		2b
		3
		3a
		3c
		4
		4a
		5
		5a
		5b
		6
<i>Shigella</i>	<i>flexneri</i> , provisional (B)	Unknown
<i>Shigella</i>	<i>sonnei</i> (D)	

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

IV. *Shigella* (continued)

Bacteria strain	Strain no.	Source*
<i>Acinetobacter baumannii</i>	19606	ATCC
<i>Aeromonas caviae</i>	15468	ATCC
<i>Aeromonas hydrophila</i>	7966	ATCC
<i>Bacillus licheniformis</i>	12759	ATCC
<i>Bacillus sphaericus</i>	4525	ATCC
<i>Bacillus stearothermophilus</i>	12016	ATCC
<i>Bacillus subtilis</i>	6633	ATCC
<i>Bordetella bronchiseptica</i>	10580	ATCC
<i>Burkholderia cepacia</i>	25608	ATCC
<i>Citrobacter freundii</i>	255	PRLSW
<i>Citrobacter freundii</i>	food isolate	PRLSW
<i>Citrobacter freundii</i>	68	MNDAL
<i>Citrobacter younger</i>	food isolate	PRLSW
<i>Clostridium sporogenes</i>	11437	ATCC
<i>Edwardsiella tarda</i>	254	PRLSW
<i>Enterobacter aerogenes</i>	13048	ATCC
<i>Enterobacter aerogenes</i>	11	VADCLS
<i>Enterobacter cancerogenus</i>	food isolate	PRLSW
<i>Enterobacter cloacae</i>	260	PRLSW
<i>Enterobacter cloacae</i>	71	MNDAL
<i>Enterococcus durans</i>	6056	ATCC
<i>Enterococcus faecalis</i>	7080	ATCC
<i>Erysipelothrix rhusiopathiae</i>	19414	ATCC
Enterotoxigenic <i>E. coli</i>	H10407	CFSAN
Enterotoxigenic <i>E. coli</i>	C600/pEWD299	CFSAN
Enterotoxigenic <i>E. coli</i>	65	MNDAL
<i>Escherichia coli</i> O157:H7	43890	ATCC
<i>Escherichia coli</i> O157:H7	43888	ATCC
<i>Escherichia coli</i> O157:H7	43895	ATCC
<i>Escherichia coli</i> O157:H7	68-98	CDC
<i>Escherichia coli</i> O157:H7	24-98	CDC
<i>Escherichia coli</i> O157:H7	20-98	CDC
<i>Escherichia coli</i> O157:H7	16-98	CDC
<i>Escherichia coli</i> O157:H7	63	MNDAL
<i>Escherichia coli</i> O157:H7	4	VADCLS
<i>Escherichia coli</i> O157:H44	26	VADCLS
<i>Escherichia coli</i> O111:NM	04.SB.00067	OCPHL
<i>Escherichia coli</i> O143:H4	05.SB.00141	OCPHL
<i>Escherichia coli</i>	8739	ATCC
<i>Escherichia coli</i>	25922	ATCC
<i>Escherichia coli</i> (hemo +)	food isolate	PRLSW
<i>Escherichia coli</i> (hemo +)	28	VADCLS
<i>Escherichia coli</i> (sorbitol -)	food isolate	PRLSW
<i>Escherichia coli</i> (sorbitol -)	food isolate	PRLSW
<i>Escherichia coli</i>	64	MNDAL
<i>Escherichia coli</i>	74	MNDAL
<i>Escherichia coli</i>	8	VADCLS
<i>Klebsiella pneumoniae</i>	13883	ATCC
<i>Klebsiella pneumoniae</i>	75	MNDAL
<i>Klebsiella oxytoca</i>	66	MNDAL
<i>Leclercia adecarboxylata</i>	23216	ATCC

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

<i>Leclercia adecarboxylata</i>	73	MNDAL
<i>Listeria innocua</i>	33090	ATCC
<i>Listeria ivanovii</i>	19119	ATCC
<i>Listeria monocytogenes</i>	19115	ATCC
<i>Listeria monocytogenes</i>	H2446	CDC
<i>Listeria monocytogenes</i>	H8393	CDC
<i>Listeria monocytogenes</i>	H8494	CDC
<i>Listeria monocytogenes</i>	H8395	CDC
<i>Listeria seeligeri</i>	35967	ATCC
<i>Morganella morganii</i>	257	PRLSW
<i>Paenibacillus polymyxa</i>	7070	ATCC
<i>Pantoea agglomerans</i>	food isolate	PRLSW
<i>Pasteurella aerogenes</i>	27883	ATCC
<i>Plesiomonas shigelloides</i>	51903	ATCC
<i>Proteus mirabilis</i>	7002	ATCC
<i>Proteus mirabilis</i>	food isolate	PRLSW
<i>Proteus kauseri</i>	13315	ATCC
<i>Proteus vulgaris</i>	69	MNDAL
<i>Providencia alcalifaciens</i>	51902	ATCC
<i>Providencia rettgeri</i>	76	MNDAL
<i>Providencia stuartii</i>	257	PRLSW
<i>Pseudomonas aeruginosa</i>	27853	ATCC
<i>Pseudomonas aeruginosa</i>	9027	ATCC
<i>Pseudomonas aeruginosa</i>	67	MNDAL
<i>Pseudomonas mendocina</i>	food isolate	PRLSW
<i>Rhodococcus equi</i>	6939	ATCC
<i>Salmonella Gaminara</i>	8324	ATCC
<i>Salmonella diarizonae</i>	12325	ATCC
<i>Salmonella Abortusequi</i>	9842	ATCC
<i>Salmonella diarizonae</i>	29934	ATCC
<i>Salmonella diarizonae</i>	252	PRLSW
<i>Salmonella Mbandaka</i>	253	PRLSW
<i>Salmonella Tennessee</i>	249	PRLSW
<i>Salmonella Lexington</i>	248	PRLSW
<i>Salmonella Havana</i>	241	PRLSW
<i>Salmonella Baildon</i>	61-99	CDC
<i>Salmonella spp.</i>	78-99	CDC
<i>Salmonella spp.</i>	87-03	CDC
<i>Salmonella spp.</i>	98-03	CDC
<i>Salmonella Braenderup</i>	H 9812	CDC
<i>Salmonella Enteritidis</i>	59	MNDAL
<i>Salmonella Heidelberg</i>	60	MNDAL
<i>Salmonella Kentucky</i>	61	MNDAL
<i>Salmonella Newport</i>	62	MNDAL
<i>Salmonella Typhimurium</i>	30	VADCLS
<i>Serratia liquefaciens</i>	27592	ATCC
<i>Serratia liquefaciens</i>	70	MNDAL
<i>Sphingomonas paucimobilis</i>	72	MNDAL
<i>Staphylococcus aureus</i>	6538	ATCC
<i>Staphylococcus aureus</i>	25923	ATCC
<i>Staphylococcus epidermidis</i>	14990	ATCC
<i>Staphylococcus xylosus</i>	29971	ATCC
<i>Streptococcus equi subsp. equi</i>	9528	ATCC
<i>Streptococcus gallolyticus</i>	9809	ATCC
<i>Streptococcus pyogenes</i>	19615	ATCC

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

<i>Vibrio cholerae</i>	14035	ATCC
<i>Vibrio cholerae</i>	14033	ATCC
<i>Vibrio parahaemolyticus</i>	17802	ATCC
<i>Vibrio vulnificus</i>	27562	ATCC
<i>Yersinia enterocolitica</i>	51871	ATCC
<i>Yersinia enterocolitica</i>	27729	ATCC
<i>Yersinia kristensenii</i>	33639	ATCC

ATCC: American Type Culture Collection

OCPHL: Orange County Public Health Laboratory, CA

CDC: Centers for Disease Control and Prevention

PRLSW: Pacific Regional Laboratory – Southwest, FDA

CFSAN: Center for Food Safety and Applied Nutrition, FDA

VADCLS: Virginia Division of Consolidated Laboratory Services

MNDAL: Minnesota Department of Agriculture Laboratory

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

V. Food-borne RNA Viruses

These panels were developed and adopted by the FDA BAM council, 200-2008

Inclusivity requirements

Target	Level One	Level Two	Level Three	Level Four
Norovirus	1 Strain Genogroup I 1 Strain Genogroup II	2 Strains - Genogroup I 5 Strains - Genogroup II	5 Strains - Genogroup I 10 Strains - Genogroup II	10 Strains - Genogroup I 20 Strains - Genogroup II
Hepatitis A	HM175/18f (subgenotype 1B) ATCC #VR-1402	5 Strains ^a	10 Strains ^b	20 Strains ^b
Enterovirus	Poliovirus 1 (attenuated) ATCC #VR-1562	5 Strains ^c	15 Strains ^d	30 Strains ^d

Hepatitis A Panels

Level Two (^ashould include the following strains):

HM175/18f (subgenotype 1B) ATCC #VR-1402
HAS-15 (subgenotype 1A) ATCC #VR-2281

Levels Three and Four (^bshould include the following strains):

HM175/18f (subgenotype 1B) ATCC #VR-1402
HAS-15 (subgenotype 1A); ATCC #VR-2281
LSH/S ATCC #VR-2266
PA219 (subgenotype IIIA) ATCC #VR-1357

Enterovirus Panels

Level Two (^cshould include the following strains):

Poliovirus 1 (attenuated) ATCC #VR-1562
Coxsackievirus A3 ATCC #VR-1007
Echovirus 1 ATCC #VR-1038

Levels Three and Four (^dshould include the following strains):

Poliovirus 1 (attenuated) ATCC #VR-1562
Poliovirus 3 (attenuated) ATCC #VR-63
Coxsackievirus A3 ATCC #VR-1007
Echovirus 1 ATCC #VR-1038
Echovirus 21 ATCC #VR-51

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

V. Food-borne RNA Viruses: (continued)

Exclusivity Panel

Target	Level One	Level Two	Level Three	Level Four
Norovirus	10 strains ^a	20 strains ^b	30 strains ^b	40 strains ^b
Hepatitis A	10 strains ^c	20 strains ^d	30 strains ^d	40 strains ^d
Enterovirus	10 strains ^e	20 strains ^f	30 strains ^f	40 strains ^f

Norovirus Panels

Level One (^amust include):

Panel A

HM175/18f (subgenotype 1B)
 Poliovirus 1 (attenuated)
 Feline calicivirus
 Murine calicivirus

ATCC #VR-1402 (or equivalent)
 ATCC #VR-1562 (or equivalent)
 ATCC #VR-2057

Levels Two, Three and Four (^amust include):

Panel A representatives *plus*:

Panel B

HAV; (subgenotype 1A)
 Coxsackievirus A3
 Echovirus 1
 Rotavirus;
 Astrovirus
 San Miguel Sea lion virus (if available)
Escherichia coli (1)
Salmonella sp. (1)
Shigella sp. (1)
Vibrio sp. (1)
Listeria sp. (1)

ATCC #VR-2281 (or equivalent)
 ATCC #VR-1007 (or equivalent)
 ATCC #VR-1038 (or equivalent)
 ATCC #VR-2018 (or equivalent)

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

Hepatitis A Panels

Level One (*must include*):

Panel C

norovirus genogroup I

norovirus genogroup II

Poliovirus 1 (attenuated);

Coxsackievirus A3

ATCC #VR-1562 (or equivalent)

ATCC #VR-1007 (or equivalent)

Levels Two, Three and Four (*must include*):

Panel C representatives *plus*

Panel D

Echovirus 1

Rotavirus

Feline calicivirus

Astrovirus

Escherichia coli (1)

Salmonella sp. (1)

Shigella sp. (1)

Vibrio sp. (1)

Listeria sp. (1)

ATCC #VR-1038 (or equivalent)

ATCC #VR-2018 (or equivalent)

ATCC #VR-2057

Enterovirus Panels:

Level One (*must include*):

Panel E

norovirus genogroup I

norovirus genogroup II

HM175/18f (subgenotype 1B)

ATCC #VR-1402 (or equivalent)

Levels Two, Three and Four (*must include*):

Panel E representatives *plus*

Panel F

HAV (subgenotype 1A)

Rotavirus

Feline calicivirus

Escherichia coli (1)

Salmonella sp. (1)

Shigella sp. (1)

Vibrio sp. (1)

Listeria sp. (1)

ATCC #VR-2281 (or equivalent)

ATCC #VR-2018 (or equivalent)

ATCC #VR-2057

Guidelines for the Validation of Analytical Methods for the Detection of Microbial Pathogens in Foods and Feeds, 2nd Ed.

VI. Protozoan Parasites

A. *Cyclospora cayetanensis*

a. Inclusive Panel

As many geographic and outbreak isolates as are available

b. Exclusive Panel

Cyclospora spp.

C. cercopitheci

C. colobi

C. papionis

Eimeria spp.

E. acervulina

E. bovis

E. burnetti

E. maxima

E. mitis

E. mivati

E. necatrix

E. nieschulzi

E. praecox

E. tenella

Additional Microorganisms

Cryptosporidium spp

Apicomplexa

Bacterial isolates

B. *Cryptosporidium* spp.

Inclusive Panel

C. hominis

C. parvum (multiple strains available)

Exclusive Panel

C. baileyi

C. canis

C. cuniculus

C. felis

C. meleagridi

C. muris

C. serpentis

Cyclospora ssp.

Apicomplexa

Bacterial isolates

Transportation Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form for each commercial cannabis activity they intend to engage in.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Identify whether the applicant intends to transport cannabis goods, or will be contracting for transportation services.

2. If transporting cannabis goods, provide the following information:

a. Whether the applicant intends to transport to all license types, or is limiting transportation to only certain license types.

b. The geographic regions the applicant will transport to and from, and whether the applicant expects to transport overnight.

c. Vehicle and trailer information, which includes:

i. Number of vehicles to be used.

ii. Type of vehicles or trailers to be used, including make, model, year, and vehicle identification number (VIN).

iii. Registration and insurance information for each vehicle being used.

iv. Whether the applicant has or will be applying for a motor carrier permit, list permit numbers (if applicable).

d. Driver information, which includes:

i. All employees that are or will be transporting cannabis goods, either as a driver, or a passenger, including name and age of employee, driver's license information, and list the roles and responsibilities for each employee.

ii. Will any security personnel accompany employees transporting cannabis goods? Specify whether security personnel will be employees or contracted. If contracting for security, provide the name of the company, license number, contact person, and phone number.

e. Information regarding the storage of cannabis goods in the vehicle, which includes:

i. A description of how the applicant intends to store cannabis goods in each vehicle or trailer, i.e., what area of the vehicle or trailer will be used for storage.

ii. A description of how the applicant intends to secure cannabis goods in each vehicle.

iii. A description of how the applicant will ensure that cannabis goods are not visible or identifiable from outside each vehicle.

f. Information regarding all security measures the applicant will have in place for the transportation of cannabis goods, including, but not limited to:

i. Describe the alarm systems for each vehicle.

ii. Other security measures used during the transporting of cannabis goods.

g. Whether the applicant is located within a building or on the same parcel of land as another licensee, for which transportation by motor vehicle is not operationally feasible, and how the applicant will be transporting cannabis goods, if not by motor vehicle.

3. If contracting for transportation services, provide a list of transportation services used, and a copy of the contract for each, if applicable.

Applicant Signature	Date Signed
---------------------	-------------

Inventory Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form for each commercial cannabis activity they intend to engage in.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Using a diagram, indicate where on the licensed premises cannabis goods will be stored.

2. Describe who has access to the areas in which cannabis goods are stored.

3. Describe the security measures in place at the location where cannabis goods are stored.

4. Describe the conditions of the location where the cannabis goods are stored. Can the temperature and/or humidity be controlled?

5. Describe the training provided to employees regarding inventory procedures.

6. Describe the process for receiving new inventory of cannabis goods.

a. Describe where the cannabis goods are received.

b. Identify who will receive the cannabis goods, such as a manager or an employee.

c. Describe how the cannabis goods are moved to the cannabis storage area.

d. Describe what records are produced.

7. Describe the type of inventory records that are produced and maintained regarding the movement of inventory.

8. Describe the process for removing cannabis goods from inventory.

a. Describe what happens to the cannabis goods after they are removed from inventory, including any records that are produced.

9. Describe the methods used to ensure that the cannabis goods stored are preserved and do not degrade.

10. How often is inventory reconciliation conducted?

a. Describe the process for inventory reconciliation and the types of records that are produced.

Applicant Signature	Date Signed
---------------------	-------------

Non-Laboratory Quality Control Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form for each commercial cannabis activity they intend to engage in.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Describe the applicant's procedures for packaging and labeling.

a. Procedures for verifying labeling contents for cannabis goods batches, when transferring between licensees and storage. Include how the applicant verifies the name, license number of manufacturer or cultivator, date of entry into storage area, unique identifiers and batch number, description of cannabis goods, weight and/or quantity of units in batch, and expiration or sell-by date (if applicable).

b. Procedures for verifying labeling contents for cannabis goods for retail sale including final form of verification, primary panel labeling, and informational panel labeling.

c. Procedures for verifying labeling contents for cannabis goods for retail sale including net weight (if applicable), identification of the source and date of cultivation, type of cannabis, date of packaging, county of origin (if applicable), allergen warning (if applicable), and unique identifier.

d. Procedures for verifying government warning label requirements.

e. Procedures for verifying cannabis products required to have "For Medical Use" labeling, if applicable.

f. Procedures for verifying packaging requirements including tamper-evident, child-resistant, and resealable child-resistant exit packaging, if applicable.

2. Describe how the applicant will avoid and/or limit deterioration and contamination of any cannabis goods, including, but not limited to: pest control, environmental controls, maintenance and cleaning services.

3. Describe the applicant's procedures for handling returns.

4. If applying for a distributor license, provide the following information.

a. Storage procedures, which include:

i. Whether the applicant is providing storage-only services to other licensees, and if so, which licensees and license types.

ii. Identify all limited-access areas on the premises, and storage areas of cannabis goods in limited-access areas.

iii. Procedures for storage and separation of cannabis goods batches for testing.

b. Labeling and packaging procedures, which include:

i. When labeling and packaging will occur.

ii. Area of premises where labeling and packaging will occur.

c. Sampling procedures, which include:

i. Provide the timeframe for making testing arrangements after taking physical possession of cannabis goods batches.

ii. Provide the sampling procedures for ensuring correct batch size, incremental sampling, and how the distributor will ensure that the distributor employee has no contact with cannabis goods or sampling equipment.

iii. Provide procedures for video recording sampling of cannabis goods batches.

iv. Provide chain of custody procedures for cannabis goods batches.

d. Testing results procedures, which include:

i. Procedures for a failed sample, including remediation and/or cannabis waste procedures.

ii. Procedures for a passed sample.

iii. Track and Trace procedures following testing.

iv. Certificate of Analysis review procedures.

Applicant Signature	Date Signed
---------------------	-------------

Security Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form for each commercial cannabis activity they intend to engage in.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Describe who is responsible for implementing the Security Operating Procedures and list each person's role and responsibilities.

2. Describe how the applicant will ensure all access points will be secured, which includes a description of all entrances and exits, windows, and doorways and the types of locks used.

3. Describe the procedures for allowing individuals access to the premises, which includes:

a. A list of employees who have access including their roles and responsibilities.

b. A description of how the applicant will ensure only authorized persons have access to the licensed premises and its limited access areas.

- c. A description of how the applicant will maintain an accurate record of all non-employee authorized individuals allowed onsite, in conformance with section 5042 of the Bureau's regulations.

4. Describe how the applicant will comply with the employee badge requirement in section 5043 of the Bureau's regulations, including how the applicant will assign employee numbers and what the procedures are when an employee changes responsibilities or leaves the employment of the licensee.

5. Provide a description of the video surveillance system, which includes:

- a. A description of the types of cameras and video storage equipment.

- b. A description of the camera placements and the number of cameras to be used.

- c. A description of the procedures for the maintenance of the video surveillance equipment.

d. A description of how the applicant will be notified of video surveillance system-failure or malfunction.

e. A description of how the video surveillance system will be monitored.

f. A description of how the applicant will produce copies of video recordings at the licensed premises immediately upon request of the Bureau.

g. A description of how the applicant will share the video surveillance system with other licensees (when sharing services at the same location), if applicable.

6. Provide information regarding the use of security personnel onsite, which includes:

a. Whether the security personnel will be employed by the applicant or contracted. If contracted, provide the name of the security company, license numbers, contact person, phone number of personnel that will be providing services, and a copy of the contract.

b. Where the security personnel will be stationed on the licensed premises and/or which areas will be covered by roving security.

c. The hours security personnel will be onsite.

d. A description of how the applicant will share security personnel with other licensees (when sharing services at the same location), if applicable.

e. Will the security personnel be armed or unarmed?

7. Provide a description of the security alarm system, which includes:

a. The name, license number, address, phone number, and contact person of the alarm company that installed, maintains, and monitors the alarm system.

- b. How the applicant will ensure the alarm system remains operational, including the frequency of maintenance checks by the alarm company.
- c. A description of the alarm system features, including whether it has motion detection sensors inside the premises.
- d. A description of how an alarm will be responded to, including whether law enforcement personnel will be notified.
- e. A description of how licensees will be sharing the alarm system with other licensees (when sharing services at the same location), if applicable.

Applicant Signature	Date Signed
---------------------	-------------

Cannabis Waste Management Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form for each commercial cannabis activity they intend to engage in.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Describe how cannabis waste is generated, stored, and managed within the licensed premises.

2. Identify the type of solid waste facility to which cannabis waste is transported to from the premises. (If not applicable state N/A):

a. Solid-waste landfill operation or facility?

b. Transformation operation or facility?

c. Composting operation or facility?

d. In-vessel digestion operation or facility?

e. Transfer/processing operation or facility?

f. Chip-and-grind operation or facility?

3. Describe the procedures for ensuring that cannabis waste is stored in a secured waste receptacle and describe the measures taken to restrict access to the cannabis waste to the licensee, its employees, and third-party hauler.

4. If a third-party waste hauler collects and processes cannabis waste from the proposed premises, identify the type or types of third-party waste hauler(s) used: local agency, waste hauler franchised or contracted by a local agency, or a private waste hauler permitted by a local agency.

5. If a third-party waste hauler is used, describe the process for documenting and confirming the receipt of the cannabis waste at the solid waste facility.

6. If engaging in self-hauling of cannabis waste, describe the procedures followed, including how the delivery of cannabis waste is documented.

7. Identify whether the proposed commercial cannabis activities will result in the generation of hazardous waste such as spent solvents or compressed gas cylinders.

8. If hazardous waste is generated, describe how it will be stored and managed within the licensed premises. Attach a copy of the pertinent Hazardous Material Business Plan, if available.

9. If cannabis waste is composted within the licensed premises, describe the composting procedures.

10. Will your business generate four or more cubic yards of solid waste per week? If yes, describe the procedures for recycling organic waste such as composting on-site, self-hauling, or the use of a third-party hauler.

Applicant Signature

Date Signed

Delivery Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added. Microbusinesses must complete this form if they intend to engage in retail activity that includes delivery.

Business Name and Application Type:

Primary Contact Name, Email, and Phone Number:

1. Provide a list of each vehicle that will be used in the delivery of cannabis goods. Provide, the year, make, model, color, vehicle identification number (VIN), and license plate number for each vehicle. Also, indicate whether each vehicle is equipped with a vehicle alarm system.

2. Provide a list of each employee that will be conducting deliveries of cannabis goods. Provide the full name, date of birth, and driver's license number for each employee.

3. Describe the training provided to delivery employees.

4. Describe the process for accepting new delivery orders. If a technology platform is used, please describe how customers place orders, how the orders are received, and who at the retailer receives the orders through the platform.

5. Describe the process for preparing orders of cannabis goods for delivery.

6. Describe how cannabis goods will be stored in the delivery vehicle while deliveries are being conducted. Include the quantity of cannabis goods that will be carried by each delivery employee.

7. Describe the process that a delivery employee goes through prior to leaving the retail premises to conduct deliveries of cannabis goods.

8. Describe the process for tracking the location of delivery employees who are currently conducting deliveries.

9. Describe the methods used to communicate with the delivery employees who are engaged in conducting deliveries.

10. Describe the methods of route guidance used by delivery employees while conducting deliveries.

11. Describe the policies for delivery employees taking breaks and making stops while conducting deliveries.

12. Do delivery employees receive new orders while in the process of conducting deliveries? If so, describe that process.

13. Describe the process of preparing the delivery request receipt.

14. Describe the process each delivery employee goes through upon arriving at the delivery location and providing the cannabis goods to the customer.

15. Describe the process that a delivery employee goes through upon returning to the retail premises after conducting deliveries.

16. Describe the applicant's methods of auditing the activities of the delivery employees to ensure that cannabis goods do not go unaccounted for when the delivery employee returns to the retail premises.

Applicant Signature

Date Signed

Sampling - Standard Operating Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added.

Laboratory Name:

Primary Contact Name, Email, and Phone Number:

1. Provide a description of the procedure(s) used for obtaining representative samples for all matrices.

2. Specify the following:

a. Equipment and supplies used during sampling, such as a calibrated scale, gloves, collection bags, etc.

b. Sampling tools used for each matrix type, including changing disposable gloves between the sampling of each batch and the sterilization or sanitation methods to prevent cross-contamination.

c. Any preventative measures used to ensure the sampling area is free of contaminants.

d. The procedure for weighing samples during collection with a calibrated balance, including calibration steps.

e. Storage and preservation of samples collected, including how the samples will be contained to prevent contamination and tampering.

f. The procedure for assigning each representative sample a unique sample identifier.

g. The procedure for recording the conditions during sampling and transportation on the chain of custody form, including any problems, issues, or observations.

h. How the sampling procedure follows chain of custody protocols.

Signature of supervisory or management laboratory employee:	Date:
---	-------

Applicant Signature	Date Signed
---------------------	-------------

Sample Preparation - Standard Operating Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added.

Laboratory Name:

.....
Primary Contact Name, Email, and Phone Number:

1. Provide a description of storage and handling procedures for samples.

.....
2. Specify preservation methods used for samples. Include methods that prevent sterility issues and cross-contamination.

3. Provide the hold time for all sample types and matrices.

Signature of supervisory or management laboratory employee:		Date:
Applicant Signature		Date Signed

Test Methods - Standard Operating Procedures

Please provide a detailed response to the items below. If more space is needed additional pages may be added.

Laboratory Name:

.....
Primary Contact Name, Email, and Phone Number:

1. List all analytes and matrices tested by the method.

.

3. Please list the following:

a. Brand name and model of instrumentation used.

b. Other equipment used for testing (e.g. balance, centrifuge, vials).

c. List and describe procedure(s) for making reagents, solutions, standards, and reference materials used in the method.

4. Provide the method sensitivity, which may include the LOD and LOQ for each analyte tested.

5. Describe the types, frequency, and acceptance criteria for quality control samples.

6. Describe the types, frequency, and acceptance criteria for calibration standards.

7. Describe the procedure for analyzing analytical batch samples.

8. Describe corrective action procedures used when LQC samples fail.

9. Provide calculations used, if any.

10. Describe any potential interferences with the analysis.

11. Specify the ISO/IEC 17025 accreditation body and accreditation or certificate number for the method, if applicable.

12. Signature of supervisory or management laboratory employee:

Date:

Applicant Signature

Date Signed

DATA PACKAGE COVER PAGE AND CHECKLIST

The laboratory shall compile and generate one data package for each representative sample that the laboratory analyzes, prior to release of the COA. This form shall be signed and dated by the reviewing supervisory or management laboratory employee meeting the responsibilities and qualifications under 16 CCR section 5737.

Laboratory Name:

Reviewing Supervisory or Management Laboratory Employee Name:	Email:	Phone Number:
---	--------	---------------

Laboratory Premises Address:	License Number:
------------------------------	-----------------

For each test method provide the name, title, and signature of the laboratory employee that performed the sample preparation, analyses, data review, and final approval:

Test Method	Sample Preparation	Sample Analysis	Data Review	Final Approval
Cannabinoids				
Foreign Material				
Heavy Metals				
Microbial Impurities				
Mycotoxins				
Moisture Content and Water Activity				
Residual Pesticides				
Residual Solvents and Processing Chemicals				
Terpenoids				

1. At a minimum, the data package shall contain the following (indicate the number of pages for each, if none, indicate as "N/A"):

- | | |
|--|--------------------------|
| a. All raw data for batch LQC sample results including date stamped instrument raw data, such as chromatograms for each LQC sample, if any. Raw data is data exported directly from the instrumentation used in the measurement. This includes, but is not limited to, LQC sample concentration determination, chromatograms, qPCR graphs and Cq values. | <input type="checkbox"/> |
| b. All raw data for batch sample results including date stamped instrument raw data, such as chromatograms for each sample, if any. This includes, but is not limited to, sample concentration determination, chromatograms, qPCR graphs and Cq values. | <input type="checkbox"/> |
| c. Instrument test method with parameters, if any. | <input type="checkbox"/> |
| d. Instrument tune report, if any. | <input type="checkbox"/> |
| e. Instrument calibration data, if any. Instrument calibration data includes, but is not limited to, calibration standard concentrations, calibration curves, chromatograms and the Coefficient of Determination (r^2). | <input type="checkbox"/> |
| f. LQC sample report that includes LQC acceptance criteria, measurements, analysis date, and matrix. | <input type="checkbox"/> |
| g. Worksheets, forms, pictures, or copies of laboratory notebook pages and any other pertinent documentation related to the identification and traceability of all reagents, reference materials, and standards used for analysis. | <input type="checkbox"/> |
| h. Analytical sequence, if any. | <input type="checkbox"/> |
| i. Shipping manifest, as required under 16 CCR section 5314. | <input type="checkbox"/> |
| j. The COC form, as required under 16 CCR section 5706. | <input type="checkbox"/> |
| k. The completed COA, as required under 16 CCR section 5726. | <input type="checkbox"/> |

2. After the data package is compiled, and prior to the release of the COA, the supervisory or management laboratory employee shall do all of the following, and initial and date the items listed below indicating the tasks were completed:

a. Review the analytical results for technical correctness and completeness, including ensuring LQC samples meet the acceptance criteria prescribed in 16 CCR section 5730.

Initials: Date:

b. Verify that the results of each analysis carried out by the laboratory are reported accurately, clearly, unambiguously, and objectively.

Initials: Date:

By signing and dating below, the supervisory or management laboratory employee is attesting that they have reviewed the complete data package, and approve of the contents and laboratory results.

3. Signature of supervisory or management laboratory employee:

Date:

DISCLOSURES

Mandatory Submission

Submission of the requested information is mandatory unless otherwise noted. Failure to provide any of the required information may result in disciplinary action.

Bureau of Cannabis Control
Project-Specific Information Form
(To be completed by applicant – attach additional sheets as needed)

If a previously certified or adopted environmental document is not available or does not exist, you must submit a completed Project-Specific Information Form. The Bureau of Cannabis Control (Bureau) will use this form to determine whether the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document or the need for additional information. (Cal. Code Regs., tit. 14, § 15060(a) [CEQA Guidelines].).

Please provide detailed responses to the items below. If more space is needed, additional pages may be added. Missing, incomplete, or inconsistent information may delay the processing of your application. Applicants must complete this form when the local jurisdiction from which they received authorization to conduct commercial cannabis activity did not certify a CEQA document.

Applicant Name: _____
Application Number: _____
Local jurisdiction (city/county): _____

SECTION A. PROJECT LOCATON AND SURROUNDING USES

1. Describe the project location including street address, city, county, Assessor’s Parcel Number, major cross streets, general plan designation, zoning designation, and any other physical description that clearly indicates the project site location.

2. Describe the surrounding land uses and zoning designations within one-half mile radius of the project and list the abutting land uses.

3. Provide a vicinity map and aerial image to show the project location.

4. Provide photographs, not larger than 8 ½ by 11 inches, of the of existing visual conditions as observed from the publicly accessible vantage point(s).

SECTION B: PROJECT DESCRIPTION

1. Describe the activities included in the project application and identify any other commercial cannabis activity or activities occurring at the proposed premises.

2. Quantify the project size (total floor area of the project) in square feet and the lot size on which the project is located, in square feet.

3. List and describe any other related public agency permits and approvals, including any entitlements required for this project (e.g., those required by a planning commission, city council, board of supervisors, local air district, or regional water board).

4. Identify whether the applicant is licensed by, or has applied for licensure from, the California Department of Food and Agriculture or the State Department of Public Health to engage in commercial cannabis activity at the proposed premises.

5. Explain whether any of the project activities will expand the existing footprint of the facility beyond the current structural or parcel boundaries, increase the amount of impervious surface, or reduce any natural habitat. If the project is part of a larger project, attach a separate sheet to briefly describe the larger project.

6. Discuss whether the project will increase the quantity and type of solid waste, as defined by Public Resources Code section 40191, or hazardous waste, as defined by Health and Safety Code section 25117, that is generated or stored onsite.

7. Identify the location, type, and quantity of hazardous materials, as defined by Health and Safety Code section 25260, that are stored, used, or disposed of at the project site and a copy of the Hazardous Material Business Plan (HMBP) prepared for the proposed premises, if any.

8. List the water source(s) and amount, in gallons, supplied for each indoor and outdoor commercial cannabis activity at the project site. Identify the wastewater treatment system (e.g., septic, aerobic or lagoons) used for the project site.

9. Estimate the number of anticipated employees onsite, occupancy during operating hours, frequency of deliveries or shipments originating to and from the project site, describe the anticipated transportation activity at the project site including the effects of the project related to public transit, bicycle, or pedestrian facilities.

10. Describe the project's anticipated operational energy needs, identify the source of energy supplied for the project and the anticipated amount of energy per day, and explain whether the project will require an increase in energy demand and the need for additional energy resources.

SECTION C: OTHER RELEVANT CEQA INFORMATION

Submit any other relevant CEQA documentation or information that will assist the Bureau in determining CEQA compliance (e.g., any environmental impact analysis prepared by a consultant).

**Bureau of Cannabis Control
CEQA Exemption Petition Form**

(To be completed by applicant – attach additional sheets as needed)

If a previously certified or adopted environmental document is not available or does not exist, you must submit a completed CEQA Exemption Petition Form to request that the Bureau of Cannabis Control (Bureau) consider whether the project is exempt from further CEQA review. You must also submit a completed Project-Specific Information Form to facilitate the processing of your application. The Bureau will use the Project-Specific Information Form to determine whether the project has the potential to generate significant adverse environmental impacts that may require preparation of a CEQA document or the need for additional information. (Cal. Code Regs., tit. 14, § 15060(a) [CEQA Guidelines]).

Please provide detailed responses to the items below. If more space is needed, additional pages may be added. Submit the completed form, attachments, and additional documents with your application for annual licensure. Missing, incomplete, or inconsistent information may delay the processing of your application. Applicants must complete this form to request the Bureau of Cannabis Control (Bureau) to consider whether the project is exempt from further California Environmental Quality Act (CEQA) review when the local jurisdiction from which they received authorization to conduct commercial cannabis activity did not certify a CEQA document.

Applicant Name: _____

Application Number: _____

Local jurisdiction (city/county): _____

Justification for categorical exemption (refer the partial list of categorical exemptions provided below)

Class: _____ Category: _____

Explanation of how the project fits the exemption indicated above:

The undersigned hereby requests that the Bureau consider whether the proposed activities are exempt from further environmental review pursuant to the California Environmental Quality Act, as amended. In completing this request, the applicant is affirming the applicant's belief that no significant environmental impact will result from the proposed project.

Applicant Signature

(Applicant Printed Name)

(Date)

Partial List of Categorical Exemptions under CEQA

Certain commercial cannabis activities (projects) may be exempt from further environmental review pursuant to the California Environmental Quality Act (CEQA) because they fall within a class of projects determined not to have significant effect on the environment. (Cal. Code Regs., tit. 14, § 15300 et seq.) Common exemptions that may apply have been identified below.

Class	Category	Description
Class 1	Existing Facilities	Consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of use beyond that existing at the time of the lead agency's determination. (Cal. Code Regs., tit. 14, §15301.)
Class 2	Replacement or Reconstruction	Consists of replacement or reconstruction of existing structures and facilities where the new structure will be located on the same site as the structure replaced with a new structure of substantially the same size, purpose, and capacity. (Cal. Code Regs., tit. 14, § 15302.)
Class 3	New Construction or Conversion of Small Structures	Consists of construction and location of limited numbers of new, small facilities or structures; installation of small new equipment and facilities in small structures; and the conversion of existing small structures from one use to another where only minor modifications are made in the exterior of the structure. (Cal. Code Regs., tit. 14, § 15303.)
Class 4	Minor Alterations to Land	Consists of minor public or private alterations in the condition of land, water, and/or vegetation which do not involve removal of healthy, mature, scenic trees except for forestry and agricultural purposes. (Cal. Code Regs., tit. 14, § 15304.)
Class 5	Minor Alterations in Land Use Limitations	Consists of minor alterations in land use limitations in areas with an average slope of less than 20%, which do not result in any changes in land use or density. (Cal. Code Regs., tit. 14, § 15305.)
Class 15	Minor Land Divisions	Consists of the division of property in urbanized areas zoned for residential, commercial, or industrial use into four or fewer parcels when the division is in conformance with the General Plan and zoning, no variances or exceptions are required, all services and access to the proposed parcels to local standards are available, the parcel was not involved in a division of a larger parcel within the previous 2 years, and the parcel does not have an average slope greater than 20 percent. (Cal. Code Regs., tit. 14, § 15315.)
Class 32	In-Fill Development Projects	Consists of projects characterized as in-fill development meeting the conditions described in Cal. Code Regs., tit. 14, § 15332.

NOTIFICATION AND REQUEST FORM

This Form is to provide the Bureau of any notifications or requests for approval, as required under the regulations. The instructions provide more information on how to fill out this Form. Sections A through D are applicable to all licensees, unless indicated otherwise. Section E is applicable only to licensed testing laboratories. Notifications to the Bureau must be completed within the required timeframe, as set forth in regulations. Some changes or modifications to business practices cannot be completed without the required notification and/or prior approval from the Bureau, such as those in Section A. All required information and materials must be attached and submitted with the Form. Multiple boxes may be checked.

Licensee Name:	License Record Number:	License Expiration Date:
----------------	------------------------	--------------------------

A. REQUESTS FOR APPROVAL

- ☐ Request to Add A or M Designation - 5023(f)
- ☐ Request to Add or Remove a Commercial Cannabis Activity (microbusiness only) - 5023(g)
- ☐ Physical Modification of Premises (requires fee) - 5027
- ☐ Inability to Comply Due to Disaster - Notification and Request - 5038(a)
- ☐ Change of List of Licensees and Employees Participating in Temporary Cannabis Event - 5601(i)
- ☐ Purchase of Former Licensee's Cannabis Goods - 5024.1

B. REQUIRED NOTIFICATIONS

- ☐ Death, Incapacity, Receivership, Assignment of Creditors, or Other Event Rendering an Owner Incapable - 5024(a)
- ☐ Criminal Conviction of Any Owner - 5035(a)
- ☐ Civil Penalty or Judgment Against Licensee or Any Owner - 5035(b)
- ☐ Administrative Order or Civil Judgment for Violation of Labor Standards Against Licensee or Any Owner - 5035(c)
- ☐ Revocation of a Local License, Permit, or Other Authorization - 5035(d)
- ☐ Discovery of Significant Discrepancy in Inventory - 5036(a)(1)
- ☐ Discovery of Diversion, Theft, Loss, or Any Other Criminal Activity Pertaining to Operation of a License - 5036(a)(2) & 5036(a)(3)
- ☐ Discovery of Loss or Unauthorized Alteration of Records of Cannabis Goods, Customers, or Employees or Agents - 5036(a)(4)
- ☐ Discovery of Any Other Breach of Security - 5036(a)(5)
- ☐ Unable to Resolve Compliance Notification in Track and Trace Within Three Business Days - 5048(e)(2)
- ☐ Connectivity to Track and Trace is Lost - 5050(b)
- ☐ Discovery that Notice of Suspension or Notice of Revocation Has Been Removed or is Damaged and Illegible - 5811(e) & 5812(f)

C. BUSINESS MODIFICATIONS AND OTHER CHANGES

- ☐ Licensed Premises is Abandoned, Quit, or Closed for a Period Exceeding 30 Consecutive Calendar Days - 5022(a)
- ☐ Labor Peace Agreement - 5023(b)
- ☐ Change in Ownership - 5023(c)
- ☐ Change in Financial Interest Holders - 5023(d)
- ☐ Change in Contact Information - 5023(e)(1)
- ☐ Change in Name or Legal Business Name - 5023(e)(2)
- ☐ Change in DBA or FBN - 5023(e)(3)
- ☐ Change to Financial Information - 5023(e)(4)
- ☐ Change in Bond - 5023(e)(5)
- ☐ Change or Lapse in Insurance for Distributor - 5023(e)(6)
- ☐ Movement of Cannabis Goods to Prevent Immediate Loss, Theft, or Degradation from Disaster - 5038(h)

D. CHANGES TO VEHICLE INFORMATION

- ☐ Use of New Vehicle or Trailer by a Distributor for Transportation of Cannabis Goods (notification is required prior to use) - 5312(b)
- ☐ Change to Distributor Vehicle or Trailer Information - 5312(c)
- ☐ Use of New Vehicle or Trailer by a Laboratory for Transportation of Samples (notification is required prior to use)- 5709(c)
- ☐ Change to Laboratory Vehicle or Trailer Information - 5709(d)

E. REQUIRED NOTIFICATIONS FOR TESTING LABORATORIES

- ☐ Application for Each ISO/IEC 17025 Accreditation is Granted or Denied - 5703(i)
- ☐ Use of New or Altered Test Methods by Testing Laboratory - 5713(d)(8)
- ☐ Notification of Receipt of Proficiency Testing Results (if not concurrently sent to the Bureau by the provider) - 5733(h)
- ☐ Completion of Internal Audit by Testing Laboratory - 5735(c)
- ☐ Receipt of Accrediting Body On-site Audit Findings by Testing Laboratory - 5735(d)

Use space below for additional information, as needed.

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a guide for handwriting or typing. The paper itself is a clean, off-white color.

DISCLOSURES

Mandatory Submission

Submission of the requested information is mandatory unless otherwise noted. Failure to provide any of the required information may result in disciplinary action.

See Instructions on the Following Pages

BUREAU NOTIFICATION AND REQUEST FORM INSTRUCTIONS

Pursuant to the provisions in the Bureau's regulations and the Medicinal and Adult-Use Cannabis Regulation and Safety Act (MAUCRSA), there are specific instances when licensees are required to notify the Bureau of changes to business operations. When completing the Bureau Notification and Request Form, please check the box next to item(s) that require Bureau notification or request and attach any other information required and relevant to the notification requirement(s). The general requirements for each notification or request item are listed below. Specific requirements can be found in the relevant code sections of the Bureau's regulations. All sections are in reference to the California Code of Regulations, title 16, division 42.

A. REQUESTS FOR APPROVAL

Request to Add A or M Designation - 5023(f)

A licensee may request to add an A-designation or M-Designation to their license by sending a notification to the Bureau signed by at least one owner as defined in section 5003 of the Bureau's regulations. A licensee shall not operate under the requested designation until they have received approval from the Bureau. The Bureau will be required to obtain direct confirmation from the local jurisdiction for the additional designation prior to approval.

Request to Add or Remove a Commercial Cannabis Activity - 5023(g)

A microbusiness licensee may add or remove a commercial cannabis activity to their license if doing so is consistent with the requirement that licensees engage in at least three (3) commercial cannabis activities. The licensee will be required to submit all licensing requirements for the requested new activity.

A licensee shall request the modification by completing a physical modification of premises request pursuant to section 5027 of the Bureau's regulations. A licensee shall not engage in a new commercial cannabis activity until they have paid for the modification and received approval from the Bureau.

Physical Modification of Premises – 5027

A licensee shall not, without the prior written approval of the Bureau, make a physical change, alteration, or modification of the licensed premises that materially or substantially alters the licensed premises or the use of the licensed premises from the premises diagram originally filed with the license application. A licensee shall request approval of a physical change, alteration, or modification in writing, and the request shall include a new premises diagram, payment of a fee, and any additional documentation as requested by the Bureau.

Inability to Comply Due to Disaster – Notification and Request - 5038(a)

If a licensee is unable to comply with any licensing requirements due to a disaster, as provided in section 5038 of the Bureau's regulations, the licensee may notify the Bureau of this inability to comply and request relief from the specific licensing requirement. The Bureau may exercise its discretion to provide temporary relief from specific regulatory requirements.

Change of List of Licensees and Employees Participating in Temporary Cannabis Event - 5601(i)

If the list of licensees and employees participating in a temporary cannabis event changes after the application is submitted or after the license is issued, the temporary cannabis event applicant shall submit an updated list of all licensees and employees that will be providing onsite sales of cannabis goods at the temporary cannabis event and an updated diagram, to the Bureau no less than 72 hours before the event.

Purchase of Former Licensee's Cannabis Goods Inventory - 5204.1

A licensed distributor or licensed microbusiness authorized to engage in distribution may be authorized to purchase and distribute a former's licensee's entire inventory stock, upon meeting certain requirements, including requesting approval from the Bureau, within 14 calendar days of the termination of the former licensee's license.

B. REQUIRED NOTIFICATIONS

Death, Incapacity, or Other Event Rendering an Owner Incapable - 5024(a)

In the event of the death, incapacity, receivership, assignment for the benefit of creditors or other event rendering one or more owners' incapable of performing the duties associated with the license, the owner or owners' successor in interest (e.g., appointed guardian, executor, administrator, receiver, trustee, or assignee) shall notify the Bureau in writing, within 14 calendar days.

To continue operations or cancel the existing license, the successor in interest shall submit to the Bureau the following:

- (1) The name of the successor in interest.
- (2) The name of the owner(s) for which the successor in interest is succeeding and the license number;
- (3) The phone number, mailing address, and email address of the successor in interest; and
- (4) Documentation demonstrating that the owner(s) is incapable of performing the duties associated with the license such as a death certificate, or a court order, and documentation demonstrating that the person making the request is the owner or owners' successor in interest such as a court order appointing guardianship, receivership, or a will or trust agreement.

Criminal Conviction of Any Owner - 5035(a)

A licensee shall ensure that the Bureau is notified in writing of a criminal conviction of any owner, either by mail or electronic mail, within 48 hours of the conviction. The written notification to the Bureau shall include the date of conviction, the court docket number, the name of the court in which the owner was convicted, and the specific offense(s) for which the owner was convicted.

Civil Penalty or Judgment Against Licensee or Any Owner - 5035(b)

A licensee shall ensure that the Bureau is notified in writing of a civil penalty or judgment rendered against the licensee or any owner in their individual capacity, either by mail or electronic mail, within 48 hours of delivery of the verdict or entry of judgment, whichever is sooner. The written notification shall include the date of verdict or entry of judgment, the court docket number, the name of the court in which the matter was adjudicated, and a description of the civil penalty or judgment rendered against the licensee.

Administrative Order or Civil Judgment for Violation of Labor Standards - 5035(c)

A licensee shall ensure that the Bureau is notified in writing of an administrative order or civil judgement for violations of labor standards against the licensee or any owner in their individual capacity, either by mail or electronic mail, within 48 hours of delivery of the order. The written notification shall include the date of the order, the name of the agency issuing the order, and a description of the administrative penalty or judgement rendered against the licensee or owner.

Revocation of a Local License, Permit, or Other Authorization - 5035(d)

A licensee shall ensure that the Bureau is notified in writing of the revocation of a local license, permit, or other authorization, either by mail or electronic mail within 48 hours of receiving notice of the revocation. The written notification shall include the name of the local agency involved, a written explanation of the proceeding or enforcement action, and the specific violation(s) that led to revocation.

Discovery of Significant Discrepancy in Inventory - 5036(a)(1)

A licensee shall notify the Bureau and local law enforcement within 24 hours of discovery of a significant discrepancy, as defined in section 5034 of the Bureau's regulations. The notification shall be in writing and include the date and time of occurrence of the theft, loss, or criminal activity, the name of the local law enforcement agency that was notified, and a description of the incident including, where applicable, the item(s) that were taken or lost.

Discovery of Diversion, Theft, Loss, or Any Other Criminal Activity - 5036(a)(2) & 5036(a)(3)

A licensee shall notify the Bureau and local law enforcement within 24 hours of discovery of diversion, theft, loss, or any other criminal activity pertaining to the operations of the licensee. A licensee shall also notify the Bureau and local law enforcement within 24 hours of discovery of diversion, theft, loss, or any other criminal activity by an agent or employee of the licensee pertaining to the operations of the licensee.

The notification shall be in writing and include the date and time of occurrence of the theft, loss, or criminal activity, the name of the local law enforcement agency that was notified, and a description of the incident including, where applicable, the item(s) that were taken or lost.

Discovery of Loss or Unauthorized Alteration of Records - 5036(a)(4)

A licensee shall notify the Bureau and local law enforcement within 24 hours of discovery of loss or unauthorized alteration of records related to cannabis goods, customers, or the licensee's employees or agents. The notification shall be in writing and include the date and time of occurrence of the theft, loss, or criminal activity, the name of the local law enforcement agency that was notified, and a description of the incident including, where applicable, the item(s) that were taken or lost.

Discovery of Any Other Breach of Security - 5036(a)(5)

A licensee shall notify the Bureau and local law enforcement within 24 hours of discovery of any other breach of security. The notification shall be in writing and include the date and time of occurrence of the theft, loss, or criminal activity, the name of the local law enforcement agency that was notified, and a description of the incident including, where applicable, the item(s) that were taken or lost.

Inability to Resolve Compliance Notification in Track and Trace Within 3 Business Days - 5048(e)(2)

A licensee shall monitor all compliance notifications from the track and trace system, and timely resolve the issues detailed in the compliance notification. If a licensee is unable to resolve a compliance notification within three business days of receiving the notification, the licensee shall notify the Bureau immediately.

Connectivity to Track and Trace is Lost - 5050(b)

A licensee shall notify the Bureau immediately of any loss of connectivity to the track and trace system.

Notice of Suspension or Revocation Has Been Removed or is Damaged and Illegible - 5811(e) & 5812(f)

A licensee whose license has been suspended shall notify the Bureau within 24 hours of discovering that the notice required under section 5811(b) of the Bureau's regulations has been removed or damaged to an extent that makes the notice illegible.

A person whose license has been revoked shall notify the Bureau within 24 hours of discovering that the notice required under section 5812(b) of the Bureau's regulations has been removed or damaged to an extent that makes the notice illegible.

C. BUSINESS MODIFICATIONS AND OTHER CHANGES

Licensed Premises is Abandoned, Quit, or Closed for a Period Exceeding 30 Consecutive Calendar Days - 5022(a)

A licensee who abandons, quits or who closes their licensed premises for a period exceeding 30 consecutive calendar days, shall request in writing that the Bureau cancel the license, within 14 calendar days after closing, quitting, or abandoning the licensed premises. The Bureau may revoke the license of a licensee who fails to comply. Upon cancellation or revocation of the license, the licensee shall not display and shall destroy the license certificate.

If a licensee must close the licensed premises for a period exceeding 30 consecutive calendar days to make renovations or repairs, the Bureau may allow the licensee to retain the license if the licensee complies with the requirements in section 5027 of the Bureau's regulations (see Material or Substantial Changes, Alterations, or Modifications of Premises – 5027).

Labor Peace Agreement - 5023(b)

If at the time of licensure, a licensee employed less than 20 employees and later employs 20 or more employees, the licensee shall provide to the Bureau a document attesting that the licensee has entered into a labor peace agreement and will abide by the terms of the agreement, as soon as reasonably practicable once employing 20 or more employees. Once the licensee has entered into the labor peace agreement, the licensee shall provide the Bureau with a copy of the labor peace agreement signature page(s).

Change in Ownership - 5023(c)

If one or more of the owners of a license change, a new license application and fee shall be submitted to the Bureau within 14 calendar days of the effective date of the ownership change. The business may continue to operate under the active license while the Bureau reviews the application if at least one owner is not transferring ownership interest and will remain as an owner under the new license and ownership structure. If all owners will be transferring their ownership interest, the business shall not operate under the new ownership structure until the new license application has been approved by the Bureau.

A change in ownership occurs when a new person meets the definition of owner in section 5003 of the Bureau's regulations. A change in ownership does not occur when one or more owners leave the business by transferring their ownership interest to the other existing owner(s). In cases where one or more owners leave the business by transferring their ownership interest to the other existing owner(s), the owner or owners that are transferring their interest shall provide a signed statement to the Bureau confirming that they have transferred their interest.

Change in Financial Interest Holders - 5023(d)

When there is a change in persons with financial interest(s) in the commercial cannabis business that do not meet the requirements for a new license application, the licensee shall submit the information required by section 5004 to the Bureau within 14 calendar days of the change. This information includes the name, birthdate, and government-issued identification type and number for all new individuals who have a financial interest in a commercial cannabis business, as defined in section 5004. If an individual who was previously listed as a financial interest holder no longer has a financial interest, provide the first and last name of the individual and indicate that this individual no longer has a financial interest.

Change in Contact Information - 5023(e)(1)

If there is any change to any contact information from the information provided to the Bureau in the original application or subsequent notification, the licensee shall provide the Bureau with the new contact information within 14 calendar days of the change.

Change in Name or Legal Business Name - 5023(e)(2)

If the licensee is an individual, the licensee shall notify the Bureau within 14 calendar days of any change to their name. If a licensee is a business entity, the licensee shall notify the Bureau within 14 calendar days of any change to the legal business name.

Change in DBA or FBN - 5023(e)(3)

If there is any change in business trade name (DBA) or fictitious business name (FBN), the licensee shall notify and provide the Bureau with the new information for the business trade name and/or fictitious business name within 14 calendar days.

Change to Financial Information - 5023(e)(4)

If there is any change to financial information including funds, loans, investments, and gifts, required to be reported in the original application under section 5002(c)(18) of the Bureau's regulations, the licensee shall notify and provide the Bureau with the new financial information within 14 calendar days.

Change in Bond - 5023(e)(5)

If there is any change to the surety bond required to be submitted to the Bureau in the original application under section 5008 of the Bureau's regulations, the licensee shall notify the and provide the Bureau with a copy of the new or changed surety bond within 14 calendar days.

Change or Lapse in Insurance - 5023(e)(6)

If there is any change or lapse in insurance coverage required for a licensed distributor under section 5308 of the Bureau's regulations, the licensee shall notify and provide the Bureau with the new insurance information within 14 calendar days.

Movement of Cannabis Goods to Prevent Immediate Loss, Theft, or Degradation from Disaster - 5038(h)

If a licensee needs to move cannabis goods stored on the licensed premises to another location immediately to prevent loss, theft, or degradation of the cannabis goods from the disaster, as provided in section 5038 of the Bureau's regulations, the licensee may move the cannabis goods without obtaining prior approval if:

- (1) The cannabis goods are moved to a secure location where access to the cannabis goods can be restricted;
- (2) The licensee notifies the Bureau in writing that the cannabis goods have been moved and that the licensee is requesting relief from complying with specific licensing requirements within 24 hours of moving the cannabis goods;
- (3) The licensee agrees to grant the Bureau access to the location where the cannabis goods have been moved to for inspection; and
- (4) The licensee submits in writing to the Bureau within 14 calendar days of moving the cannabis goods a request for temporary relief that clearly indicates what statutory and regulatory sections relief is requested from, the time period for which the relief is requested, and the reasons relief is needed for the time specified.

D. CHANGES TO VEHICLE INFORMATION

Use of New Vehicle or Trailer by a Distributor for Transportation - 5312(b)

A licensed distributor shall provide the Bureau with the required vehicle information in writing for any new vehicle or trailer that will be used to transport cannabis goods prior to using the vehicle or trailer to transport cannabis goods. Required vehicle information includes: (1) Proof that the licensed distributor is the registered owner under the Vehicle Code for each vehicle and trailer used to transport cannabis goods; (2) The year, make, model, license plate number, and numerical Vehicle Identification Number (VIN) for each vehicle and trailer used to transport cannabis goods; and (3) Proof of insurance for each vehicle and trailer used to transport cannabis goods.

Change to Distributor Vehicle or Trailer Information Used for Transportation - 5312(c)

A licensed distributor shall provide the Bureau with any changes to the required vehicle information in writing within 30 calendar days. Required vehicle information includes: (1) Proof that the licensed distributor is the registered owner under the Vehicle Code for each vehicle and trailer used to transport cannabis goods; (2) The year, make, model, license plate number, and numerical Vehicle Identification Number (VIN) for each vehicle and trailer used to transport cannabis goods; and (3) Proof of insurance for each vehicle and trailer used to transport cannabis goods.

Use of New Vehicle or Trailer by a Laboratory for Transportation of Samples - 5709(c)

A licensed laboratory shall provide the Bureau with the required vehicle information in writing for any new vehicle or trailer that will be used to transport cannabis goods samples prior to using the vehicle or trailer. Required vehicle information includes: (1) Proof that the laboratory is the registered owner under the Vehicle Code for each vehicle and trailer used to transport cannabis goods samples; (2) The year, make, model, license plate number, and numerical Vehicle Identification Number (VIN) for each vehicle and trailer used to transport cannabis goods samples; and (3) Proof of insurance for each vehicle used to transport cannabis goods samples.

Change to Laboratory Vehicle or Trailer Information Used for Transportation of Samples - 5709(d)

A licensed laboratory shall provide the Bureau with any changes to the required vehicle information in writing within 30 calendar days. Required vehicle information includes: (1) Proof that the laboratory is the registered owner under the Vehicle Code for each vehicle and trailer used to transport cannabis goods samples; (2) The year, make, model, license plate number, and numerical Vehicle Identification Number (VIN) for each vehicle and trailer used to transport cannabis goods samples; and (3) Proof of insurance for each vehicle used to

transport cannabis goods samples.

E. REQUIRED NOTIFICATIONS FOR TESTING LABORATORIES

Application for Each ISO/IEC 17025 Accreditation is Granted or Denied - 5703(i)

A testing laboratory licensee with a provisional testing laboratory license pursuant to section 5703 of the Bureau's regulations shall notify the Bureau if the application for each ISO/IEC 17025 accreditation is granted or denied within 5 business days of receiving the decision from the accrediting body.

Use of New or Altered Test Methods by Testing Laboratory - 5713(d)(8)

Testing Laboratories are required to generate a validation report for each test method pursuant to the requirements in section 5713 of the Bureau's regulations. If a testing laboratory uses a new or altered test method, the testing laboratory shall submit the new validation report to the Bureau within 5 business days.

Notification of Receipt of Proficiency Testing Results (if not concurrently sent) - 5733(h)

Pursuant to section 5733 of the Bureau's regulations, a testing laboratory is required to participate in a proficiency testing program provided by an organization that operates in conformance with the requirements of ISO/IEC 17043.

The laboratory shall request the proficiency testing program provider to send results concurrently to the Bureau, if available, or the laboratory shall provide the PT program results to the Bureau within 3 business days after the laboratory receives notification of their test results from the proficiency testing program provider.

Completion of Internal Audit by Testing Laboratory - 5735(c)

Pursuant to section 5735 of the Bureau's regulations, a testing laboratory is required to conduct an internal audit at least once per year, or in accordance with the ISO/IEC 17025 accrediting body's requirement, whichever is more frequent. The testing laboratory shall submit the results of the internal audit to the Bureau within 3 business days of completing the internal audit.